

The **posterior fossa tumors** can be situated either **dorsal** and **lateral**, **ventral** and **medial**, or occupying both **regions** in relation to the **cranial nerves**, with the latter position being especially challenging. In an effort to organize neurovascular complexes contained within, anatomically based **triangles** have been proposed to serve as guiding **landmarks** for locating critical neurovascular structures. The objectives of this study were to: (1) provide a review of historical anatomically based vascular-centric triangles of the **posterior fossa** based on respective neurovascular complexes; (2) introduce a more organized alternative system of triangles with the conceptualization of a projection system from superficial to deep; and (3) propose and describe two new triangles of the posterior fossa: **Petrous-Acousticofacial triangle** and **Acousticofacial-Trigeminal triangle**. Five **cadavers** were studied. Neurovascular complexes were described with the use of anatomically guided cranial nerve-centric triangles, each of which was formed by cranial nerves, **petrous bone**, **brainstem**, **tentorium**, and **superior petrosal vein**. All **triangles** were measured and anatomical boundaries confirmed by **neuronavigation**. Two circumferential frameworks were created to correlate superficial and deep anatomy: (1) Outer circumference and (2) Inner circumference. Posterior fossa was divided into the following: (1) Superior complex-corresponds to the sub-**asterional** region, which was projected to the **trigeminal nerve**; (2) Middle complex-corresponds to the **mastoid emissary vein foramen**, which was projected to the facial and **vestibulocochlear nerves**; and (3) Inferior complex-corresponds to the posterior **condylar canal**, which projects to the **lower cranial nerves**. **Neuronavigation** confirmed these **landmarks**. Two new triangles were proposed: (1) The Petrous-Acousticofacial triangle, and (2) The Acousticofacial-Trigeminal triangle. Triangles provide a useful anatomical guide to the posterior fossa. Ortiz-Rafael et al. introduced an organized schema, as well as proposed two new triangles, with the intent to minimize manipulation of neurovascular structures <sup>1)</sup>.

<sup>1)</sup>

Ortiz-Rafael J, Chakravarthi SS, Revuelta-Gutiérrez R, Kassam A, Monroy-Sosa A. Microsurgical anatomy of the cranial nerve-centric triangles of the posterior cranial base: cadaveric and radiological anatomical study. *Anat Sci Int*. 2021 Jun 16. doi: 10.1007/s12565-021-00620-z. Epub ahead of print. PMID: 34132987.

From:

<https://neurosurgerywiki.com/wiki/> - **Neurosurgery Wiki**

Permanent link:

[https://neurosurgerywiki.com/wiki/doku.php?id=acousticofacial-trigeminal\\_triangle](https://neurosurgerywiki.com/wiki/doku.php?id=acousticofacial-trigeminal_triangle)

Last update: **2024/06/07 02:55**

