

Cauda Equina Syndrome due to lumbar disc herniation

- [The experience and need of patients with cauda equina syndrome caused by lumbar disc herniation: a phenomenological qualitative study](#)
- [Is out-of-hours decompression for acute lumbar disc herniation associated with greater peri-operative complications? A tertiary centre, retrospective cohort study](#)
- [Integrative Korean medicine for recurrent lumbar disc herniation after coronavirus disease vaccination: A case report and literature review](#)
- [Surgical outcomes of unilateral painful foot drop secondary to lumbar disc herniation: a multicenter retrospective study](#)
- [The impact of prolapse to canal ratio \(PCR\) in cauda equina syndrome outcomes and operative management](#)
- [Incidence and long-term patient reported outcome measures of patients with radiological cauda equina compression but without clinical features of cauda equina syndrome](#)
- [Biportal endoscopic lumbar discectomy surgery in patients with cauda equina syndrome caused by lumbar herniated intervertebral disc: a retrospective multi-center cohort study](#)
- [Late Presentation of Cauda Equina Syndrome with Isolated Bladder Bowel Incontinence in Massive Lower Lumbar Disc Herniation: A Series of Three Cases](#)

Cauda equina syndrome (CES) is a rare neurologic condition that is caused by compression of the cauda equina. Cauda equina consists of spinal nerves L2-L5, S1-S5 and the coccygeal nerve. The compression of these nerve roots can be caused mainly by lumbar disc herniation (45% of all causes). The diagnosis consists of two critical points: a) detailed history and physical examination and b) MRI or CT. The gold standard of the treatment of this syndrome is the surgical approach in combination with the timing of onset of symptoms. The surgery as an emergency situation is recommended in the first 48 hours of onset of symptoms. Any delay in diagnosis and treatment leads to a poor prognosis of CES ¹⁾.

see [Cauda equina syndrome due to intradural lumbar disc herniation](#).

Outcome

There was a clear correlation between the presence of complete perineal anesthesia and the absence of anal wink as both univariate and multivariate predictors of poor outcomes. There was a significant association between a slower onset of CES and a favorable outcome. There was no significant correlation found between initial motor function loss, bilateral sciatica, and level of the lesions as predictors of a poor outcome ²⁾.

Patients with CES and bladder incontinence or retention, over 90% regained continence. Recovery of function was not related to the time to surgical intervention. The majority of the patients were adequately treated without the need for a complete laminectomy ³⁾.

Case series

A [cross-sectional](#) observational study was conducted at [Shaheed Suhrawardy Medical College and Hospital](#), from January 2015 to January 2021 and the aim of this study was to find the predictors and the clinical outcome of cauda equina syndrome after spinal decompression with delayed presentation. Among 680 patients with degenerative disc diseases; 32 cases (4.7%) had CES, those presenting late in course of the disease. The time interval between bladder and bowel dysfunction and admission to the hospital varied from 2-64 days with a mean delay of 15.4 days. The average follow-up was 22.6 months, ranging from 12 to 34 months. There was a significant positive correlation ($p<0.05$) between the duration taken for total recovery and delay in surgery and between delayed decompression and poor outcome. Also, there was a clear correlation between the presence of complete perineal anesthesia and the absence of anal wink as both univariate and multivariate predictors of poor outcomes. There was a significant association between a slower onset of CES and a favorable outcome. There was no significant correlation found between initial motor function loss, bilateral sciatica, and level of the lesions as predictors of a poor outcome ⁴⁾.

116 patients with CES associated with disc herniation underwent decompression and stabilization surgery from January 2005 to January 2020 in a single-center study, and data were collected and retrospectively analyzed. The patients were divided into the O-TLIF and the MI-TLIF group. The perioperative clinical data and MRI assessment were used to assess the efficacy of the respective surgical methods preoperatively and with a minimum follow-up of 30 months.

Results: As expected, the O-TLIF group had statistically significantly longer surgery times and hospital stay, more bleeding, and perioperative surgical complications than the MI-TLIF group. At a minimum follow-up period of 30 months, the MI-TLIF group had significantly better Oswestry Disability Index, visual analog scale, and Short-Form-36, and neurologic CES symptoms than the O-TLIF group. The postoperative MRIs revealed a statistically significant difference in the multifidus muscle area in MI group compared with the O group.

In patients with acute CES caused by disc herniation, MI-TLIF, with decreased disruption of paravertebral tissues and postoperative pain syndrome, results in earlier mobilization and rehabilitation with better long-term clinical outcomes compared with O-TLIF ⁵⁾.

Twenty-three (10%) patients met the criteria for GDH. Clinically significant motor weakness was present in 21 patients (91.3%) before surgery, and 3 patients (13%) presented with cauda equina syndrome. The average mean visual analog scale ($\pm$ SD) for the preoperative pain score was 8.3 and decreased to 2.4 at follow-up after surgery. All cases of cauda equina syndrome resolved postoperatively.

Unilateral tubular minimally invasive surgery discectomy seems to be a safe and effective treatment alternative for lumbar GDHs, combined with the “over-the-top” decompression, which provides bilateral decompression and working space ⁶⁾.

A retrospective review of all patients with lumbar herniated discs and CES from the years 1985 to 2004 was carried out. There were 31 patients, 28 of whom had bladder incontinence or retention requiring catheterization. Six patients were operated within 24 hours, 8 between 24 and 48 hours, and 17 after 48 hours (range: 60 h to 2 wk). Average follow-up was 5 years.

Twenty-seven of these patients regained continence not requiring catheterization. There was no correlation between the time-to-surgery and recovery of bladder function. There was also no correlation between the time-to-surgery and recovery of motor and sensory function. The majority of patients underwent unilateral hemilaminotomy or bilateral hemilaminotomies; decompressive laminectomy was reserved for patients with underlying spinal stenosis or posteriorly herniated fragments. All of the patients were relieved of their radicular pain.

Patients with CES and bladder incontinence or retention, over 90% regained continence. Recovery of function was not related to the time to surgical intervention. The majority of the patients were adequately treated without the need for a complete laminectomy ⁷⁾.

Case reports

Two males had features of cauda equina syndrome. Both had posterior lesions at L4/5 level in magnetic resonance imaging. The mass of the 41-year-old man had peripheral rim enhancement with gadolinium. The epidural mass was excised. The histopathology showed fibrocartilaginous disc. The 67-year-old man had mass with moderate enhancement. The mass had thinned the dura to appear as intradural tumor. The histopathology showed a fibrocartilaginous disc. Immunohistochemistry was negative for neoplasm.

A migrated disc should be considered in the case of a posterior extramedullary mass. The granulation tissue around the disc produces peripheral enhancement with gadolinium. Thin enhancement is common. Thick enhancement is also reported. Neoplasms have intense enhancement and inflammatory changes are seen in abscess ⁸⁾.

Unclassified

1: Pronin S, Woodfield J, Hoeritzauer I, Carson A, Stone J, Statham PF, Demetriades AK. Does a history of lumbar spine surgery predict radiological cauda equina compression in patients undergoing MRI for suspected cauda equina syndrome? *Br J Neurosurg*. 2019 Nov 13:1-4. doi: 10.1080/02688697.2019.1687845. [Epub ahead of print] PubMed PMID: 31718292.

2: Mirza AB, Akhbari M, Lavrador J, Maratos EC. Atypical cauda equina syndrome with lower limb clonus: a literature review and case report. *World Neurosurg*. 2019 Nov 9. pii: S1878-8750(19)32845-1. doi: 10.1016/j.wneu.2019.10.198. [Epub ahead of print] PubMed PMID: 31715419.

3: Uçkun ÖM, Alagöz F, Polat Ö, Divanlıoğlu D, Dağlıoğlu E, Belen AD, Dalgıç A. Urgent operation improves weakness in cauda equina syndrome due to lumbar disc herniation. *Turk J Phys Med Rehabil*. 2019 Feb 1;65(3):222-227. doi: 10.5606/tftrd.2019.3169. eCollection 2019 Sep. PubMed PMID: 31663070; PubMed Central PMCID: PMC6797921.

4: Kramer DC, Aguirre-Alarcon A, Yassari R, Brook AL, Kinon MD. Spinal cord ischemia/infarct after

cauda equina syndrome from disc herniation - A case study and literature review. *Surg Neurol Int.* 2019 May 10;10:80. doi: 10.25259/SNI-148-2019. eCollection 2019. PubMed PMID: 31528418; PubMed Central PMCID: PMC6744722.

5: McAvoy M, McCrea HJ, Chavakula V, Choi H, Bi WL, Mekary RA, Stone S, Proctor MR. Long-term outcomes of lumbar microdiscectomy in the pediatric population: a large single-institution case series. *J Neurosurg Pediatr.* 2019 Aug 30;1-9. doi: 10.3171/2019.6.PEDS18716. [Epub ahead of print] PubMed PMID: 31470400.

6: Yuan T, Zhang J, Yang L, Wu J, Tian H, Wan T, Xu D, Liu Q. Cauda equina syndrome without motor dysfunction following lumbar spinal stenosis surgery: A case report. *Medicine (Baltimore).* 2019 Jul;98(29):e16396. doi: 10.1097/MD.0000000000016396. PubMed PMID: 31335689; PubMed Central PMCID: PMC6709168.

7: S DCR, Shetty AP, Kanna RM, Rajasekaran S. Cauda equina syndrome in an obese pregnant patient secondary to double level lumbar disc herniation - A case report and review of literature. *Spinal Cord Ser Cases.* 2019 Apr 15;5:33. doi: 10.1038/s41394-019-0179-7. eCollection 2019. PubMed PMID: 31240126; PubMed Central PMCID: PMC6474232.

8: Pedaballe AR, Mallepally AR, Tandon V, Sharma A, Chhabra HS. An Unusual Case of Transdural Herniation of a Lumbar Intervertebral Disc: Diagnostic and Surgical Challenges. *World Neurosurg.* 2019 Aug;128:385-389. doi: 10.1016/j.wneu.2019.05.103. Epub 2019 May 20. PubMed PMID: 31121367.

9: Champeaux C, Abi-Lahoud G, Larousserie F. An odd and serious "disc bulging"! *Neurochirurgie.* 2019 Aug;65(4):187-190. doi: 10.1016/j.neuchi.2019.04.001. Epub 2019 May 15. PubMed PMID: 31100350.

10: Pronin S, Hoeritzauer I, Statham PF, Demetriades AK. Are we neglecting sexual function assessment in suspected cauda equina syndrome? *Surgeon.* 2019 Apr 26. pii: S1479-666X(19)30037-X. doi: 10.1016/j.surge.2019.03.005. [Epub ahead of print] PubMed PMID: 31036485.

11: Jung YJ, Chang MC. Bacterial meningitis and cauda equina syndrome after trans-sacral epiduroscopic laser decompression: A case report. *Medicine (Baltimore).* 2019 Mar;98(11):e14874. doi: 10.1097/MD.0000000000014874. PubMed PMID: 30882691; PubMed Central PMCID: PMC6426585.

12: Yang JS, Chu L, Chen CM, Wang XF, Xie PG, Deng R, Yu KX, Shi L, Zhang ZX, Rong LM, Hao DJ, Deng ZL. Foraminoplasty at the Tip or Base of the Superior Articular Process for Lateral Recess Stenosis in Percutaneous Endoscopic Lumbar Discectomy: A Multicenter, Retrospective, Controlled Study with 2-Year Follow-Up. *Biomed Res Int.* 2018 Dec 19;2018:7692794. doi: 10.1155/2018/7692794. eCollection 2018. PubMed PMID: 30662915; PubMed Central PMCID: PMC6313963.

13: Elsharkawy AE, Hagemann A, Klassen PD. Posterior epidural migration of herniated lumbar disc fragment: a literature review. *Neurosurg Rev.* 2019 Dec;42(4):811-823. doi: 10.1007/s10143-018-01065-1. Epub 2019 Jan 6. Review. PubMed PMID: 30613923.

14: Ahern DP, Gibbons D, Dodds M, Timlin M, Cassidy N, Morris S, Synnott K, Butler JS. Operative Management of Perinatal Lumbar Disc Herniation and Cauda Equina Syndrome: A Case Series. *Ir Med J.* 2018 Dec 6;111(10):843. PubMed PMID: 30560639.

- 15: U ECY, Shetty A, Craig PRS, Chitgopkar SD. An observation of massive lumbar disc prolapse. *J Spine Surg.* 2018 Sep;4(3):583-587. doi: 10.21037/jss.2018.07.12. PubMed PMID: 30547122; PubMed Central PMCID: PMC6261772.
- 16: Ma F, Kang M, Liao YH, Lee GZ, Tang Q, Tang C, Ding YH, Zhong J. Nocardial spinal epidural abscess with lumbar disc herniation: A case report and review of literature. *Medicine (Baltimore).* 2018 Dec;97(49):e13541. doi: 10.1097/MD.00000000000013541. Review. PubMed PMID: 30544463; PubMed Central PMCID: PMC6310552.
- 17: Nv A, Rajasekaran S, Ks SVA, Kanna RM, Shetty AP. Factors that influence neurological deficit and recovery in lumbar disc prolapse-a narrative review. *Int Orthop.* 2019 Apr;43(4):947-955. doi: 10.1007/s00264-018-4242-y. Epub 2018 Nov 24. Review. PubMed PMID: 30474689.
- 18: Sharma A, Singh V, Sangondimath G, Kamble P. Intradural Disc a Diagnostic Dilemma: Case Series and Review of Literature. *Asian J Neurosurg.* 2018 Oct-Dec;13(4):1033-1036. doi: 10.4103/ajns.AJNS_55_17. PubMed PMID: 30459862; PubMed Central PMCID: PMC6208249.
- 19: Reddy AP, Mahajan R, Rustagi T, Chhabra HS. Bladder Recovery Patterns in Patients with Complete Cauda Equina Syndrome: A Single-Center Study. *Asian Spine J.* 2018 Dec;12(6):981-986. doi: 10.31616/asj.2018.12.6.981. Epub 2018 Oct 16. PubMed PMID: 30322260; PubMed Central PMCID: PMC6284130.
- 20: Her Y, Kang SH, Cho YJ, Yang JS, Jeon JP, Choi HJ. Factors Associated With Longer Postoperative Outpatient Follow-up Duration in Patients With Single Lumbar Disc Herniation: A Noncomplicated Patient Cohort Study. *Neurospine.* 2018 Sep;15(3):225-230. doi: 10.14245/ns.1836006.003. Epub 2018 Aug 29. PubMed PMID: 30157584; PubMed Central PMCID: PMC6226128.
- 21: Elswick CM, Ahmed HM. Lumbar Arthroplasty Core Herniation Presenting With Cauda Equina Syndrome: Case Report of a Rare Complication. *Oper Neurosurg (Hagerstown).* 2019 May 1;16(5):614-618. doi: 10.1093/ons/opy152. PubMed PMID: 30099564.
- 22: Hawkins JC, Natkha VP, Seibly J. Posterior Epidural Migration of a Lumbar Disc Herniation Causing Cauda Equina Syndrome: A Case Report. *Cureus.* 2018 Jun 5;10(6):e2739. doi: 10.7759/cureus.2739. PubMed PMID: 30087815; PubMed Central PMCID: PMC6075642.
- 23: Frioui S, Khachnaoui F. Posterior epidural migration of a lumbar disk: an entity not to ignore. *Pan Afr Med J.* 2018 Jan 22;29:59. doi: 10.11604/pamj.2018.29.59.9492. eCollection 2018. PubMed PMID: 29875940; PubMed Central PMCID: PMC5987103.
- 24: Cai C, Gong Y, Dong D, Xue J, Zheng X, Zhong Z, Shao J, Mi D. Combined Therapies of Modified Taiyi Miraculous Moxa Roll and Cupping for Patients with Lumbar Intervertebral Disc Herniation. *Evid Based Complement Alternat Med.* 2018 Mar 28;2018:6754730. doi: 10.1155/2018/6754730. eCollection 2018. PubMed PMID: 29785195; PubMed Central PMCID: PMC5896209.
- 25: Hua W, Tu J, Li S, Wu X, Zhang Y, Gao Y, Zeng X, Yang S, Yang C. Full-endoscopic discectomy via the interlaminar approach for disc herniation at L4-L5 and L5-S1: An observational study. *Medicine (Baltimore).* 2018 Apr;97(17):e0585. doi: 10.1097/MD.00000000000010585. PubMed PMID: 29703053; PubMed Central PMCID: PMC5944510.
- 26: Ammar A, Zarnegar R, Yassari R, Kinon M. Large central lumbar disc herniation causing acute cauda equina syndrome with loss of evoked potentials during prone positioning for surgery. *Surg Neurol Int.* 2018 Mar 19;9:66. doi: 10.4103/sni.sni_482_17. eCollection 2018. PubMed PMID: 29629233; PubMed Central PMCID: PMC5875114.

- 27: Park T, Lee HJ, Kim JS, Nam K. Posterior epidural disc fragment masquerading as spinal tumor: Review of the literature. *J Back Musculoskelet Rehabil.* 2018;31(4):685-691. doi: 10.3233/BMR-170866. Review. PubMed PMID: 29562487.
- 28: Kovari VZ, Horvath L. Surgical management of cauda syndrome in third trimester of pregnancy focusing on spinal anesthesia and right lateral positioning during surgery as possible practices. *Eur Spine J.* 2018 Jul;27(Suppl 3):483-488. doi: 10.1007/s00586-018-5519-y. Epub 2018 Feb 22. PubMed PMID: 29470714.
- 29: Kaiser R, Nasto LA, Venkatesan M, Waldauf P, Perez B, Stokes OM, Haddad S, Mehdian H, Tsegaye M. Time Factor and Disc Herniation Size: Are They Really Predictive for Outcome of Urinary Dysfunction in Patients With Cauda Equina Syndrome? *Neurosurgery.* 2018 Dec 1;83(6):1193-1200. doi: 10.1093/neuros/nyx607. PubMed PMID: 29425362.
- 30: Kapetanakis S, Chaniotakis C, Kazakos C, Papathanasiou JV. Cauda Equina Syndrome Due to Lumbar Disc Herniation: a Review of Literature. *Folia Med (Plovdiv).* 2017 Dec 20;59(4):377-386. doi: 10.1515/folmed-2017-0038. Review. PubMed PMID: 29341941.
- 31: Karaaslan B, Aslan A, Börcek AÖ, Kaymaz M. Clinical and surgical outcomes of upper lumbar disc herniations: a retrospective study. *Turk J Med Sci.* 2017 Aug 23;47(4):1157-1160. doi: 10.3906/sag-1604-113. PubMed PMID: 29156856.
- 32: Yang SD, Zhang F, Ding WY. Analysis of clinical and neurological outcomes in patients with cauda equina syndrome caused by acute lumbar disc herniation: a retrospective-prospective study. *Oncotarget.* 2017 Aug 24;8(48):84204-84209. doi: 10.18632/oncotarget.20453. eCollection 2017 Oct 13. PubMed PMID: 29137416; PubMed Central PMCID: PMC5663588.
- 33: Jung YJ, Shin JS, Lee J, Lee YJ, Kim MR, Ha IH. Delayed Spontaneous Resorption of Lumbar Intervertebral Disc Herniation: A Case Report. *Altern Ther Health Med.* 2017 Dec;23(7). pii: AT5595. Epub 2017 Oct 21. PubMed PMID: 29055285.
- 34: Korse NS, Kruit MC, Peul WC, Vleggeert-Lankamp CLA. Lumbar spinal canal MRI diameter is smaller in herniated disc cauda equina syndrome patients. *PLoS One.* 2017 Oct 12;12(10):e0186148. doi: 10.1371/journal.pone.0186148. eCollection 2017. PubMed PMID: 29023556; PubMed Central PMCID: PMC5638415.
- 35: Kothari A, Khurjekar K, Hadgaonkar S, Kulkarni H, Sancheti P. Cauda Equina Syndrome in a Lactating Mother - A Safe Treatment Approach. *J Clin Diagn Res.* 2017 Aug;11(8):RD03-RD05. doi: 10.7860/JCDR/2017/27064.10494. Epub 2017 Aug 1. PubMed PMID: 28969225; PubMed Central PMCID: PMC5620866.
- 36: Lai XW, Li W, Wang JX, Zhang HJ, Peng HM, Yang DH. [Delayed decompression for cauda equina syndrome secondary to lumbar disc herniation: long-term follow-up results]. *Nan Fang Yi Ke Da Xue Xue Bao.* 2017 Sep 20;37(9):1143-1148. Chinese. PubMed PMID: 28951353.
- 37: Yang SD, Chen Q, Ding WY. Cauda Equina Syndrome Due to Vigorous Back Massage With Spinal Manipulation in a Patient With Pre-Existing Lumbar Disc Herniation: A Case Report and Literature Review. *Am J Phys Med Rehabil.* 2018 Apr;97(4):e23-e26. doi: 10.1097/PHM.0000000000000809. Review. PubMed PMID: 28796647.
- 38: Cushnie D, Urquhart JC, Gurr KR, Siddiqi F, Bailey CS. Obesity and spinal epidural lipomatosis in

cauda equina syndrome. *Spine J.* 2018 Mar;18(3):407-413. doi: 10.1016/j.spinee.2017.07.177. Epub 2017 Jul 26. PubMed PMID: 28756300.

39: Arnold PM. Editorial. Use of anterior lumbar discectomy and interbody fusion in the management of recurrent lumbar disc herniation and cauda equina syndrome. *J Neurosurg Spine.* 2017 Oct;27(4):349-351. doi: 10.3171/2017.2.SPINE1721. Epub 2017 Jul 14. PubMed PMID: 28708042.

40: Tan KA, Sewell MD, Markmann Y, Clarke AJ, Stokes OM, Chan D. Anterior lumbar discectomy and fusion for acute cauda equina syndrome caused by recurrent disc prolapse: report of 3 cases. *J Neurosurg Spine.* 2017 Oct;27(4):352-356. doi: 10.3171/2017.1.SPINE16352. Epub 2017 Jul 14. PubMed PMID: 28708040.

41: Petr O, Glodny B, Brawanski K, Kerschbaumer J, Freyschlag C, Pinggera D, Rehwald R, Hartmann S, Ortler M, Thomé C. Immediate Versus Delayed Surgical Treatment of Lumbar Disc Herniation for Acute Motor Deficits: The Impact of Surgical Timing on Functional Outcome. *Spine (Phila Pa 1976).* 2019 Apr 1;44(7):454-463. doi: 10.1097/BRS.0000000000002295. PubMed PMID: 28658038.

42: Maki Y, Takayama M, Hayashi H, Yokoyama Y, Agawa Y. Cauda Equina Syndrome Due To Dural Sac Shift with Engorgement of the Epidural Venous Plexus: Rare Complication After Lumbar Microdiscectomy. *World Neurosurg.* 2017 Aug;104:1048.e15-1048.e18. doi: 10.1016/j.wneu.2017.05.078. Epub 2017 May 22. PubMed PMID: 28546122.

43: Korse NS, Veldman AB, Peul WC, Vleggeert-Lankamp CLA. The long term outcome of micturition, defecation and sexual function after spinal surgery for cauda equina syndrome. *PLoS One.* 2017 Apr 19;12(4):e0175987. doi: 10.1371/journal.pone.0175987. eCollection 2017. PubMed PMID: 28423044; PubMed Central PMCID: PMC5397048.

44: Koontz NA, Wiggins RH 3rd, Mills MK, McLaughlin MS, Pigman EC, Anzai Y, Shah LM. Less Is More: Efficacy of Rapid 3D-T2 SPACE in ED Patients with Acute Atypical Low Back Pain. *Acad Radiol.* 2017 Aug;24(8):988-994. doi: 10.1016/j.acra.2017.02.011. Epub 2017 Apr 3. PubMed PMID: 28385420.

45: Wardlaw D. Sciatica caused by disc herniation: Why is Chymopapain Chemonucleolysis denied to our patients? *Int J Spine Surg.* 2016 Dec 31;10:44. doi: 10.14444/3044. eCollection 2016. PubMed PMID: 28377858; PubMed Central PMCID: PMC5374990.

46: Gu YT, Cui Z, Shao HW, Ye Y, Gu AQ. Percutaneous transforaminal endoscopic surgery (PTES) for symptomatic lumbar disc herniation: a surgical technique, outcome, and complications in 209 consecutive cases. *J Orthop Surg Res.* 2017 Feb 8;12(1):25. doi: 10.1186/s13018-017-0524-0. PubMed PMID: 28178992; PubMed Central PMCID: PMC5299691.

47: Ardaillon H, Laviv Y, Arle JE, Kasper EM. Lumbar disk herniation during pregnancy: a review on general management and timing of surgery. *Acta Neurochir (Wien).* 2018 Jul;160(7):1361-1370. doi: 10.1007/s00701-017-3098-z. Epub 2017 Jan 31. Review. PubMed PMID: 28144773.

48: Korse NS, Pijpers JA, van Zwet E, Elzevier HW, Vleggeert-Lankamp CLA. Cauda Equina Syndrome: presentation, outcome, and predictors with focus on micturition, defecation, and sexual dysfunction. *Eur Spine J.* 2017 Mar;26(3):894-904. doi: 10.1007/s00586-017-4943-8. Epub 2017 Jan 19. PubMed PMID: 28102451.

49: Irshad M, Ahmad K, Malla HA. Lumbar Disc Herniation Causing Cauda Equina Syndrome in a Paediatric Patient. A Case Report. *Ortop Traumatol Rehabil.* 2016 Aug 30;18(4):389-392. doi: 10.5604/15093492.1220830. PubMed PMID: 28102171.

- 50: Hu T, Wu J, Zheng C, Wu D. Brucellar spondylodiscitis with rapidly progressive spinal epidural abscess showing cauda equina syndrome. *Spinal Cord Ser Cases*. 2016 Jan 7;2:15030. doi: 10.1038/scsandc.2015.30. eCollection 2016. Erratum in: *Spinal Cord Ser Cases*. 2016 Jul 21;2:16019. PubMed PMID: 28053732; PubMed Central PMCID: PMC5129419.
- 51: Kim JS, Seong JH. Endoscope-assisted oblique lumbar interbody fusion for the treatment of cauda equina syndrome: a technical note. *Eur Spine J*. 2017 Feb;26(2):397-403. doi: 10.1007/s00586-016-4902-9. Epub 2016 Dec 7. PubMed PMID: 27924416.
- 52: DeLong WB, Polissar NL, Neradilek MB, Laam LA. Does Early Surgical Decompression in Cauda Equina Syndrome Improve Bladder Outcome?: Comments on a Recent Study by Srikandarajah et al. *Spine (Phila Pa 1976)*. 2016 Nov 15;41(22):1772-1775. PubMed PMID: 27831995.
- 53: Jeon JB, Yoon SH, Kim DK, Kim JY. The Factors That Affect Improvement of Neurogenic Bladder by Severe Lumbar Disc Herniation in Operation. *Korean J Spine*. 2016 Sep;13(3):124-128. Epub 2016 Sep 30. PubMed PMID: 27799991; PubMed Central PMCID: PMC5086463.
- 54: Bečulić H, Skomorac R, Jusić A, Alić F, Imamović M, Mekić-Abazović A, Efendić A, Brkić H, Denjalić A. Impact of timing on surgical outcome in patients with cauda equina syndrome caused by lumbar disc herniation. *Med Glas (Zenica)*. 2016 Aug 1;13(2):136-41. doi: 10.17392/861-16. PubMed PMID: 27452326.
- 55: Tempel Z, Zhu X, McDowell MM, Agarwal N, Monaco EA 3rd. Severe Intradural Lumbar Disc Herniation with Cranially Oriented Free Fragment Migration. *World Neurosurg*. 2016 Aug;92:582.e1-582.e4. doi: 10.1016/j.wneu.2016.06.024. Epub 2016 Jun 16. PubMed PMID: 27318310.
- 56: Duran E, Ilik K, Acar T, Yıldız M. Idiopathic Lumbar Epidural Lipomatosis Mimicking Disc Herniation: A Case Report. *Acta Med Iran*. 2016 May;54(5):337-8. PubMed PMID: 27309484.
- 57: Panos G, Watson DC, Karydis I, Velissaris D, Andreou M, Karamouzos V, Sargianou M, Masdrakis A, Chra P, Roussos L. Differential diagnosis and treatment of acute cauda equina syndrome in the human immunodeficiency virus positive patient: a case report and review of the literature. *J Med Case Rep*. 2016 Jun 6;10:165. doi: 10.1186/s13256-016-0902-y. Review. PubMed PMID: 27268102; PubMed Central PMCID: PMC4895963.
- 58: Riouallon G, Wolff S. [Surgical treatment of lumbar disc herniations]. *Rev Prat*. 2016 Apr;66(4):393-396. French. PubMed PMID: 30512702.
- 59: Albert R, Lange M, Brawanski A, Schebesch KM. Urgent discectomy: Clinical features and neurological outcome. *Surg Neurol Int*. 2016 Feb 15;7:17. doi: 10.4103/2152-7806.176371. eCollection 2016. PubMed PMID: 26958423; PubMed Central PMCID: PMC4766809.
- 60: Foruria X, Ruiz de Gopegui K, García-Sánchez I, Moreta J, Aguirre U, Martínez-de Los Mozos JL. Cauda equina syndrome secondary to lumbar disc herniation: Surgical delay and its relationship with prognosis. *Rev Esp Cir Ortop Traumatol*. 2016 May-Jun;60(3):153-9. doi: 10.1016/j.recot.2016.01.003. Epub 2016 Mar 4. English, Spanish. PubMed PMID: 26948511.
- 61: Choi KC, Kim JS, Park CK. Percutaneous Endoscopic Lumbar Discectomy as an Alternative to Open Lumbar Microdiscectomy for Large Lumbar Disc Herniation. *Pain Physician*. 2016 Feb;19(2):E291-300. PubMed PMID: 26815256.
- 62: Jin BF. [Lumbar disc herniation and andrological diseases]. *Zhonghua Nan Ke Xue*. 2015

Oct;21(10):867-70. Chinese. PubMed PMID: 26665671.

63: Bednar DA. Cauda equina syndrome from lumbar disc herniation. *CMAJ*. 2016 Mar 1;188(4):284. doi: 10.1503/cmaj.150206. Epub 2015 Oct 26. PubMed PMID: 26504103; PubMed Central PMCID: PMC4771539.

64: Epstein NE. Unnecessary multiple epidural steroid injections delay surgery for massive lumbar disc: Case discussion and review. *Surg Neurol Int*. 2015 Aug 31;6(Suppl 14):S383-7. doi: 10.4103/2152-7806.163958. eCollection 2015. PubMed PMID: 26425398; PubMed Central PMCID: PMC4566306.

65: Geftler A, Sasson A, Shelef I, Perry ZH, Atar D. Cauda Equina Syndrome in a 36 Week Gravidia Patient. *Isr Med Assoc J*. 2015 Aug;17(8):522-3. PubMed PMID: 26394499.

66: He F, Xing T, Yu F, Li H, Fang X, Song H. Cauda equina syndrome: an uncommon symptom of aortic diseases. *Int J Clin Exp Med*. 2015 Jul 15;8(7):10760-6. eCollection 2015. PubMed PMID: 26379869; PubMed Central PMCID: PMC4565252.

67: Li X, Dou Q, Hu S, Liu J, Kong Q, Zeng J, Song Y. Treatment of cauda equina syndrome caused by lumbar disc herniation with percutaneous endoscopic lumbar discectomy. *Acta Neurol Belg*. 2016 Jun;116(2):185-90. doi: 10.1007/s13760-015-0530-0. Epub 2015 Aug 21. PubMed PMID: 26292929.

68: Lee JH, Song WJ, Kang KC. Myelopathy-mimicking symptoms of epidural venous engorgement and syringomyelia due to inferior vena cava stenosis at the thoracolumbar junction in a patient with Budd-Chiari syndrome. *J Neurosurg Spine*. 2015 Oct;23(4):467-70. doi: 10.3171/2015.1.SPINE14515. Epub 2015 Jul 3. Review. PubMed PMID: 26140407.

69: Antón Capitán B, Malillos Torán M. The cauda equina syndrome in pregnant woman with a massive disc herniation. *Rev Esp Cir Ortop Traumatol*. 2017 Jan - Feb;61(1):63-65. doi: 10.1016/j.recot.2015.05.004. Epub 2015 Jun 3. English, Spanish. PubMed PMID: 26049590.

70: Kertmen H, Güreş B, Yılmaz ER, Sekerci Z. Acute bilateral isolated foot drop: Report of two cases. *Asian J Neurosurg*. 2015 Apr-Jun;10(2):123-5. doi: 10.4103/1793-5482.144596. PubMed PMID: 25972945; PubMed Central PMCID: PMC4421951.

71: Turan Y, Yılmaz T, Gocmez C, Ozevren H, Kemaloglu S, Teke M, Sariyildiz MA, Ceviz A, Temiz C. Posterior Epidural Migration of a Sequestered Lumbar Intervertebral Disc Fragment. *Turk Neurosurg*. 2017;27(1):85-94. doi: 10.5137/1019-5149.JTN.14712-15.1. PubMed PMID: 27593745.

72: Çitişli V, İbrahimoglu M. Spontaneous remission of a big subligamentous extruded disc herniation: case report and review of the literature. *Korean J Spine*. 2015 Mar;12(1):19-21. doi: 10.14245/kjs.2015.12.1.19. Epub 2015 Mar 31. PubMed PMID: 25883664; PubMed Central PMCID: PMC4398824.

73: Jha SC, Tonogai I, Takata Y, Sakai T, Higashino K, Matsuura T, Suzue N, Hamada D, Goto T, Nishisho T, Tsutsui T, Goda Y, Abe M, Mineta K, Kimura T, Nitta A, Hama S, Higuchi T, Fukuta S, Sairyo K. Percutaneous endoscopic lumbar discectomy for a huge herniated disc causing acute cauda equina syndrome: a case report. *J Med Invest*. 2015;62(1-2):100-2. doi: 10.2152/jmi.62.100. PubMed PMID: 25817294.

74: Srikantharajah N, Boissaud-Cooke MA, Clark S, Wilby MJ. Does early surgical decompression in cauda equina syndrome improve bladder outcome? *Spine (Phila Pa 1976)*. 2015 Apr 15;40(8):580-3. doi: 10.1097/BRS.0000000000000813. PubMed PMID: 25646751.

- 75: Korse NS, Elzevier H, Vleggeert-Lankamp C. In response to "Cauda equina syndrome: evaluation of clinical outcome" more insights on sexual and defecational recovery in cauda equina syndrome. *Eur Rev Med Pharmacol Sci*. 2014;18(23):3547-8. PubMed PMID: 25535120.
- 76: Awwal MA, Ahsan MK, Sakeb N. Outcome of symptomatic upper lumbar disc herniation. *Mymensingh Med J*. 2014 Oct;23(4):742-51. PubMed PMID: 25481595.
- 77: Keren A, Berkovich Y, Merom L. [Lumbar nucleoplasty]. *Harefuah*. 2014 Jul;153(7):407-10, 432. Review. Hebrew. PubMed PMID: 25189032.
- 78: Akhaddar A, Belfquih H, Salami M, Boucetta M. Surgical management of giant lumbar disc herniation: analysis of 154 patients over a decade. *Neurochirurgie*. 2014 Oct;60(5):244-8. doi: 10.1016/j.neuchi.2014.02.012. Epub 2014 Jun 18. PubMed PMID: 24951383.
- 79: Bhardwaj A, Nagandla K. Musculoskeletal symptoms and orthopaedic complications in pregnancy: pathophysiology, diagnostic approaches and modern management. *Postgrad Med J*. 2014 Aug;90(1066):450-60. doi: 10.1136/postgradmedj-2013-132377. Epub 2014 Jun 5. Review. PubMed PMID: 24904047.
- 80: Tamburrelli FC, Genitiempo M, Boichichio M, Donisi L, Ratto C. Cauda equina syndrome: evaluation of the clinical outcome. *Eur Rev Med Pharmacol Sci*. 2014;18(7):1098-105. PubMed PMID: 24763893.
- 81: Aly TA, Aboramadan MO. Efficacy of delayed decompression of lumbar disk herniation causing cauda equina syndrome. *Orthopedics*. 2014 Feb;37(2):e153-6. doi: 10.3928/01477447-20140124-18. PubMed PMID: 24679201.
- 82: Macki M, Hernandez-Hermann M, Bydon M, Gokaslan A, McGovern K, Bydon A. Spontaneous regression of sequestered lumbar disc herniations: Literature review. *Clin Neurol Neurosurg*. 2014 May;120:136-41. doi: 10.1016/j.clineuro.2014.02.013. Epub 2014 Feb 25. Review. PubMed PMID: 24630494.
- 83: Boucher P, Robidoux S. Lumbar disc herniation and cauda equina syndrome following spinal manipulative therapy: a review of six court decisions in Canada. *J Forensic Leg Med*. 2014 Feb;22:159-69. doi: 10.1016/j.jflm.2013.12.026. Epub 2014 Jan 7. PubMed PMID: 24485443.
- 84: Omid-Kashani F, Ghayem Hasankhani E. Postoperative cauda equina syndrome in trivial lumbar congenital kyphosis: a case report. *Acta Med Iran*. 2013;51(11):811-3. PubMed PMID: 24390953.
- 85: Tarukado K, Ikuta K, Fukutoku Y, Tono O, Doi T. Spontaneous regression of posterior epidural migrated lumbar disc fragments: case series. *Spine J*. 2015 Jun 1;15(6):e57-62. doi: 10.1016/j.spinee.2013.07.430. Epub 2013 Sep 14. PubMed PMID: 24041917.
- 86: Li SW, Yin HP, Wu YM, Bai M, Du ZC, Wu HJ, Meng GD. [Analysis of intraoperative complications of microendoscopic disectomy and corresponding preventive measures]. *Zhongguo Gu Shang*. 2013 Mar;26(3):218-21. Chinese. PubMed PMID: 23795440.
- 87: Hebert JJ, Stomski NJ, French SD, Rubinstein SM. Serious Adverse Events and Spinal Manipulative Therapy of the Low Back Region: A Systematic Review of Cases. *J Manipulative Physiol Ther*. 2015 Nov-Dec;38(9):677-691. doi: 10.1016/j.jmpt.2013.05.009. Epub 2013 Jun 17. Review. PubMed PMID: 23787298.

- 88: Siracusa G, Sparacino A, Lentini VL. Neurogenic bladder and disc disease: a brief review. *Curr Med Res Opin.* 2013 Aug;29(8):1025-31. doi: 10.1185/03007995.2013.807788. Epub 2013 Jun 7. Review. PubMed PMID: 23701600.
- 89: Jové Talavera R, Altemir Martínez V, Chárlez Marco A, Mas Atance J, Curiá Jové E, Aguas Valiente J. [Epidural posterior migration of disc fragment]. *Rev Esp Cir Ortop Traumatol.* 2012 May-Jun;56(3):224-6. doi: 10.1016/j.recot.2011.12.004. Epub 2012 Apr 6. Spanish. PubMed PMID: 23594810.
- 90: Korse NS, Jacobs WC, Elzevier HW, Vleggeert-Lankamp CL. Complaints of micturition, defecation and sexual function in cauda equina syndrome due to lumbar disk herniation: a systematic review. *Eur Spine J.* 2013 May;22(5):1019-29. doi: 10.1007/s00586-012-2601-8. Epub 2012 Dec 13. Review. PubMed PMID: 23238848; PubMed Central PMCID: PMC3657037.
- 91: Venkatesan M, Uzoigwe CE, Perianayagam G, Braybrooke JR, Newey ML. Is cauda equina syndrome linked with obesity? *J Bone Joint Surg Br.* 2012 Nov;94(11):1551-6. doi: 10.1302/0301-620X.94B11.29652. PubMed PMID: 23109638.
- 92: Ducati LG, Silva MV, Brandão MM, Romero FR, Zanini MA. Intradural lumbar disc herniation: report of five cases with literature review. *Eur Spine J.* 2013 May;22 Suppl 3:S404-8. doi: 10.1007/s00586-012-2516-4. Epub 2012 Sep 27. Review. PubMed PMID: 23014741; PubMed Central PMCID: PMC3641279.
- 93: Ju JH, Kim HW, Jung CK, Ha HG. Sudden onset of cauda equina syndrome resulting from posterior migration of lumbar herniated disc without significant previous neurological signs. *Korean J Spine.* 2012 Sep;9(3):281-4. doi: 10.14245/kjs.2012.9.3.281. Epub 2012 Sep 30. PubMed PMID: 25983833; PubMed Central PMCID: PMC4431020.
- 94: Hakan T. Lumbar disk herniation presented with cauda equina syndrome in a pregnant woman. *J Neurosci Rural Pract.* 2012 May;3(2):197-9. doi: 10.4103/0976-3147.98243. PubMed PMID: 22865981; PubMed Central PMCID: PMC3410000.
- 95: Celik EC, Kabatas S, Karatas M. Atypical presentation of cauda equina syndrome secondary to lumbar disc herniation. *J Back Musculoskelet Rehabil.* 2012;25(1):1-3. doi: 10.3233/BMR-2011-0303. PubMed PMID: 22398260.
- 96: Chumnanvej S, Kesornsak W, Sarnvivad P, Paiboonsirijit S, Kuansongthum V. Full endoscopic lumbar discectomy via interlaminar approach: 2-year results in Ramathibodi Hospital. *J Med Assoc Thai.* 2011 Dec;94(12):1465-70. Erratum in: *J Med Assoc Thai.* 2012 Feb;95(2):296. Paiboonsirijit, Sompoch [added]. PubMed PMID: 22295733.
- 97: Jusić A, Skomorac R, Beculić H. [Dorsal extrusion of intervertebral disc as a cause of cauda equina syndrome]. *Med Pregl.* 2011 Jul-Aug;64(7-8):419-21. Serbian. PubMed PMID: 21970073.
- 98: Tamburrelli FC, Genitiempo M, Logroscino CA. Cauda equina syndrome and spine manipulation: case report and review of the literature. *Eur Spine J.* 2011 May;20 Suppl 1:S128-31. doi: 10.1007/s00586-011-1745-2. Epub 2011 Mar 15. Review. PubMed PMID: 21404036; PubMed Central PMCID: PMC3087049.
- 99: Bruggeman AJ, Decker RC. Surgical treatment and outcomes of lumbar radiculopathy. *Phys Med Rehabil Clin N Am.* 2011 Feb;22(1):161-77. doi: 10.1016/j.pmr.2010.10.002. Epub 2010 Dec 14. Review. PubMed PMID: 21292152.

- 100: Sengoz A, Kotil K, Tasdemiroglu E. Posterior epidural migration of herniated lumbar disc fragment. *J Neurosurg Spine*. 2011 Mar;14(3):313-7. doi: 10.3171/2010.11.SPINE10142. Epub 2011 Jan 21. PubMed PMID: 21250807.
- 101: Sharif-Alhoseini M, Rahimi-Movaghar V. Surgical treatment of discogenic sciatica. *Neurosciences (Riyadh)*. 2011 Jan;16(1):10-7. Review. PubMed PMID: 21206439.
- 102: Gardner A, Gardner E, Morley T. Cauda equina syndrome: a review of the current clinical and medico-legal position. *Eur Spine J*. 2011 May;20(5):690-7. doi: 10.1007/s00586-010-1668-3. Epub 2010 Dec 31. Review. PubMed PMID: 21193933; PubMed Central PMCID: PMC3082683.
- 103: Nagaria J, Chan C, Kamel M, McEvoy L, Bolger C. Episodic cauda equina compression from an intradural lumbar herniated disc: a case of 'floppy disc'. *J Surg Case Rep*. 2011 Sep 1;2011(9):6. doi: 10.1093/jscr/2011.9.6. PubMed PMID: 24950507; PubMed Central PMCID: PMC3649298.
- 104: Martínez-Quiñones JV, Aso-Escario J, Consolini F, Arregui-Calvo R. [Spontaneous regression from intervertebral disc herniation. Propos of a series of 37 cases]. *Neurocirugia (Astur)*. 2010 Apr;21(2):108-17. Spanish. PubMed PMID: 20442973.
- 105: Kim JS, Lee SH, Arbatti NJ. Dorsal extradural lumbar disc herniation causing cauda equina syndrome : a case report and review of literature. *J Korean Neurosurg Soc*. 2010 Mar;47(3):217-20. doi: 10.3340/jkns.2010.47.3.217. Epub 2010 Mar 31. PubMed PMID: 20379476; PubMed Central PMCID: PMC2851086.
- 106: Daffner SD, Hymanson HJ, Wang JC. Cost and use of conservative management of lumbar disc herniation before surgical discectomy. *Spine J*. 2010 Jun;10(6):463-8. doi: 10.1016/j.spinee.2010.02.005. Epub 2010 Apr 1. PubMed PMID: 20359960.
- 107: Vialle LR, Vialle EN, Suárez Henao JE, Giraldo G. LUMBAR DISC HERNIATION. *Rev Bras Ortop*. 2015 Nov 16;45(1):17-22. doi: 10.1016/S2255-4971(15)30211-1. eCollection 2010 Jan. PubMed PMID: 27019834; PubMed Central PMCID: PMC4799068.
- 108: González-Bonet LG, Mollá-Torró JV. Cauda equina syndrome caused by a complete traumatic lumbar disc complex extrusion without alterations of facet joints. *Spine (Phila Pa 1976)*. 2009 Nov 15;34(24):2711-3. doi: 10.1097/BRS.0b013e3181bd1e22. PubMed PMID: 19910776.
- 109: Derincek A, Ozalay M, Sen O, Pourbagher A. Posterior epidural mass: can a posteriorly migrated lumbar disc fragment mimic tumour, haematoma or abscess? *Acta Orthop Belg*. 2009 Jun;75(3):423-7. Review. PubMed PMID: 19681334.
- 110: Elgamri A, Sami A, Aqqad A, Hilmani S, Ibahioin K, Naja A, El Kamar A, El Azhari A. [Posterior migration of a lumbar disc herniation as a cause of cauda equina syndrome]. *J Radiol*. 2009 Jun;90(6):731-3. French. PubMed PMID: 19623126.
- 111: Ma B, Wu H, Jia LS, Yuan W, Shi GD, Shi JG. Cauda equina syndrome: a review of clinical progress. *Chin Med J (Engl)*. 2009 May 20;122(10):1214-22. Review. PubMed PMID: 19493474.
- 112: Olivero WC, Wang H, Hanigan WC, Henderson JP, Tracy PT, Elwood PW, Lister JR, Lyle L. Cauda equina syndrome (CES) from lumbar disc herniations. *J Spinal Disord Tech*. 2009 May;22(3):202-6. doi: 10.1097/BSD.0b013e31817baad8. PubMed PMID: 19412023.
- 113: Gitelman A, Hishmeh S, Morelli BN, Joseph SA Jr, Casden A, Kuflik P, Neuwirth M, Stephen M.

- Cauda equina syndrome: a comprehensive review. *Am J Orthop* (Belle Mead NJ). 2008 Nov;37(11):556-62. Review. PubMed PMID: 19104682.
- 114: Kim HS, Kim SW, Lee SM, Shin H. Endoscopic discectomy for the cauda equina syndrome during third trimester of pregnancy. *J Korean Neurosurg Soc*. 2007 Nov;42(5):419-20. doi: 10.3340/jkns.2007.42.5.419. Epub 2007 Nov 20. PubMed PMID: 19096583; PubMed Central PMCID: PMC2588184.
- 115: Gregory DS, Seto CK, Wortley GC, Shugart CM. Acute lumbar disk pain: navigating evaluation and treatment choices. *Am Fam Physician*. 2008 Oct 1;78(7):835-42. Review. PubMed PMID: 18841731.
- 116: Raj D, Coleman N. Cauda equina syndrome secondary to lumbar disc herniation. *Acta Orthop Belg*. 2008 Aug;74(4):522-7. PubMed PMID: 18811037.
- 117: Mauffrey C, Randhawa K, Lewis C, Brewster M, Dabke H. Cauda equina syndrome: an anatomically driven review. *Br J Hosp Med (Lond)*. 2008 Jun;69(6):344-7. Review. PubMed PMID: 18646419.
- 118: Crocker M, Fraser G, Boyd E, Wilson J, Chitnavis BP, Thomas NW. The value of interhospital transfer and emergency MRI for suspected cauda equina syndrome: a 2-year retrospective study. *Ann R Coll Surg Engl*. 2008 Sep;90(6):513-6. doi: 10.1308/003588408x301154. Epub 2008 Jul 2. PubMed PMID: 18598598; PubMed Central PMCID: PMC2647248.
- 119: Arts MP, Peul WC, Koes BW, Thomeer RT; Leiden-The Hague Spine Intervention Prognostic Study (SIPS) Group. Management of sciatica due to lumbar disc herniation in the Netherlands: a survey among spine surgeons. *J Neurosurg Spine*. 2008 Jul;9(1):32-9. doi: 10.3171/SPI/2008/9/7/032. PubMed PMID: 18590408.
- 120: Lmejjati M, Loqa C, Haddi M, Hakkou M, BenAli SA. Primary liposarcoma of the lumbar spine. *Joint Bone Spine*. 2008 Jul;75(4):482-5. doi: 10.1016/j.jbspin.2007.06.017. Epub 2008 May 19. PubMed PMID: 18487067.
- 121: Chow J, Chen K, Sen R, Stanford R, Lowe S. Cauda equina syndrome post-caesarean section. *Aust N Z J Obstet Gynaecol*. 2008 Apr;48(2):218-20. doi: 10.1111/j.1479-828X.2008.00836.x. PubMed PMID: 18366499.
- 122: Hioki A, Miyamoto K, Hosoe H, Fukuta S, Shimizu K. Two-stage decompression for combined epiconus and cauda equina syndrome due to multilevel spinal canal stenosis of the thoracolumbar spine: a case report. *Arch Orthop Trauma Surg*. 2008 Sep;128(9):955-8. doi: 10.1007/s00402-007-0555-9. Epub 2008 Feb 19. PubMed PMID: 18283471.
- 123: El Asri AC, Naama O, Akhaddar A, Gazzaz M, Belhachmi A, El Mostarchid B, Boucetta M. Posterior epidural migration of lumbar disk fragments: report of two cases and review of the literature. *Surg Neurol*. 2008 Dec;70(6):668-71; discussion 671. doi: 10.1016/j.surneu.2007.06.034. Epub 2008 Feb 11. Review. PubMed PMID: 18262631.
- 124: Epstein NE. How often is minimally invasive minimally effective: what are the complication rates for minimally invasive surgery? *Surg Neurol*. 2008 Oct;70(4):386-8; discussion 389. doi: 10.1016/j.surneu.2007.08.013. Epub 2008 Jan 22. Review. PubMed PMID: 18207510.
- 125: Shin DA, Kim SH, Kim KN, Shin HC, Yoon DH. Spinal cord tumors of the thoracolumbar junction requiring surgery: a retrospective review of clinical features and surgical outcome. *Yonsei Med J*. 2007

Dec 31;48(6):988-93. PubMed PMID: 18159591; PubMed Central PMCID: PMC2628177.

126: Umur AS, Selcuki M, Selcuki D, Bedük A, Doganay L. Adult tethered cord syndrome mimicking lumbar disc disease. *Childs Nerv Syst.* 2008 Jul;24(7):841-4. Epub 2007 Nov 28. PubMed PMID: 18043923.

127: Ouedraogo DD, Eti E, Daboiko JC, Simon F, Chuong VT, Zué MK. [Uncomplicated herniated discs and sciatica: epidemiologic and semiotic aspects in 143 black African subjects]. *Sante.* 2007 Apr-Jun;17(2):93-6. French. PubMed PMID: 17962157.

128: Koerts G, Rooijackers H, Abu-Serieh B, Cosnard G, Raftopoulos C. Postoperative spinal adhesive arachnoiditis presenting with hydrocephalus and cauda equina syndrome. *Clin Neurol Neurosurg.* 2008 Feb;110(2):171-5. Epub 2007 Oct 24. PubMed PMID: 17950992.

129: Liu SY, Lin YM, Wei TS, Lin SJ, Liu CC, Chou CW. Exacerbation of symptoms of lumbar disc herniation complicated by a schwannoma: a case report. *Kaohsiung J Med Sci.* 2007 Sep;23(9):480-5. PubMed PMID: 17766218.

130: Kulkarni VA, Massie JB, Zauner F, Murphy M, Akeson WH. Novel biomechanical quantification methodology for lumbar intraforaminal spinal nerve adhesion in a laminectomy and disc injury rat model. *J Neurosci Methods.* 2007 Oct 15;166(1):20-3. Epub 2007 Jul 6. PubMed PMID: 17689664.

131: Cribb GL, Jaffray DC, Cassar-Pullicino VN. Observations on the natural history of massive lumbar disc herniation. *J Bone Joint Surg Br.* 2007 Jun;89(6):782-4. PubMed PMID: 17613504.

132: Busse JW, Bhandari M, Schnittker JB, Reddy K, Dunlop RB. Delayed presentation of cauda equina syndrome secondary to lumbar disc herniation: functional outcomes and health-related quality of life. *CJEM.* 2001 Oct;3(4):285-91. PubMed PMID: 17610771.

133: Sakai T, Tsuji T, Asazuma T, Yato Y, Matsubara O, Nemoto K. Spontaneous resorption in recurrent intradural lumbar disc herniation. Case report. *J Neurosurg Spine.* 2007 Jun;6(6):574-8. PubMed PMID: 17561749.

134: Al-areibi A, Coveney L, Singh S, Katsiris S. Case report: anesthetic management for sequential Cesarean delivery and laminectomy. *Can J Anaesth.* 2007 Jun;54(6):471-4. PubMed PMID: 17541077.

135: Bell DA, Collie D, Statham PF. Cauda equina syndrome: what is the correlation between clinical assessment and MRI scanning? *Br J Neurosurg.* 2007 Apr;21(2):201-3. PubMed PMID: 17453789.

136: Benjaminsen E, Salvesen R. [A 28-year-old woman with newly-onset urinary incontinence]. *Tidsskr Nor Laegeforen.* 2007 Feb 15;127(4):438-9. Norwegian. PubMed PMID: 17338058.

137: Mailleux R, Redant C, Milbouw G. MR diagnosis of transdural disc herniation causing cauda equine syndrome. *JBR-BTR.* 2006 Nov-Dec;89(6):303-5. PubMed PMID: 17274584.

138: McCarthy MJ, Aylott CE, Grevitt MP, Hegarty J. Cauda equina syndrome: factors affecting long-term functional and sphincteric outcome. *Spine (Phila Pa 1976).* 2007 Jan 15;32(2):207-16. PubMed PMID: 17224816.

139: Ito T, Ohtori S, Inoue G, Koshi T, Doya H, Ozawa T, Saito T, Moriya H, Takahashi K. Glial phosphorylated p38 MAP kinase mediates pain in a rat model of lumbar disc herniation and induces motor dysfunction in a rat model of lumbar spinal canal stenosis. *Spine (Phila Pa 1976).* 2007 Jan

15;32(2):159-67. PubMed PMID: 17224809.

140: Reiter MF, Vives M. Surgical issues in the injured worker with lower back pain. *Clin Occup Environ Med*. 2006;5(3):703-17, viii. Review. PubMed PMID: 16963382.

141: Lu C, Li J, Lü GH. [Diagnosis and treatment of cauda equina syndrome secondary to lumbar disc herniation]. *Zhong Nan Da Xue Xue Bao Yi Xue Ban*. 2006 Aug;31(4):599-600, 606. Chinese. PubMed PMID: 16951528.

142: Rovlias A, Pavlakis E, Kotsou S. Symptomatic pneumorachis associated with incidental durotomy during microscopic lumbar disc surgery. Case report. *J Neurosurg Spine*. 2006 Aug;5(2):165-7. PubMed PMID: 16925085.

143: Kreichati GE, Kassab FN, Kharrat KE. Herniated intervertebral disc associated with a lumbar spine dislocation as a cause of cauda equina syndrome: a case report. *Eur Spine J*. 2006 Jun;15(6):1015-8. Epub 2006 Apr 14. PubMed PMID: 16614853; PubMed Central PMCID: PMC3489452.

144: Tatli M, Güzel A, Ceviz A, Karadağ O. Posterior epidural migration of sequestered lumbar disc fragment causing cauda equina syndrome. *Br J Neurosurg*. 2005 Jun;19(3):257-9. Review. PubMed PMID: 16482671.

145: Erman T, Tuna M, Göçer AI, İdan F, Akgül E, Zorludemir S. Postoperative radicular neuroma. Case report. *Neurosurg Focus*. 2001 Nov 15;11(5):ecp. PubMed PMID: 16466240.

146: Schubert M, Hoogland T. Endoscopic transforaminal nucleotomy with foraminoplasty for lumbar disk herniation. *Oper Orthop Traumatol*. 2005 Dec;17(6):641-61. English, German. PubMed PMID: 16369758.

147: Bhatoe HS. Transpedicular surgery for dorsolumbar junction disc prolapse: anatomic and biomechanical considerations of a minimally invasive approach. *Minim Invasive Neurosurg*. 2005 Oct;48(5):278-82. PubMed PMID: 16320189.

148: Delgado-Lo Pez PD, Rodri Guez-Salazar A, Castilla-Di Ez JM, Marti N-Velasco V, Ferna Ndez-Arconada O. [Role of surgery in spinal degenerative disease. Analysis of systematic reviews on surgical and conservative treatments from an evidence-based approach]. *Neurocirugia (Astur)*. 2005 Apr;16(2):142-57. Review. Spanish. PubMed PMID: 15915304.

149: Small SA, Perron AD, Brady WJ. Orthopedic pitfalls: cauda equina syndrome. *Am J Emerg Med*. 2005 Mar;23(2):159-63. PubMed PMID: 15765336.

150: Radulović D, Tasić G, Joković M, Nikolić I. [The role of surgical decompression of cauda equina in lumbar disc herniation and recovery of bladder function]. *Med Pregl*. 2004 Jul-Aug;57(7-8):327-30. Serbian. PubMed PMID: 15626287.

151: Lisi AJ, Bhardwaj MK. Chiropractic high-velocity low-amplitude spinal manipulation in the treatment of a case of postsurgical chronic cauda equina syndrome. *J Manipulative Physiol Ther*. 2004 Nov-Dec;27(9):574-8. PubMed PMID: 15614245.

152: Hidalgo-Ovejero AM, García-Mata S, Gozzi-Vallejo S, Izco-Cabezón T, Martínez-Morentín J, Martínez-Grande M. Intradural disc herniation and epidural gas: something more than a casual association? *Spine (Phila Pa 1976)*. 2004 Oct 15;29(20):E463-7. Review. PubMed PMID: 15480124.

153: Jensen RL. Cauda equina syndrome as a postoperative complication of lumbar spine surgery.

Neurosurg Focus. 2004 Jun 15;16(6):e7. Review. PubMed PMID: 15202877.

154: Harrop JS, Hunt GE Jr, Vaccaro AR. Conus medullaris and cauda equina syndrome as a result of traumatic injuries: management principles. Neurosurg Focus. 2004 Jun 15;16(6):e4. Review. PubMed PMID: 15202874.

155: Oliphant D. Safety of spinal manipulation in the treatment of lumbar disk herniations: a systematic review and risk assessment. J Manipulative Physiol Ther. 2004 Mar-Apr;27(3):197-210. Review. PubMed PMID: 15129202.

156: Kotil K, Akçetin M, Bilge T. Cauda equina compression syndrome in a child due to lumbar disc herniation. Childs Nerv Syst. 2004 Jun;20(6):443-4. Epub 2004 Mar 11. PubMed PMID: 15014959.

157: Tobita T, Okamoto M, Tomita M, Yamakura T, Fujihara H, Baba H, Uchiyama S, Hamann W, Shimoji K. Diagnosis of spinal disease with ultrafine flexible fiberscopes in patients with chronic pain. Spine (Phila Pa 1976). 2003 Sep 1;28(17):2006-12. PubMed PMID: 12973149.

158: Hussain SA, Gullan RW, Chitnavis BP. Cauda equina syndrome: outcome and implications for management. Br J Neurosurg. 2003 Apr;17(2):164-7. PubMed PMID: 12820760.

159: Barriga A, Villas C. [Cauda equina syndrome due to giant disc herniation]. Rev Med Univ Navarra. 2002 Jul-Sep;46(3):33-5. Spanish. PubMed PMID: 12685115.

160: Valen B, Rolfsen LC. [The cauda equina syndrome]. Tidsskr Nor Laegeforen. 2003 Mar 6;123(5):643-4. Norwegian. PubMed PMID: 12683194.

161: Kuzeyli K, Cakir E, Usul H, Baykal S, Yazar U, Karaarslan G, Arslan E, Peksoylu B. Posterior epidural migration of lumbar disc fragments: report of three cases. Spine (Phila Pa 1976). 2003 Feb 1;28(3):E64-7. PubMed PMID: 12567044.

162: Gleave JR, Macfarlane R. Cauda equina syndrome: what is the relationship between timing of surgery and outcome? Br J Neurosurg. 2002 Aug;16(4):325-8. Review. PubMed PMID: 12389883.

163: Storm PB, Chou D, Tamargo RJ. Lumbar spinal stenosis, cauda equina syndrome, and multiple lumbosacral radiculopathies. Phys Med Rehabil Clin N Am. 2002 Aug;13(3):713-33, ix. Review. PubMed PMID: 12380555.

164: Bjerkreim I, Steen H. [Complaints regarding lumbar disk herniation treatment reported to the Norwegian Compensation System]. Tidsskr Nor Laegeforen. 2002 Aug 10;122(18):1804-6. Norwegian. PubMed PMID: 12362694.

165: Mangialardi R, Mastorillo G, Minoia L, Garofalo R, Conserva F, Solarino GB. Lumbar disc herniation and cauda equina syndrome. Considerations on a pathology with different clinical manifestations. Chir Organi Mov. 2002 Jan-Mar;87(1):35-42. English, Italian. PubMed PMID: 12198948.

166: Gilgil E, Tuncer T, Arman M. Cauda equina syndrome or a complication of total hip arthroplasty? J Rheumatol. 2002 Aug;29(8):1801; author reply 1801-2. PubMed PMID: 12180750.

167: Buchner M, Schiltenswolf M. Cauda equina syndrome caused by intervertebral lumbar disk prolapse: mid-term results of 22 patients and literature review. Orthopedics. 2002 Jul;25(7):727-31. Review. PubMed PMID: 12138958.

- 168: Akbar A, Mahar A. Lumbar disc prolapse: management and outcome analysis of 96 surgically treated patients. *J Pak Med Assoc.* 2002 Feb;52(2):62-5. PubMed PMID: 12073712.
- 169: Nicpoń KW, Lasek W, Chyczewska A. [Cauda equina syndrome caused by Tarlov's cysts-case report]. *Neurol Neurochir Pol.* 2002 Jan-Feb;36(1):181-9. Polish. PubMed PMID: 12053609.
- 170: Addas BM, Jan MM. Pathoanatomical correlation of bladder sparing in cauda equina syndrome due to posteriorly sequestered lumbar disc herniation. *Neurosciences (Riyadh).* 2002 Apr;7(2):126-7. PubMed PMID: 23978924.
- 171: Fraser RD. RE: Cauda equina syndrome as a postoperative complication in five patients operated for lumbar disc herniation. *Spine* 2001; 26: 293-7. *Spine (Phila Pa 1976).* 2001 Nov 1;26(21):2404-5. PubMed PMID: 11679831.
- 172: Stoll T, Germann D, Hagmann H. [Physiotherapy in lumbar disc herniation]. *Ther Umsch.* 2001 Aug;58(8):487-92. Review. German. PubMed PMID: 11552355.
- 173: Wenger M, Mariani L, Kalbarczyk A, Gröger U. Long-term outcome of 104 patients after lumbar sequestrectomy according to Williams. *Neurosurgery.* 2001 Aug;49(2):329-34; discussion 334-5. PubMed PMID: 11504108.
- 174: Kikkawa I, Sugimoto H, Saita K, Ookami H, Nakama S, Hoshino Y. The role of Gd-enhanced three-dimensional MRI fast low-angle shot (FLASH) in the evaluation of symptomatic lumbosacral nerve roots. *J Orthop Sci.* 2001;6(2):101-9. PubMed PMID: 11484093.
- 175: Eysel P, Herbsthofer B. Dorsal compression of the epidural cord due to free sequestral lumbar prolapse. Diagnostic problems in magnetic resonance imaging and computed tomography. *Arch Orthop Trauma Surg.* 2001;121(4):238-40. PubMed PMID: 11317690.
- 176: Brown MD, Levi AD. Surgery for lumbar disc herniation during pregnancy. *Spine (Phila Pa 1976).* 2001 Feb 15;26(4):440-3. PubMed PMID: 11224893.
- 177: Henriques T, Olerud C, Petrén-Mallmin M, Ahl T. Cauda equina syndrome as a postoperative complication in five patients operated for lumbar disc herniation. *Spine (Phila Pa 1976).* 2001 Feb 1;26(3):293-7. PubMed PMID: 11224866.
- 178: Mehta TA, Sharp DJ. Acute cauda equina syndrome caused by a gas-containing prolapsed intervertebral disk. *J Spinal Disord.* 2000 Dec;13(6):532-4. PubMed PMID: 11132986.
- 179: Hsia AW, Isaac K, Katz JS. Cauda equina syndrome from intradiscal electrothermal therapy. *Neurology.* 2000 Jul 25;55(2):320. PubMed PMID: 10908922.
- 180: Ahn UM, Ahn NU, Buchowski JM, Garrett ES, Sieber AN, Kostuik JP. Cauda equina syndrome secondary to lumbar disc herniation: a meta-analysis of surgical outcomes. *Spine (Phila Pa 1976).* 2000 Jun 15;25(12):1515-22. PubMed PMID: 10851100.
- 181: Singh P, Batish VK, Sarup S, Singh A, Singh AP. SPHINCTER INVOLVEMENT IN LUMBAR DISC HERNIATION. *Med J Armed Forces India.* 2000 Apr;56(2):117-121. doi: 10.1016/S0377-1237(17)30125-9. Epub 2017 Jun 10. PubMed PMID: 28790673; PubMed Central PMCID: PMC5531999.
- 182: Chang HS, Nakagawa H, Mizuno J. Lumbar herniated disc presenting with cauda equina syndrome. Long-term follow-up of four cases. *Surg Neurol.* 2000 Feb;53(2):100-4; discussion 105.

PubMed PMID: 10713185.

183: Shapiro S. Medical realities of cauda equina syndrome secondary to lumbar disc herniation. *Spine (Phila Pa 1976)*. 2000 Feb 1;25(3):348-51; discussion 352. PubMed PMID: 10703108.

184: Bayassi S. [Intradural lumbar disk herniation (ILDH). Case report and literature review]. *Neurol Neurochir Pol*. 1998 Sep-Oct;32(5):1295-301; discussion 1301-2. Polish. PubMed PMID: 10463243.

185: Nesathurai S, Jessiman TL. L4-5 disk lesion resulting in back pain with bowel, bladder and sexual dysfunction without paraparesis. *Spinal Cord*. 1999 Mar;37(3):228-30. PubMed PMID: 10213338.

186: Robe P, Martin D, Lenelle J, Stevenaert A. Posterior epidural migration of sequestered lumbar disc fragments. Report of two cases. *J Neurosurg*. 1999 Apr;90(2 Suppl):264-6. PubMed PMID: 10199262.

187: Epstein NE. Laser-assisted discectomy performed by an internist resulting in cauda equina syndrome. *J Spinal Disord*. 1999 Feb;12(1):77-9. PubMed PMID: 10078955.

188: Humphreys SC, Eck JC. Clinical evaluation and treatment options for herniated lumbar disc. *Am Fam Physician*. 1999 Feb 1;59(3):575-82, 587-8. Review. PubMed PMID: 10029785.

189: Fautrel B, Rozenberg S, Koeger AC, Willer JC, Bourgeois P. L5-S1 disc origin for a pyramidal syndrome? *Lancet*. 1998 Nov 21;352(9141):1679. PubMed PMID: 9853446.

190: Fujisawa H, Igarashi S, Koyama T. Acute cauda equina syndrome secondary to lumbar disc herniation mimicking pure conus medullaris syndrome-case report. *Neurol Med Chir (Tokyo)*. 1998 Jul;38(7):429-31. PubMed PMID: 9745251.

191: Banerjee T, Goldschmidt K. 'Surgiceloma' manifested as cauda equina syndrome. *South Med J*. 1998 May;91(5):481-3. PubMed PMID: 9598861.

192: Bonaroti EA, Welch WC. Posterior epidural migration of an extruded lumbar disc fragment causing cauda equina syndrome. Clinical and magnetic resonance imaging evaluation. *Spine (Phila Pa 1976)*. 1998 Feb 1;23(3):378-81. PubMed PMID: 9507629.

193: Perner A, Andersen JT, Juhler M. Lower urinary tract symptoms in lumbar root compression syndromes: a prospective survey. *Spine (Phila Pa 1976)*. 1997 Nov 15;22(22):2693-7. PubMed PMID: 9399457.

194: Faciszewski T, Broste SK, Fardon D. Quality of data regarding diagnoses of spinal disorders in administrative databases. A multicenter study. *J Bone Joint Surg Am*. 1997 Oct;79(10):1481-8. PubMed PMID: 9378733.

195: Stam J. [Consensus on diagnosis and treatment of the lumbosacral radicular syndrome. Dutch Society for Neurology]. *Ned Tijdschr Geneesk*. 1996 Dec 28;140(52):2621-7. Review. Dutch. PubMed PMID: 9026741.

196: Bartels RH, de Vries J. Hemi-cauda equina syndrome from herniated lumbar disc: a neurosurgical emergency? *Can J Neurol Sci*. 1996 Nov;23(4):296-9. PubMed PMID: 8951209.

197: Spickard A 3rd, Engel JZ. Low back pain with progressive weakness: a case of cauda equina syndrome from lumbar disc herniation. *Tenn Med*. 1996 Sep;89(9):338-9. PubMed PMID: 8810869.

- 198: Baba H, Uchida K, Furusawa N, Maezawa Y, Azuchi M, Kamitani K, Annen S, Imura S, Tomita K. Posterior limb vertebral lesions causing lumbosacral radiculopathy and the cauda equina syndrome. *Spinal Cord*. 1996 Jul;34(7):427-32. PubMed PMID: 8963999.
- 199: Cedoz ME, Larbre JP, Lequin C, Fischer G, Llorca G. Upper lumbar disk herniations. *Rev Rhum Engl Ed*. 1996 Jun;63(6):421-6. PubMed PMID: 8817752.
- 200: Beuls EA, van Mameren H, Vroomen PC. Caudoscopic experiences and a new patho-anatomic concept for treatment of sciatica. *Minim Invasive Neurosurg*. 1996 Mar;39(1):4-6. PubMed PMID: 8861809.
- 201: Brower RS, Herkowitz HN, Weissman ML. Conus medullaris injury due to herniated disk and intraoperative positioning for arthroscopy. *J Spinal Disord*. 1995 Apr;8(2):163-5. PubMed PMID: 7606125.
- 202: Fang CM, Huang TJ, Chen WJ, Lee ST, Hsu RW. Intradural lumbar disc herniation-a case report. *Changcheng Yi Xue Za Zhi*. 1994 Sep;17(3):297-300. PubMed PMID: 7954013.
- 203: de Brito-Marques PR. [Back lumbar herniated discs and cauda equina syndrome as complications of Scheuermann's disease. A case report]. *Arq Neuropsiquiatr*. 1994 Sep;52(3):439-42. Review. Portuguese. PubMed PMID: 7893225.
- 204: Jönsson B, Strömqvist B. Lumbar spine surgery in the elderly. Complications and surgical results. *Spine (Phila Pa 1976)*. 1994 Jul 1;19(13):1431-5. PubMed PMID: 7939970.
- 205: Lavyne MH. Cauda equina syndrome secondary to lumbar disc herniation. *Neurosurgery*. 1994 Mar;34(3):561. PubMed PMID: 8190238.
- 206: Sulla I. Patients age and results of treatment in discogenic cauda equina syndrome. *Bratisl Lek Listy*. 1994 Mar;95(3):107-12. English, Slovak. PubMed PMID: 7922635.
- 207: Coscia M, Leipzig T, Cooper D. Acute cauda equina syndrome. Diagnostic advantage of MRI. *Spine (Phila Pa 1976)*. 1994 Feb 15;19(4):475-8. PubMed PMID: 8178242.
- 208: Young MA. Cauda equina syndrome secondary to lumbar disc herniation. *Neurosurgery*. 1994 Jan;34(1):199. PubMed PMID: 8121562.
- 209: Dinning TA, Schaeffer HR. Discogenic compression of the cauda equina: a surgical emergency. *Aust N Z J Surg*. 1993 Dec;63(12):927-34. PubMed PMID: 8285904.
- 210: Shapiro S. Cauda equina syndrome secondary to lumbar disc herniation. *Neurosurgery*. 1993 May;32(5):743-6; discussion 746-7. PubMed PMID: 8492849.
- 211: Ackerman WE 3rd, Andrews PJ, Juneja MM, Rigor BM. Cauda equina syndrome: a consequence of lumbar disk protrusion or continuous subarachnoid analgesia? *Anesth Analg*. 1993 Apr;76(4):898-901. PubMed PMID: 8466037.
- 212: Walker JL, Schulak D, Murtagh R. Midline disk herniations of the lumbar spine. *South Med J*. 1993 Jan;86(1):13-7. PubMed PMID: 8420008.
- 213: Carroll SE, Wiesel SW. Neurologic complications and lumbar laminectomy. A standardized approach to the multiply-operated lumbar spine. *Clin Orthop Relat Res*. 1992 Nov;(284):14-23. Review. PubMed PMID: 1395283.

- 214: Onik G, Maroon JC, Jackson R. Cauda equina syndrome secondary to an improperly placed nucleotome probe. *Neurosurgery*. 1992 Mar;30(3):412-4; discussion 414-5. PubMed PMID: 1620307.
- 215: Palazzo E, Kahn MF. [Non surgical treatment of disk-related sciatica]. *Rev Prat*. 1992 Mar 1;42(5):573-8. Review. French. PubMed PMID: 1534929.
- 216: Laus M, Alfonso C, Giunti A. Lumbosciatic pain and coagulopathies. *Chir Organi Mov*. 1991 Jul-Sep;76(3):229-36. English, Italian. PubMed PMID: 1840097.
- 217: Borgogno G, Fontanella C, La Camera V. [Herniated intradural lumbar disk: a clinical case]. *Arch Putti Chir Organi Mov*. 1991;39(1):87-91. Italian. PubMed PMID: 1842495.
- 218: Deyo RA, Loeser JD, Bigos SJ. Herniated lumbar intervertebral disk. *Ann Intern Med*. 1990 Apr 15;112(8):598-603. PubMed PMID: 2139310.
- 219: Kardaun JW, White LR, Shaffer WO. Acute complications in patients with surgical treatment of lumbar herniated disc. *J Spinal Disord*. 1990 Mar;3(1):30-8. Review. PubMed PMID: 2134409.
- 220: Urvoy P, Perlinski S, Berger M, Butin E, Mestdagh H. [Cauda equina syndrome due to early postoperative migration of an adipose tissue flap following laminectomy]. *Acta Orthop Belg*. 1990;56(2):513-6. French. PubMed PMID: 2239200.
- 221: Wei CP, Cheng WC, Chang CN, Lee ST, Lui TN, Wang AD. Upper lumbar disc herniation. *Changgeng Yi Xue Za Zhi*. 1989 Dec 20;12(4):193-9. PubMed PMID: 2637057.
- 222: Tullberg T, Isacson J. Cauda equina syndrome with normal lumbar myelography. *Acta Orthop Scand*. 1989 Jun;60(3):265-7. PubMed PMID: 2750497.
- 223: Liebergall M, Floman Y, Socher E, Robin G. [Cauda equina syndrome in lumbar disc herniation]. *Harefuah*. 1989 Mar 15;116(6):308-11. Hebrew. PubMed PMID: 2731795.
- 224: Prusick VR, Lint DS, Bruder WJ. Cauda equina syndrome as a complication of free epidural fat-grafting. A report of two cases and a review of the literature. *J Bone Joint Surg Am*. 1988 Sep;70(8):1256-8. PubMed PMID: 3417714.
- 225: Yamashita K, Kobayashi S, Yamaguchi S, Suzuki T, Tsunematsu T. [Isolated fecal incontinence in cauda equina syndrome due to lumbar disk hernia—a case report]. *Rinsho Shinkeigaku*. 1987 Feb;27(2):200-3. Japanese. PubMed PMID: 3581595.
- 226: Lechowski S, Urbaniak J. [Intradural herniation of the intervertebral disk of the lumbar segment of the spine]. *Neurol Neurochir Pol*. 1986 May-Jun;20(3):252-7. Polish. PubMed PMID: 3785554.
- 227: McLaren AC, Bailey SI. Cauda equina syndrome: a complication of lumbar discectomy. *Clin Orthop Relat Res*. 1986 Mar;(204):143-9. PubMed PMID: 3956005.
- 228: Kostuik JP, Harrington I, Alexander D, Rand W, Evans D. Cauda equina syndrome and lumbar disc herniation. *J Bone Joint Surg Am*. 1986 Mar;68(3):386-91. PubMed PMID: 2936744.
- 229: Hellström P, Kortelainen P, Kontturi M. Late urodynamic findings after surgery for cauda equina syndrome caused by a prolapsed lumbar intervertebral disk. *J Urol*. 1986 Feb;135(2):308-12. PubMed PMID: 3944866.

- 230: Ciric I, Mikhael MA. Lumbar spinal-lateral recess stenosis. *Neurol Clin.* 1985 May;3(2):417-23. PubMed PMID: 4021986.
- 231: McDermott DJ, Agre K, Brim M, Demma FJ, Nelson J, Wilson RR, Thisted RA. Chymodiactin in patients with herniated lumbar intervertebral disc(s). An open-label, multicenter study. *Spine (Phila Pa 1976).* 1985 Apr;10(3):242-9. PubMed PMID: 3887587.
- 232: Nayernouri T. Neurilemmomas of the cauda equina presenting as prolapsed lumbar intervertebral disks. *Surg Neurol.* 1985 Feb;23(2):187-8. PubMed PMID: 3966215.
- 233: Borovich B, Zaaroor M, Gruszkiewicz J. The syndrome of the central L-3-herniated disc with special emphasis on motor involvement. *Acta Neurochir (Wien).* 1984;70(1-2):115-25. PubMed PMID: 6741627.
- 234: Alaranta H, Hurme M, Knuts LR. Invalidity pension after lumbar disc operation. *Ann Chir Gynaecol.* 1984;73(2):78-82. PubMed PMID: 6465823.
- 235: Ray CD. New techniques for decompression of lumbar spinal stenosis. *Neurosurgery.* 1982 May;10(5):587-92. PubMed PMID: 6212772.
- 236: Choudhury AR, Taylor JC. Cauda equina syndrome in lumbar disc disease. *Acta Orthop Scand.* 1980 Jun;51(3):493-9. PubMed PMID: 7446033.
- 237: Floman Y, Wiesel SW, Rothman RH. Cauda equina syndrome presenting as a herniated lumbar disk. *Clin Orthop Relat Res.* 1980 Mar-Apr;(147):234-7. PubMed PMID: 7371304.
- 238: Nielsen B, de Nully M, Schmidt K, Hansen RI. A urodynamic study of cauda equina syndrome due to lumbar disc herniation. *Urol Int.* 1980;35(3):167-70. PubMed PMID: 7385464.
- 239: Klug N, Samii M. Herniation of an intervertebral disc with cauda compression syndrome in childhood. *J Neurol.* 1979 Sep;221(3):209-11. PubMed PMID: 91675.
- 240: Ertekin C, Reel F, Mutlu R, Kerküklü I. Bulbocavernosus reflex in patients with conus medullaris and cauda equina lesions. *J Neurol Sci.* 1979 Apr;41(2):175-81. PubMed PMID: 438850.
- 241: Mosdal C, Iversen P, Iversen-Hansen R. Bladder neuropathy in lumbar disc disease. *Acta Neurochir (Wien).* 1979;46(3-4):281-6. PubMed PMID: 463603.
- 242: Strelkova NI, Musaev AV. [Monosynaptic H-reflex in patients subjected to surgery for intervertebral disk herniation in the lumbar area]. *Zh Nevropatol Psikhiatr Im S S Korsakova.* 1979;79(4):405-9. Russian. PubMed PMID: 442907.
- 243: Spännare BJ. Prolapsed lumbar intervertebral disc with partial or total occlusion of the spinal canal. A study of 30 patients with and 28 patients without cauda equina symptoms. *Acta Neurochir (Wien).* 1978;42(3-4):189-98. PubMed PMID: 717070.
- 244: Peyser E, Harari A. Intradural rupture of lumbar intervertebral disk: report of two cases with review of the literature. *Surg Neurol.* 1977 Aug;8(2):95-8. PubMed PMID: 888092.
- 245: Karayannacos PE, Yashon D, Vasko JS. Narrow lumbar spinal canal with "vascular" syndromes. *Arch Surg.* 1976 Jul;111(7):803-6. PubMed PMID: 938226.
- 246: Salibi BS. Neurogenic intermittent claudication and stenosis of the lumbar spinal canal. *Surg*

Neurol. 1976 May;5(5):269-72. PubMed PMID: 1265640.

247: Harley PH. Low back pain. Proc Mine Med Off Assoc. 1972 Sep-Dec;52(414):45-53. PubMed PMID: 4270750.

248: Rothman RH. The clinical syndrome of lumbar disc disease. Orthop Clin North Am. 1971 Jul;2(2):463-75. PubMed PMID: 4260878.

249: Kavanaugh GJ, Svien HJ, Holman CB, Johnson RM. "Pseudoclaudication" syndrome produced by compression of the cauda equina. JAMA. 1968 Dec 9;206(11):2477-81. PubMed PMID: 5754987.

250: PAILLAS JE, LOUIS R, BILLE J. [HERNIA OF THE THIRD LUMBAR DISC, FROM CRURAL PAIN TO THE CAUDA EQUINA SYNDROME]. Mars Chir. 1964 Jul-Sep;16:289-95. French. PubMed PMID: 14239045.

251: GENOVESI A. [CAUDA EQUINA SYNDROME CAUSED BY COMPRESSION BY THE INTERVERTEBRAL DISK]. G Veneto Sci Med. 1963 Jul-Aug;18:247-67. Italian. PubMed PMID: 14092152.

252: SHEPHARD RH. Diagnosis and prognosis of cauda equina syndrome produced by protrusion of lumbar disk. Br Med J. 1959 Dec 26;2(5164):1434-9. PubMed PMID: 14445833; PubMed Central PMCID: PMC1991054.

1)

Kapetanakis S, Chaniotakis C, Kazakos C, Papathanasiou JV. Cauda Equina Syndrome Due to Lumbar Disc Herniation: a Review of Literature. Folia Med (Plovdiv). 2017 Dec 20;59(4):377-386. doi: 10.1515/folmed-2017-0038. PMID: 29341941.

2) 4)

Sarkar S, Hossen MK, Mazumder U, Dey A. Surgical Outcome of Cauda Equina Syndrome Secondary to Disc Herniation Presenting Late in Developing Countries. Mymensingh Med J. 2022 Oct;31(4):1121-1127. PMID: 36189561.

3) 7)

Olivero WC, Wang H, Hanigan WC, Henderson JP, Tracy PT, Elwood PW, Lister JR, Lyle L. Cauda equina syndrome (CES) from lumbar disc herniations. J Spinal Disord Tech. 2009 May;22(3):202-6. doi: 10.1097/BSD.0b013e31817baad8. PMID: 19412023.

5)

Byvaltsev VA, Kalinin AA, Shepelev VV, Pestryakov YY, Aliyev MA, Riew KD. Minimally Invasive Transforaminal Lumbar Interbody Fusion (TLIF) Compared with Open TLIF for Acute Cauda Equina Syndrome: A Retrospective Single-Center Study with Long-Term Follow-Up. World Neurosurg. 2022 Oct;166:e781-e789. doi: 10.1016/j.wneu.2022.07.148. Epub 2022 Aug 8. PMID: 35953038.

6)

Sommer F, McGrath L, Kirnaz S, Goldberg J, Medary B, Schmidt FA, Shtayer L, Gadjradj PS, Härtl R. Lumbar Giant Disk Herniations Treated With a Unilateral Approach for Bilateral Decompression. Oper Neurosurg (Hagerstown). 2022 Jul 1;23(1):60-66. doi: 10.1227/ons.000000000000198. Epub 2022 Apr 20. PMID: 35726929.

8)

Ayyappan Unnithan AK. A Review of the Diagnostic Features of Posteriorly Migrated Lumbar Discs with Reports of Two Cases. Neurol India. 2022 May-Jun;70(3):1213-1216. doi: 10.4103/0028-3886.349665. PMID: 35864669.

From:

<https://neurosurgerywiki.com/wiki/> - **Neurosurgery Wiki**

Permanent link:

https://neurosurgerywiki.com/wiki/doku.php?id=cauda_equina_syndrome_due_to_lumbar_disc_herniation

Last update: **2025/05/13 02:09**

