

Chronic fatigue syndrome

Laser-evoked potentials (LEPs) are among the reliable neurophysiological tools to investigate patients with **neuropathic pain**, as they can provide an objective account of the **functional status** of thermo **nociceptive** pathways. The goal of a **case-control study** of a single **medical center** in **Belgium** was to explore the functioning of the nociceptive afferent pathways by examining LEPs in patients with chronic **whiplash-associated disorders** (cWAD), patients with **chronic fatigue syndrome** (CFS), and healthy controls (HCs).

The LEPs of 21 patients with cWAD, 19 patients with CFS, and 18 HCs were analyzed in this study.

All participants received brief nociceptive CO₂ laser stimuli applied to the dorsum of the left hand and left foot while brain activity was recorded with a 32-channel **electroencephalogram** (EEG). LEP signals and transient power modulations were compared between patient groups and HCs.

No between-group differences were found for stimulus intensity, which was supraliminal for A δ fibers. The amplitudes and latencies of LEP wave components N1, N2, and P2 in patients with cWAD and CFS were statistically similar to those of HCs. There were no significant differences between the time-frequency maps of EEG oscillation amplitude between HCs and both patient populations.

EEG responses of heat-sensitive A δ fibers in patients with cWAD and CFS revealed no significant differences from the responses of HCs. These findings thus do not support a state of generalized **central nervous system hyperexcitability** in those patients ¹⁾.

1: Goudman L, Daenen L, Mouraux A, Nijs J, Cras P, Roussel N, Moens M, Coppieters I, Huysmans E, De Kooning M. Processing of Laser-Evoked Potentials in Patients with Chronic Whiplash-Associated Disorders, Chronic Fatigue Syndrome, and Healthy Controls: A Case-Control Study. *Pain Med*. 2020 Apr 14. pii: pnaa068. doi: 10.1093/pm/pnaa068. [Epub ahead of print] PubMed PMID: 32289826.

2: Schwarm FP, Stein M, Uhl E, Maxeiner H, Kolodziej MA. Spinal cord stimulation for the treatment of complex regional pain syndrome leads to improvement of quality of life, reduction of pain and psychological distress: a retrospective case series with 24 months follow up. *Scand J Pain*. 2019 Nov 19. pii: /j/sjpain.ahead-of-print/sjpain-2019-0081/sjpain-2019-0081.xml. doi: 10.1515/sjpain-2019-0081. [Epub ahead of print] PubMed PMID: 31743107.

3: Mirza AB, Akhbari M, Lavrador JP, Maratos EC. Atypical Cauda Equina Syndrome with Lower Limb Clonus: A Literature Review and Case Report. *World Neurosurg*. 2020 Feb;134:507-509. doi: 10.1016/j.wneu.2019.10.198. Epub 2019 Nov 9. Review. PubMed PMID: 31715419.

4: Nouri A, Patel K, Evans H, Saleh M, Kotter MRN, Heary RF, Tessitore E, Fehlings MG, Cheng JS. Demographics, presentation and symptoms of patients with Klippel-Feil syndrome: analysis of a global patient-reported registry. *Eur Spine J*. 2019 Oct;28(10):2257-2265. doi: 10.1007/s00586-019-06084-0. Epub 2019 Jul 30. PubMed PMID: 31363914.

5: Yang T, Yang Y, Wang D, Li C, Qu Y, Guo J, Shi T, Bo W, Sun Z, Asakawa T. The clinical value of cytokines in chronic fatigue syndrome. *J Transl Med*. 2019 Jun 28;17(1):213. doi: 10.1186/s12967-019-1948-6. Review. PubMed PMID: 31253154; PubMed Central PMCID: PMC6599310.

6: Hulens M, Rasschaert R, Vansant G, Stalmans I, Bruyninckx F, Dankaerts W. The link between

idiopathic intracranial hypertension, fibromyalgia, and chronic fatigue syndrome: exploration of a shared pathophysiology. *J Pain Res.* 2018 Dec 10;11:3129-3140. doi: 10.2147/JPR.S186878. eCollection 2018. PubMed PMID: 30573989; PubMed Central PMCID: PMC6292399.

7: Hulens M, Rasschaert R, Dankaerts W, Stalmans I, Vansant G, Bruyninckx F. Spinal fluid evacuation may provide temporary relief for patients with unexplained widespread pain and fibromyalgia. *Med Hypotheses.* 2018 Sep;118:55-58. doi: 10.1016/j.mehy.2018.06.017. Epub 2018 Jun 20. PubMed PMID: 30037615.

8: Torres A, Brownstein CA, Tembulkar SK, Graber K, Genetti C, Kleiman RJ, Sweadner KJ, Mavros C, Liu KX, Smedemark-Margulies N, Maski K, Yang E, Agrawal PB, Shi J, Beggs AH, D'Angelo E, Lincoln SH, Carroll D, Dedeoglu F, Gahl WA, Biggs CM, Swoboda KJ, Berry GT, Gonzalez-Heydrich J. De novo ATP1A3 and compound heterozygous NLRP3 mutations in a child with autism spectrum disorder, episodic fatigue and somnolence, and muckle-wells syndrome. *Mol Genet Metab Rep.* 2018 Jun 15;16:23-29. doi: 10.1016/j.ymgmr.2018.06.001. eCollection 2018 Sep. PubMed PMID: 29922587; PubMed Central PMCID: PMC6005789.

9: Wostyn P, De Deyn PP. Can cerebrospinal fluid diversion be beneficial in the treatment of chronic fatigue syndrome? *Med Hypotheses.* 2018 Sep;118:174. doi: 10.1016/j.mehy.2018.04.020. Epub 2018 Apr 24. PubMed PMID: 29706288.

10: Schober HC, Kneitz C, Fieber F, Hesse K, Schroeder H. Selective blood sampling for FGF-23 in tumor-induced osteomalacia. *Endocrinol Diabetes Metab Case Rep.* 2017 Oct 6;2017. pii: 17-0006. doi: 10.1530/EDM-17-0006. eCollection 2017. PubMed PMID: 29026610; PubMed Central PMCID: PMC5633052.

11: Higgins JNP, Pickard JD, Lever AML. Chronic fatigue syndrome and idiopathic intracranial hypertension: Different manifestations of the same disorder of intracranial pressure? *Med Hypotheses.* 2017 Aug;105:6-9. doi: 10.1016/j.mehy.2017.06.014. Epub 2017 Jun 24. PubMed PMID: 28735654.

12: Lawson N, Hsieh CH, March D, Wang X. Elevated Energy Production in Chronic Fatigue Syndrome Patients. *J Nat Sci.* 2016;2(10). pii: e221. PubMed PMID: 27747291; PubMed Central PMCID: PMC5065105.

13: Higgins N, Pickard J, Lever A. Borderline Intracranial Hypertension Manifesting as Chronic Fatigue Syndrome Treated by Venous Sinus Stenting. *J Neurol Surg Rep.* 2015 Nov;76(2):e244-7. doi: 10.1055/s-0035-1564060. Epub 2015 Sep 14. PubMed PMID: 26623235; PubMed Central PMCID: PMC4648738.

14: Wenz H, Wenz R, Groden C, Schmieder K, Fontana J. The pre-interventional psychiatric history - an underestimated confounder in benign intracranial lesions studies. *Clin Neurol Neurosurg.* 2015 Oct;137:116-20. doi: 10.1016/j.clineuro.2015.06.022. Epub 2015 Jul 2. PubMed PMID: 26196476.

15: Fontana J, Wenz R, Groden C, Schmieder K, Wenz H. The Preinterventional Psychiatric History as a Major Predictor for a Reduced Quality of Life After Treatment of Unruptured Intracranial Aneurysms. *World Neurosurg.* 2015 Nov;84(5):1215-22. doi: 10.1016/j.wneu.2015.06.047. Epub 2015 Jul 2. PubMed PMID: 26142812.

16: Eccles JA, Owens AP, Mathias CJ, Umeda S, Critchley HD. Neurovisceral phenotypes in the expression of psychiatric symptoms. *Front Neurosci.* 2015 Feb 10;9:4. doi: 10.3389/fnins.2015.00004. eCollection 2015. Review. PubMed PMID: 25713509; PubMed Central PMCID: PMC4322642.

- 17: Hamels M, Mariman A, Kalala O, Van den Broecke C, Delesie L, Tobback E, Van Roost D, Vogelaers D. Chordoid meningioma in an adult patient presenting with chronic fatigue and systemic inflammation. *Acta Clin Belg.* 2013 Nov-Dec;68(6):444-8. doi: 10.2143/ACB.3361. PubMed PMID: 24635333.
- 18: Higgins N, Pickard J, Lever A. Lumbar puncture, chronic fatigue syndrome and idiopathic intracranial hypertension: a cross-sectional study. *JRSM Short Rep.* 2013 Nov 21;4(12):2042533313507920. doi: 10.1177/2042533313507920. eCollection 2013 Dec. PubMed PMID: 24475346; PubMed Central PMCID: PMC3899735.
- 19: Djamshidian A, Lees AJ. Can stress trigger Parkinson's disease? *J Neurol Neurosurg Psychiatry.* 2014 Aug;85(8):878-81. doi: 10.1136/jnnp-2013-305911. Epub 2013 Nov 20. Review. PubMed PMID: 24259593.
- 20: Katznelson L. Approach to the patient with persistent acromegaly after pituitary surgery. *J Clin Endocrinol Metab.* 2010 Sep;95(9):4114-23. doi: 10.1210/jc.2010-0670. Review. PubMed PMID: 20823464.
- 21: Mokina TV, Antipenko EA, Gustov AV. Use of adaptol in the treatment of chronic fatigue syndrome in patients with chronic cerebral ischemia. *Neurosci Behav Physiol.* 2010 Sep;40(7):757-9. doi: 10.1007/s11055-010-9322-4. PubMed PMID: 20635214.
- 22: Tyne HL, Taylor J, Baker GA, Steiger MJ. Modafinil for Parkinson's disease fatigue. *J Neurol.* 2010 Mar;257(3):452-6. doi: 10.1007/s00415-009-5351-8. Epub 2009 Oct 20. PubMed PMID: 19842011.
- 23: Masruha MR, Lin J, de Souza Vieira DS, Minett TS, Cipolla-Neto J, Zukerman E, Vilanova LC, Peres MF. Urinary 6-sulphatoxymelatonin levels are depressed in chronic migraine and several comorbidities. *Headache.* 2010 Mar;50(3):413-9. doi: 10.1111/j.1526-4610.2009.01547.x. Epub 2009 Oct 8. PubMed PMID: 19817880.
- 24: Murakami M. [Treatment of myalgia]. *Nihon Rinsho.* 2009 Sep;67(9):1759-65. Review. Japanese. PubMed PMID: 19768913.
- 25: Naumann UK, Nigg C, Suter P, Käser L, Vetter W. [Fatigue]. *Praxis (Bern 1994).* 2007 Aug 2;96(31-32):1159-65; quiz 1166-7. Review. German. PubMed PMID: 17726855.
- 26: Boiko AN, Batysheva TT, Matvievskaya OV, Manevich TM, Gusev EI. Characteristics of the formation of chronic fatigue syndrome and approaches to its treatment in young patients with focal brain damage. *Neurosci Behav Physiol.* 2007 Mar;37(3):221-8. PubMed PMID: 17294097.
- 27: Basinski A, Stefaniak T, Vingerhoets A, Makarewicz W, Kaska L, Stanek A, Lachinski AJ, Sledzinski Z. Effect of NCPB and VSPL on pain and quality of life in chronic pancreatitis patients. *World J Gastroenterol.* 2005 Aug 28;11(32):5010-4. PubMed PMID: 16124055; PubMed Central PMCID: PMC4321919.
- 28: Haga S, Ishido K, Inada N, Sakata S. [Multiple chronic subdural hematoma in shaken-baby syndrome]. *No Shinkei Geka.* 2004 Aug;32(8):845-8. Japanese. PubMed PMID: 15478651.
- 29: Rennenberg RJ, Bravenboer B, Wolffenbuttel BH. [Empty sella syndrome as the cause of panhypopituitarism]. *Ned Tijdschr Geneesk.* 2004 Jan 3;148(1):33-6. Dutch. PubMed PMID: 14750453.
- 30: Mueller D. Brainstem conundrum: the Chiari I malformation. *J Am Acad Nurse Pract.* 2001

Apr;13(4):154-9. PubMed PMID: 11930527.

31: Tam SL, Archibald V, Tyreman N, Gordon T. Effect of exercise on stability of chronically enlarged motor units. Muscle Nerve. 2002 Mar;25(3):359-69. PubMed PMID: 11870712.

32: Sendrowski DP, Buker EA, Gee SS. An investigation of sympathetic hypersensitivity in chronic fatigue syndrome. Optom Vis Sci. 1997 Aug;74(8):660-3. PubMed PMID: 9323737.

33: Butler S, Chalder T, Ron M, Wessely S. Cognitive behaviour therapy in chronic fatigue syndrome. J Neurol Neurosurg Psychiatry. 1991 Feb;54(2):153-8. PubMed PMID: 2019842; PubMed Central PMCID: PMC1014351.

34: Ferraz HB, Bertolucci PH, Pereira JS, Lima JG, Andrade LA. Chronic exposure to the fungicide maneb may produce symptoms and signs of CNS manganese intoxication. Neurology. 1988 Apr;38(4):550-3. PubMed PMID: 3352909.

1)

Goudman L, Daenen L, Mouraux A, Nijs J, Cras P, Roussel N, Moens M, Coppieters I, Huysmans E, De Kooning M. Processing of [Laser-Evoked Potentials](#) in Patients with Chronic Whiplash-Associated Disorders, Chronic Fatigue Syndrome, and Healthy Controls: A Case-Control Study. Pain Med. 2020 Apr 14. pii: pnaa068. doi: 10.1093/pm/pnaa068. [Epub ahead of print] PubMed PMID: 32289826.

From:

<https://neurosurgerywiki.com/wiki/> - **Neurosurgery Wiki**

Permanent link:

https://neurosurgerywiki.com/wiki/doku.php?id=chronic_fatigue_syndrome

Last update: **2024/06/07 02:55**

