

Complex middle cerebral artery aneurysm

Complex [middle cerebral artery aneurysms](#) include aneurysms that are sizeable (large or giant), broad-necked, fusiform, dissecting or serpentine.

Clinical features

They may present with [intracranial hemorrhage](#), [mass effects](#), [epilepsy](#) or [cerebral ischemia](#); in addition, the aneurysm may be incidentally discovered.

Treatment

see [Complex middle cerebral artery aneurysm treatment](#).

Outcome

A high mortality rate of 65–85 % within 2 years (because of rupture or re-rupture) has been reported ¹⁾
^{2) 3) 4)}.

Aneurysm rupture survivors are often left with severe neurological deficits.

Case series

see [Complex middle cerebral artery aneurysm case series](#).

References

¹⁾

Choi IS, David C. Giant intracranial aneurysms: development, clinical presentation and treatment. Eur J Radiol. 2003;46:178–194. doi: 10.1016/S0720-048X(03)00090-1.

²⁾

Drake CG, Peerless SJ. Giant fusiform intracranial aneurysms: review of 120 patients treated surgically from 1965 to 1992. J Neurosurg. 1997;87:141–162. doi: 10.3171/jns.1997.87.2.0141.

³⁾

Gomes F, Dujovny M, Umansky F, Ausman JI, Diaz FG, Ray WJ, Mirchandani HG. Microsurgical anatomy of the recurrent artery of Heubner. J Neurosurg. 1984;60:130–139. doi: 10.3171/jns.1984.60.1.0130.

⁴⁾

Gomes FB, Dujovny M, Umansky F, Berman SK, Diaz FG, Ausman JI, Mirchandani HG, Ray WJ. Microanatomy of the anterior cerebral artery. Surg Neurol. 1986;26:129–141. doi: 10.1016/0090-3019(86)90365-4.

Last
update:
2024/06/07 02:56 complex_middle_cerebral_artery_aneurysm https://neurosurgerywiki.com/wiki/doku.php?id=complex_middle_cerebral_artery_aneurysm

From:
<https://neurosurgerywiki.com/wiki/> - **Neurosurgery Wiki**

Permanent link:
https://neurosurgerywiki.com/wiki/doku.php?id=complex_middle_cerebral_artery_aneurysm

Last update: **2024/06/07 02:56**

