

Fístula arteriovenosa pial

Es una lesión vascular cerebral, reconocida como anomalía vascular diferente dentro de la [malformación arteriovenosa cerebral](#).

Difieren de las malformaciones arteriovenosas, que no tienen nido, y se componen de uno o más arterias nutricias con una sola vena de drenaje.

Muchos de ellos tienen asociado una variz venosa o aneurisma venoso gigante.

Se diferencian de las [fístulas arteriovenosas](#) durales en que las arterias aferentes son piales y no se encuentra englobadas dentro de la duramadre.

Epidemiología

Constituyen el 1,6% de las [malformaciones vasculares cerebrales](#).

Hasta un 25% presentan asociación con la [telangiectasia hemorrágica hereditaria](#).

En una revisión de 7 pacientes pediátricos, la edad media fue de 4,2 años. La presentación clínica más frecuente fue la insuficiencia cardíaca.

Dos pacientes tenían una mutación del gen RASA1, asociado a un síndrome vascular hereditario.

El tratamiento endovascular combinado con la cirugía fue el tratamiento más frecuentemente empleado (Walcott y col., 2012).

Localización

Las intracraneales son más frecuentes que las espinales.

Bibliografía

Walcott, Brian P, Edward R Smith, R Michael Scott, and Darren B Orbach. 2012. "Pial arteriovenous fistulae in pediatric patients: associated syndromes and treatment outcome." *Journal of Neurointerventional Surgery* (January 2). doi:10.1136/neurintsurg-2011-010168.
<http://www.ncbi.nlm.nih.gov/pubmed/22213836>.

Bibliografía recomendada

1: Aguilar M, González A, López A, Gutiérrez I, Durand F, Mayol A. Endovascular treatment of a pial arteriovenous fistula with occipital remodeling secondary to giant torcular dilation. *J Child Neurol*. 2011 Aug;26(8):1015-20. Epub 2011 Jun 1. PubMed PMID: 21633103.

2: Andreou A, Ioannidis I, Nasis N. Transarterial balloon-assisted glue embolization of high-flow arteriovenous fistulas. *Neuroradiology*. 2008 Mar;50(3):267-72. Epub 2007 Oct 25. PubMed PMID: 17960371.

3: Batista LL, Mahadevan J, Sachet M, Husson B, Rasmussen J, Alvarez H, Lasjaunias P. Encephalocraniocutaneous lipomatosis syndrome in a child: association with multiple high flow cerebral arteriovenous fistulae. Case report and review. *Interv Neuroradiol*. 2002 Sep 30;8(3):273-83. Epub 2004 Oct 20. PubMed PMID: 20594485.

- 4: Berenstein A, Ortiz R, Niimi Y, Eljovich L, Fifi J, Madrid M, Ghatan S, Molofsky W. Endovascular management of arteriovenous malformations and other intracranial arteriovenous shunts in neonates, infants, and children. *Childs Nerv Syst.* 2010 Oct;26(10):1345-58. Epub 2010 Jun 26. PubMed PMID: 20582421.
- 5: Boet R, Poon WS, Chan MS, Yu SC. Childhood posterior fossa pial-dural arteriovenous fistula treated by endovascular occlusion. *Childs Nerv Syst.* 2001 Nov;17(11):681-4. Epub 2001 Oct 19. PubMed PMID: 11734988.
- 6: Coubes P, Humbertclaude V, Rodesch G, Lasjaunias P, Echenne B, Frerebeau P. Total endovascular occlusion of a giant direct arteriovenous fistula in the posterior fossa in a case of Rendu-Osler-Weber disease. *Childs Nerv Syst.* 1996 Dec;12(12):785-8. PubMed PMID: 9118148.
- 7: García-Mónaco R, Taylor W, Rodesch G, Alvarez H, Burrows P, Coubes P, Lasjaunias P. Pial arteriovenous fistula in children as presenting manifestation of Rendu-Osler-Weber disease. *Neuroradiology.* 1995 Jan;37(1):60-4. PubMed PMID: 7708192.
- 8: Garel C, Azarian M, Lasjaunias P, Luton D. Pial arteriovenous fistulas: dilemmas in prenatal diagnosis, counseling and postnatal treatment. Report of three cases. *Ultrasound Obstet Gynecol.* 2005 Sep;26(3):293-6. PubMed PMID: 16052602.
- 9: Hoh BL, Putman CM, Budzik RF, Ogilvy CS. Surgical and endovascular flow disconnection of intracranial pial single-channel arteriovenous fistulae. *Neurosurgery.* 2001 Dec;49(6):1351-63; discussion 1363-4. Review. PubMed PMID: 11846934.
- 10: Iizuka Y, Rodesch G, Garcia-Monaco R, Alvarez H, Burrows P, Hui F, Lasjaunias P. Multiple cerebral arteriovenous shunts in children: report of 13 cases. *Childs Nerv Syst.* 1992 Dec;8(8):437-44. PubMed PMID: 1288852.
- 11: Im SH, Oh CW, Han DH. Surgical management of an unruptured dural arteriovenous fistula of the anterior cranial fossa: natural history for 7 years. *Surg Neurol.* 2004 Jul;62(1):72-5; discussion 75. PubMed PMID: 15226079.
- 12: Ishiguro T, Komiyama M, Nakamura K, Yoshimura M, Yamamoto N, Yamanaka K, Iwai Y, Kunihiro N, Matsusaka Y, Sakamoto H. [Experience in the treatment for intracranial arteriovenous shunts in children]. *No Shinkei Geka.* 2009 Jun;37(6):543-50. Japanese. PubMed PMID: 19522281.
- 13: Ito M, Yamamoto T, Mishina H, Sonokawa T, Sato K. Arteriovenous malformation of the medulla oblongata supplied by the anterior spinal artery in a child: treatment by microsurgical obliteration of the feeding artery. *Pediatr Neurosurg.* 2000 Dec;33(6):293-7. PubMed PMID: 11182639.
- 14: Jan van Rooij W, Sluzewski M. Endovascular occlusion of high-flow intracranial arteriovenous shunts: technical note. *Neuroradiology.* 2007 Dec;49(12):1029-31. Epub 2007 Sep 6. PubMed PMID: 17823791; PubMed Central PMCID: PMC2082067.
- 15: Jellinger K. Vascular malformations of the central nervous system: a morphological overview. *Neurosurg Rev.* 1986;9(3):177-216. Review. PubMed PMID: 3550522.
- 16: Jimbo H, Ikeda Y, Izawa H, Otsuka K, Haraoka J. Mixed pial-dural arteriovenous malformation in the anterior cranial fossa—two case reports. *Neurol Med Chir (Tokyo).* 2010;50(6):470-5. PubMed PMID: 20587971.
- 17: Kakino S, Ogasawara K, Kubo Y, Ogawa A. Spontaneous pial single-channel arteriovenous fistulae

with angiographically occult small feeding arteries: case report. *Surg Neurol*. 2008 Feb;69(2):187-90; discussion 191. Epub 2007 Jun 21. PubMed PMID: 17586004.

18: Kim MS, Han DH, Kwon OK, Oh CW, Han MH. Clinical characteristics of dural arteriovenous fistula. *J Clin Neurosci*. 2002 Mar;9(2):147-55. PubMed PMID: 11922702.

19: Koroğlu M, Cil B, Yeşildağ A, Baykal B, Cekirge S, Oyar O. Prenatal diagnosis of intracranial pial arteriovenous fistula and endovascular treatment during the neonatal period. *Diagn Interv Radiol*. 2006 Jun;12(2):64-7. PubMed PMID: 16752350.

20: Lee JY, Son YJ, Kim JE. Intracranial pial arteriovenous fistulas. *J Korean Neurosurg Soc*. 2008 Aug;44(2):101-4. Epub 2008 Aug 30. PubMed PMID: 19096703; PubMed Central PMCID: PMC2588332.

21: Lim SP, Lesiuk H, Sinclair J, Lum C. Preoperative or preembolization lesion targeting using rotational angiographic fiducial marking in the neuroendovascular suite. *J Neurosurg*. 2011 Jan;114(1):140-5. Epub 2010 Feb 19. PubMed PMID: 20170306.

22: Limaye US, Siddhartha W, Shrivastav M, Anand S, Ghatge S. Endovascular management of intracranial pial arterio-venous fistulas. *Neurol India*. 2004 Mar;52(1):87-90. PubMed PMID: 15069247.

23: Lv X, Jiang C, Li Y, Yang X, Wu Z. Clinical outcomes of endovascular treatment for intracranial pial arteriovenous fistulas. *World Neurosurg*. 2010 Apr;73(4):385-90. PubMed PMID: 20849797.

24: Majchrzak H, Krauze J. [Coexistence of several arteriovenous fistulas in the pia mater. Case report]. *Neurol Neurochir Pol*. 1988 Nov-Dec;22(6):563-6. Polish. PubMed PMID: 3268740.

25: Masuoka J, Sakata S, Maeda K, Matsushima T. Intracranial pial single-channel arteriovenous fistula presenting with significant brain edema. *J Neurosurg*. 2008 Sep;109(3):497-501. PubMed PMID: 18759583.

26: McInnes M, Fong K, Grin A, ter Brugge K, Blaser S, Halliday W, Shannon P. Malformations of the fetal dural sinuses. *Can J Neurol Sci*. 2009 Jan;36(1):72-7. PubMed PMID: 19294892.

27: Nakiri GS, Abud TG, Oliveira RS, Santos AC, Machado HR, Abud DG. Endovascular treatment of intracranial pial arteriovenous fistula. *Arq Neuropsiquiatr*. 2010 Jun;68(3):463-5. PubMed PMID: 20602056.

28: Nesbit GM, Barnwell SL. The use of electrolytically detachable coils in treating high-flow arteriovenous fistulas. *AJNR Am J Neuroradiol*. 1998 Sep;19(8):1565-9. PubMed PMID: 9763395.

29: Newman CB, Hu YC, McDougall CG, Albuquerque FC. Balloon-assisted Onyx embolization of cerebral single-channel pial arteriovenous fistulas. *J Neurosurg Pediatr*. 2011 Jun;7(6):637-42. PubMed PMID: 21631202.

30: Nogueira RG, Dabus G, Rabinov JD, Eskey CJ, Ogilvy CS, Hirsch JA, Pryor JC. Preliminary experience with onyx embolization for the treatment of intracranial dural arteriovenous fistulas. *AJNR Am J Neuroradiol*. 2008 Jan;29(1):91-7. Epub 2007 Nov 1. PubMed PMID: 17974618.

31: O'Reilly GV, Shillito J, Haykal HA, Kleefield J, Wang AM, Rumbaugh CL. Balloon occlusion of a recurrent carotid-cavernous fistula previously treated by carotid ligations. *Neurosurgery*. 1986 Oct;19(4):643-8. PubMed PMID: 3785606.

32: Oda M, Takahashi JA, Hashimoto N, Koyama T. Rendu-Osler-Weber disease with a giant

intracerebral varix secondary to a high-flow pial AVF: case report. *Surg Neurol.* 2004 Apr;61(4):353-6. PubMed PMID: 15031072.

33: Oh HJ, Yoon SM, Kim SH, Shim JJ. A case of pial arteriovenous fistula with giant venous aneurysm and multiple varices treated with coil embolization. *J Korean Neurosurg Soc.* 2011 Sep;50(3):248-51. Epub 2011 Sep 30. PubMed PMID: 22102958; PubMed Central PMCID: PMC3218187.

34: Oishi M, Sasaki O, Nakazato S, Suzuki K, Kitazawa K, Takao T, Koike T. Unusual giant cerebral venous varix associated with brain abscess: variant of hereditary hemorrhagic telangiectasia-case report. *Neurol Med Chir (Tokyo).* 2007 Feb;47(2):74-8. PubMed PMID: 17317945.

35: Oshita J, Ohba S, Itou Y, Sakoda E, Ishihara S. [Intracranial pial arteriovenous fistulas]. *No Shinkei Geka.* 2011 Dec;39(12):1197-202. Japanese. PubMed PMID: 22128276.

36: Oya S, Shigeno T, Kumai J, Matsui M. [A case of pial single-channel cerebral arteriovenous fistula]. *No Shinkei Geka.* 2004 Jan;32(1):67-72. Japanese. PubMed PMID: 14978926.

37: Passacantilli E, Pichierri A, Guidetti G, Santoro A, Delfini R. Surgical treatment of pial cerebellar arteriovenous fistulas with aneurysm of the main feeding artery. *Surg Neurol.* 2006 Jan;65(1):90-4. PubMed PMID: 16378872.

38: Pelz DM, Lownie SP, Fox AJ, Rosso D. Intracranial dural arteriovenous fistulae with pial venous drainage: combined endovascular-neurosurgical therapy. *Can J Neurol Sci.* 1997 Aug;24(3):210-8. PubMed PMID: 9276105.

39: Perini S, Zampieri P, Rosta L, Piovan E, Micheli ED, Nicolato A, Mazza C, Benati A, Ruatti P. Endovascular treatment of pial AVMs: technical options, indications and limits in pediatric age patients. *J Neurosurg Sci.* 1997 Dec;41(4):325-30. PubMed PMID: 9555638.

40: Phatouros CC, Halbach VV, Dowd CF, Lempert TE, Malek AM, Meyers PM, Higashida RT. Acquired pial arteriovenous fistula following cerebral vein thrombosis. *Stroke.* 1999 Nov;30(11):2487-90. PubMed PMID: 10548689.

41: Pillai A, Rajeev K, Unnikrishnan M. Surgical management of a pial arteriovenous fistula with giant varix in an infant. *Neurol India.* 2006 Dec;54(4):434-6. PubMed PMID: 17114861.

42: Radvany MG, Gregg L. Endovascular treatment of cranial arteriovenous malformations and dural arteriovenous fistulas. *Neurosurg Clin N Am.* 2012 Jan;23(1):123-31. PubMed PMID: 22107863.

43: Reinacher PC, Stracke P, Reinges MH, Hans FJ, Krings T. Contrast-enhanced time-resolved 3-D MRA: applications in neurosurgery and interventional neuroradiology. *Neuroradiology.* 2007 Jul;49 Suppl 1:S3-13. PubMed PMID: 17665156.

44: Sakaki T, Tsujimoto S, Nishitani M, Ishida Y, Morimoto T. Perfusion pressure breakthrough threshold of cerebral autoregulation in the chronically ischemic brain: an experimental study in cats. *J Neurosurg.* 1992 Mar;76(3):478-85. PubMed PMID: 1738030.

45: Sasaki T, Hoya K, Kinone K, Kirino T. Postsurgical development of dural arteriovenous malformations after transpetrosal and transtentorial operations: case report. *Neurosurgery.* 1995 Oct;37(4):820-4; discussion 824-5. Review. PubMed PMID: 8559314.

46: Sasamori T, Hida K, Asano T, Nakayama N, Kuroda S, Iwasaki Y. [High-flow arteriovenous fistula of the central nervous system associated with hereditary haemorrhagic telangiectasia]. *No Shinkei*

Geka. 2009 Jan;37(1):57-63. Japanese. PubMed PMID: 19175035.

47: Squirrell D, Puri P, Rundle PA, Romanowski C, Rennie IG. Anomalous venous drainage of a plexiform (pial) arteriovenous malformation mimicking an indirect caroticocavernous sinus fistula. *Br J Ophthalmol*. 2002 Jun;86(6):702-4. PubMed PMID: 12034698; PubMed Central PMCID: PMC1771162.

48: Suh DC, Alvarez H, Bhattacharya JJ, Rodesch G, Lasjaunias PL. Intracranial haemorrhage within the first two years of life. *Acta Neurochir (Wien)*. 2001 Oct;143(10):997-1004. PubMed PMID: 11685606.

49: Troffkin NA, Graham CB 3rd, Berkmen T, Wakhloo AK. Combined transvenous and transarterial embolization of a tentorial-incisural dural arteriovenous malformation followed by primary stent placement in the associated stenotic straight sinus. Case report. *J Neurosurg*. 2003 Sep;99(3):579-83. PubMed PMID: 12964556.

50: van Dijk JM, Willinsky RA. Venous congestive encephalopathy related to cranial dural arteriovenous fistulas. *Neuroimaging Clin N Am*. 2003 Feb;13(1):55-72. Review. PubMed PMID: 12802941.

51: Viñuela F, Drake CG, Fox AJ, Pelz DM. Giant intracranial varices secondary to high-flow arteriovenous fistulae. *J Neurosurg*. 1987 Feb;66(2):198-203. PubMed PMID: 3806202.

52: Vorstman EB, Niemann DB, Molyneux AJ, Pike MG. Benign intracranial hypertension associated with arteriovenous malformation. *Dev Med Child Neurol*. 2002 Feb;44(2):133-5. PubMed PMID: 11852926.

53: Vougioukas VI, Coulin CJ, Shah M, Berlis A, Hubbe U, Van Velthoven V. Benefits and limitations of image guidance in the surgical treatment of intracranial dural arteriovenous fistulas. *Acta Neurochir (Wien)*. 2006 Feb;148(2):145-53; discussion 153. Epub 2005 Dec 7. PubMed PMID: 16322909.

54: Wang YC, Wong HF, Yeh YS. Intracranial pial arteriovenous fistulas with single-vein drainage. Report of three cases and review of the literature. *J Neurosurg*. 2004 Feb;100(2 Suppl Pediatrics):201-5. PubMed PMID: 14758951.

55: Wanke I, Panagiotopoulos V, Forsting M. [Bleeding risk of intracranial vascular malformations]. *Rofo*. 2007 Apr;179(4):365-72. Review. German. PubMed PMID: 17385131.

56: Weon YC, Yoshida Y, Sachet M, Mahadevan J, Alvarez H, Rodesch G, Lasjaunias P. Supratentorial cerebral arteriovenous fistulas (AVFs) in children: review of 41 cases with 63 non choroidal single-hole AVFs. *Acta Neurochir (Wien)*. 2005 Jan;147(1):17-31; discussion 31. PubMed PMID: 15614467.

57: Willinsky R, Goyal M, terBrugge K, Montanera W. Tortuous, engorged pial veins in intracranial dural arteriovenous fistulas: correlations with presentation, location, and MR findings in 122 patients. *AJNR Am J Neuroradiol*. 1999 Jun-Jul;20(6):1031-6. PubMed PMID: 10445439.

58: Yamashita K, Ohe N, Yoshimura S, Iwama T. Intracranial pial arteriovenous fistula. *Neurol Med Chir (Tokyo)*. 2007 Dec;47(12):550-4. PubMed PMID: 18159139.

59: Yang WH, Lu MS, Cheng YK, Wang TC. Pial arteriovenous fistula: a review of literature. *Br J Neurosurg*. 2011 Oct;25(5):580-5. Epub 2011 Apr 18. Review. PubMed PMID: 21501060.

60: Youn SW, Han MH, Kwon BJ, Kang HS, Chang HW, Kim BS. Coil-based endovascular treatment of single-hole cerebral arteriovenous fistulae: experiences in 11 patients. *World Neurosurg*. 2010 Jan;73(1):2-10; discussion e1. Epub 2009 Aug 7. PubMed PMID: 20452863.

From:

<https://neurosurgerywiki.com/wiki/> - **Neurosurgery Wiki**

Permanent link:

https://neurosurgerywiki.com/wiki/doku.php?id=fistula_arteriovenosa_pial

Last update: **2025/03/10 15:06**

