

Fukuoka University Chikushi Hospital

Chikushino, Japan.

Morinaga Y, Nii K, Hanada H, Takemura Y, Sakamoto K, Inoue R, Mitsutake T, Tsugawa J, Kurihara K, Tateishi Y, Higashi T. Clinical features of [Barré-Lièou syndrome](#) and efficacy of trazodone for its treatment: A retrospective single center study. Drug Discov Ther. 2021 Apr 29. doi: 10.5582/ddt.2021.01009. Epub ahead of print. PMID: 33952775.

Morinaga Y, Nii K, Sakamoto K, Inoue R, Mitsutake T, Hanada H. [Stent-assisted Coil Embolization](#) for a Ruptured [Posterior Communicating Artery Pseudoaneurysm](#) after [Endoscopic](#) Trans-sphenoidal Surgery for [pituitary neuroendocrine tumor](#). World Neurosurg. 2018 Dec 21. pii: S1878-8750(18)32870-5. doi: 10.1016/j.wneu.2018.12.047. [Epub ahead of print] PubMed PMID: 30583130.

2: Nii K, Eto A, Hiraoka F, Tsutsumi M. [A Case of Successful Drug Management with Dabigatran and Idarucizumab to Address Embolic and Hemorrhagic Complications for Asymptomatic and Traumatic Subdural Hematoma with Non-valvular Atrial Fibrillation]. No Shinkei Geka. 2018 Nov;46(11):983-988. doi: 10.11477/mf.1436203852. Japanese. PubMed PMID: 30458435.

3: Nii K, Inoue R, Morinaga Y, Mitsutake T, Hanada H. Evaluation of Acute In-stent Thrombosis during Stent-assisted Coil Embolization of Unruptured Intracranial Aneurysms. Neurol Med Chir (Tokyo). 2018 Oct 15;58(10):435-441. doi: 10.2176/nmc.0a.2018-0131. Epub 2018 Aug 30. PubMed PMID: 30158353; PubMed Central PMCID: PMC6186760.

4: Kawaguchi M, Nii K, Sakamoto K, Kawahara K, Inoue R, Hiraoka F, Morinaga Y, Mitsutake T, Hanada H, Tsutsumi M. [The Efficacy of Percutaneous Transluminal Angioplasty and Stenting for Traumatic Vertebral Artery Dissection due to Cervical Vertebral Fracture]. No Shinkei Geka. 2018 Feb;46(2):133-138. doi: 10.11477/mf.1436203689. Japanese. PubMed PMID: 29449518.

5: Nii K, Hanada H, Hiraoka F, Eto A, Mitsutake T, Tsutsumi M. Usefulness of Consciousness Sedation with Dexmedetomidine and Pentazocine during Endovascular Treatment for Acute Stroke. Neurol Med Chir (Tokyo). 2018 Feb 15;58(2):79-84. doi: 10.2176/nmc.0a.2017-0188. Epub 2017 Dec 19. PubMed PMID: 29269633; PubMed Central PMCID: PMC5830527.

6: Okamura K, Shirai K, Okuda T, Urata H. The Prevalence of Japanese Outpatients with Hypertension Who Meet the Definition of Treatment Resistant Hypertension and Are Eligible for Enrolment in Clinical Trials of Endovascular Ultrasound Renal Denervation. Intern Med. 2018 Jan 1;57(1):1-12. doi: 10.2169/internalmedicine.9059-17. Epub 2017 Oct 16. PubMed PMID: 29033430; PubMed Central PMCID: PMC5799049.

7: Eto A, Sakata N, Nagai R, Shirakawa JI, Inoue R, Kiyomi F, Nii K, Aikawa H, Iko M, Tsutsumi M, Sakamoto K, Hiraoka F, Mitsutake T, Hanada H, Kazekawa K. N(ε)-(carboxymethyl)lysine Concentration in Debris from Carotid Artery Stenting Correlates Independently with Signal Intensity on T1-Weighted Black-Blood Magnetic Resonance Images. J Stroke Cerebrovasc Dis. 2017 Jun;26(6):1341-1348. doi: 10.1016/j.jstrokecerebrovasdis.2017.02.005. Epub 2017 Mar 14. PubMed PMID: 28314627.

- 8: Eto A, Kinoshita Y, Matsumoto Y, Kiyomi F, Iko M, Nii K, Tsutsumi M, Sakamoto K, Aikawa H, Kazekawa K. Relationship between the Carotid Plaque T1 Relaxation Time and the Plaque-to-Muscle Signal Intensity Ratio on Black-Blood Magnetic Resonance Imaging Scans. *J Stroke Cerebrovasc Dis*. 2016 Nov;25(11):2580-2584. doi: 10.1016/j.jstrokecerebrovasdis.2016.06.041. Epub 2016 Aug 25. PubMed PMID: 27567294.
- 9: Nii K, Tsutsumi M, Maeda H, Aikawa H, Inoue R, Eto A, Sakamoto K, Mitsutake T, Hanada H, Kazekawa K. Comparison of Flow Impairment during Carotid Artery Stenting Using Two Types of Eccentric Filter Embolic Protection Devices. *Neurol Med Chir (Tokyo)*. 2016 Dec 15;56(12):759-765. Epub 2016 Jun 16. PubMed PMID: 27319302; PubMed Central PMCID: PMC5221774.
- 10: Nii K, Aikawa H, Tsutsumi M, Eto A, Iko M, Sakamoto K, Inoue R, Mitsutake T, Hanada H, Kazekawa K. Relationship between Angiographic Results and Morphology in Sidewall Intracranial Aneurysms after Stent-Assisted Coil Embolization. *J Stroke Cerebrovasc Dis*. 2016 Mar;25(3):533-9. doi: 10.1016/j.jstrokecerebrovasdis.2015.11.001. Epub 2015 Dec 4. PubMed PMID: 26657113.
- 11: Inoue R, Aoki M, Matsumoto Y, Haraoka S, Kazekawa K, Nabeshima K. Prolactin-producing pituitary neuroendocrine tumor with atypical spindle cell morphology: a case report. *World J Surg Oncol*. 2015 Jul 31;13:229. doi: 10.1186/s12957-015-0655-x. PubMed PMID: 26228535; PubMed Central PMCID: PMC4521347.
- 12: Matsumoto Y, Iko M, Tsutsumi M, Mitsutake T, Eto A, Nii K, Nakai K, Oishi H, Aikawa H, Kazekawa K. The Safety and Efficacy of Triple Antiplatelet Therapy after Intracranial Stent-Assisted Coil Embolization. *J Stroke Cerebrovasc Dis*. 2015 Jul;24(7):1513-9. doi: 10.1016/j.jstrokecerebrovasdis.2015.03.010. Epub 2015 Apr 18. PubMed PMID: 25900412.
- 13: Iko M, Aikawa H, Go Y, Nakai K, Tsutsumi M, Yu I, Mizokami T, Sakamoto K, Inoue R, Mitsutake T, Eto A, Hanada H, Kazekawa K. Treatment outcomes of carotid artery stenting with two types of distal protection filter device. *Springerplus*. 2014 Mar 8;3:132. doi: 10.1186/2193-1801-3-132. eCollection 2014. PubMed PMID: 25674435; PubMed Central PMCID: PMC4320198.
- 14: Eto A, Nakai K, Aikawa H, Iko M, Nii K, Kazekawa K. [Unruptured cerebral aneurysm associated with fenestration of the anterior cerebral artery successfully treated with coil embolization using an intracranial stent: a case report]. *No Shinkei Geka*. 2015 Jan;43(1):75-8. doi: 10.11477/mf.1436202951. Japanese. PubMed PMID: 25557103.
- 15: Nii K, Nakai K, Tsutsumi M, Aikawa H, Iko M, Sakamoto K, Mitsutake T, Eto A, Hanada H, Kazekawa K. A manual carotid compression technique to overcome difficult filter protection device retrieval during carotid artery stenting. *J Stroke Cerebrovasc Dis*. 2015 Jan;24(1):210-4. doi: 10.1016/j.jstrokecerebrovasdis.2014.08.022. Epub 2014 Nov 13. PubMed PMID: 25440341.
- 16: Inoue R, Sakata N, Nakai K, Aikawa H, Tsutsumi M, Nii K, Iko M, Sakamoto K, Eto A, Nagai R, Kazekawa K. Nε-(carboxymethyl)lysine in debris from carotid artery stenting: multiple versus nonmultiple postoperative lesions. *J Stroke Cerebrovasc Dis*. 2014 Nov-Dec;23(10):2827-33. doi: 10.1016/j.jstrokecerebrovasdis.2014.07.002. Epub 2014 Oct 11. PubMed PMID: 25307432.
- 17: Watanabe M, Kai Y, Hirano T, Ohmori Y, Kazekawa K, Kuratsu J. Manual external carotid artery manipulation for failed device advance through the stent in carotid artery stent placement. A technical note. *J Vasc Interv Neurol*. 2013 Dec;6(2):52-5. PubMed PMID: 24358418; PubMed Central PMCID: PMC3868248.

- 18: Matsumoto Y, Nakai K, Tsutsumi M, Iko M, Nii K, Narita S, Eto A, Mitsutake T, Aikawa H, Kazekawa K. Onset Time of Ischemic Events and Antiplatelet Therapy after Intracranial Stent-assisted Coil Embolization. *J Stroke Cerebrovasc Dis*. 2014 Apr;23(4):771-7. doi: 10.1016/j.jstrokecerebrovasdis.2013.07.008. Epub 2013 Aug 15. PubMed PMID: 23954608.
- 19: Nakai K, Nawashiro H, Shima K, Kaji T. An analysis of T2 mapping on brain tumors. *Acta Neurochir Suppl*. 2013;118:195-9. doi: 10.1007/978-3-7091-1434-6_36. PubMed PMID: 23564131.
- 20: Matsumoto Y, Nakai K, Tsutsumi M, Iko M, Oishi H, Eto H, Mizokami T, Nii K, Aikawa H, Kazekawa K. A simplified pull-through angioplasty technique without a snare device. A technical note. *Interv Neuroradiol*. 2013 Jun;19(2):167-72. Epub 2013 May 21. PubMed PMID: 23693039; PubMed Central PMCID: PMC3670054.
- 21: Matsumoto Y, Aikawa H, Narita S, Tsutsumi M, Yoshida H, Etou H, Sakamoto K, Inoue R, Nii K, Kazekawa K. Intracranial tuberculoma in non-immunosuppressive state. *Neurol Med Chir (Tokyo)*. 2013;53(4):259-62. Erratum in: *Neurol Med Chir (Tokyo)*. 2013;53(5):352. PubMed PMID: 23615420.
- 22: Tsutsumi M, Aikawa H, Nii K, Etou H, Sakamoto K, Kureshima M, Inoue R, Yoshida H, Matsumoto Y, Narita S, Kazekawa K. Cilostazol reduces periprocedural hemodynamic depression in carotid artery stenting. *Neurol Med Chir (Tokyo)*. 2013;53(3):163-70. PubMed PMID: 23524500.
- 23: Matsumoto Y, Aikawa H, Tsutsumi M, Narita S, Yoshida H, Etou H, Sakamoto K, Kazekawa K. Histological examination of expanded polytetrafluoroethylene artificial dura mater at 14 years after craniotomy: case report. *Neurol Med Chir (Tokyo)*. 2013;53(1):43-6. PubMed PMID: 23358170.
- 24: Narita S, Aikawa H, Nagata S, Tsutsumi M, Nii K, Yoshida H, Matsumoto Y, Hamaguchi S, Etoh H, Sakamoto K, Inoue R, Kazekawa K. Intraprocedural prediction of hemorrhagic cerebral hyperperfusion syndrome after carotid artery stenting. *J Stroke Cerebrovasc Dis*. 2013 Jul;22(5):615-9. doi: 10.1016/j.jstrokecerebrovasdis.2011.10.015. Epub 2011 Dec 28. PubMed PMID: 22209646.
- 25: Nii K, Tsutsumi M, Aikawa H, Onizuka M, Sakamoto K, Inoue R, Nakau H, Iko M, Haraoka S, Hara F, Kazekawa K. Spontaneous superficial temporal artery pseudoaneurysm in elderly women—three case reports. *Neurol Med Chir (Tokyo)*. 2011;51(10):713-5. PubMed PMID: 22027248.
- 26: Nii K, Tsutsumi M, Aikawa H, Hamaguchi S, Etou H, Sakamoto K, Kazekawa K. Incidence of hemodynamic depression after carotid artery stenting using different self-expandable stent types. *Neurol Med Chir (Tokyo)*. 2011;51(8):556-60. PubMed PMID: 21869575.
- 27: Tsutsumi M, Aikawa H, Nii K, Etou H, Sakamoto K, Yoshida H, Matsumoto Y, Hamaguchi S, Kazekawa K. Angiographically confirmed stent over expansion in the internal carotid artery during stenting: incidence, predictors, and outcomes. *Neuroradiology*. 2012 May;54(5):481-6. doi: 10.1007/s00234-011-0902-y. Epub 2011 Jul 6. PubMed PMID: 21732085.
- 28: Tsutsumi M, Aikawa H, Nii K, Hamaguchi S, Etou H, Sakamoto K, Yoshida H, Matsumoto Y, Kazekawa K. Early ceasing of intra-aneurysmal contrast opacification during coil embolization in ruptured aneurysms compared with unruptured aneurysms. *Neurosurgery*. 2011 Sep;69(3):651-8; discussion 658. doi: 10.1227/NEU.0b013e31821bc4b4. PubMed PMID: 21499153.
- 29: Nii K, Aikawa H, Tsutsumi M, Onizuka M, Nakau H, Inoue R, Go Y, Kazekawa K. Carotid artery stenting in a patient with internal carotid artery stenosis and ipsilateral persistent primitive hypoglossal artery presenting with transient ischemia of the vertebrobasilar system: case report. *Neurol Med Chir (Tokyo)*. 2010;50(10):921-4. PubMed PMID: 21030806.

30: Aikawa H, Kazekawa K, Tsutsumi M, Onizuka M, Iko M, Kodama T, Nii K, Hamaguchi S, Etou H, Sakamoto K. Intraprocedural changes in angiographic cerebral circulation time predict cerebral blood flow after carotid artery stenting. *Neurol Med Chir (Tokyo)*. 2010;50(4):269-74. PubMed PMID: 20448416.

31: Tsutsumi M, Kodama T, Aikawa H, Onizuka M, Iko M, Nii K, Hamaguchi S, Etou H, Sakamoto K, Inoue R, Nakau H, Kazekawa K. Fragmentation of calcified plaque after carotid artery stenting in heavily calcified circumferential stenosis. *Neuroradiology*. 2010 Sep;52(9):831-6. doi: 10.1007/s00234-009-0630-8. Epub 2009 Dec 2. PubMed PMID: 19953236.

32: Nii K, Onizuka M, Kazekawa K. [Absence of right common carotid artery shown by three-dimensional CT angiography]. *Brain Nerve*. 2008 Aug;60(8):970-1. Japanese. PubMed PMID: 18717203.

33: Aikawa H, Kodama T, Nii K, Tsutsumi M, Onizuka M, Iko M, Matsubara S, Etou H, Sakamoto K, Kazekawa K. Intraprocedural plaque protrusion resulting in cerebral embolism during carotid angioplasty with stenting. *Radiat Med*. 2008 Jun;26(5):318-23. doi: 10.1007/s11604-008-0231-1. Epub 2008 Jul 27. PubMed PMID: 18661218.

34: Tsutsumi M, Aikawa H, Kodama T, Iko M, Nii K, Matsubara S, Etou H, Sakamoto K, Onizuka M, Kazekawa K. Symptomatic inferior cavernous sinus artery aneurysm associated with cerebral arteriovenous malformation. *Neurol Med Chir (Tokyo)*. 2008 Jun;48(6):257-8. PubMed PMID: 18574331.

35: Aikawa H, Nagata S, Onizuka M, Tsutsumi M, Iko M, Kodama T, Nii K, Matsubara S, Etou H, Go Y, Kazekawa K. Shortening of Wallstent RP during carotid artery stenting requires appropriate stent placement. *Neurol Med Chir (Tokyo)*. 2008 Jun;48(6):249-52; discussion 252-3. PubMed PMID: 18574329.

36: Tsutsumi M, Aikawa H, Onizuka M, Iko M, Kodama T, Nii K, Hamaguchi S, Etou H, Sakamoto K, Kazekawa K. Carotid artery stenting for calcified lesions. *AJNR Am J Neuroradiol*. 2008 Sep;29(8):1590-3. doi: 10.3174/ajnr.A1126. Epub 2008 May 22. PubMed PMID: 18499788.

37: Tsutsumi M, Aikawa H, Onizuka M, Kodama T, Nii K, Matsubara S, Iko M, Etou H, Sakamoto K, Kazekawa K. Endovascular treatment of tiny ruptured anterior communicating artery aneurysms. *Neuroradiology*. 2008 Jun;50(6):509-15. doi: 10.1007/s00234-008-0371-0. Epub 2008 Mar 11. PubMed PMID: 18330519; PubMed Central PMCID: PMC2440929.

38: Tsutsumi M, Kazekawa K, Aikawa H, Iko M, Kodama T, Nii K, Matsubara S, Etou H, Sakamoto K, Tanaka A. Development of unusual collateral channel from the posterior meningeal artery after endovascular proximal occlusion of the posterior inferior cerebellar artery. *Neurol Med Chir (Tokyo)*. 2007 Nov;47(11):503-5. PubMed PMID: 18037804.

39: Aikawa H, Kazekawa K, Nagata S, Onizuka M, Iko M, Tsutsumi M, Kodama T, Nii K, Matsubara S, Etou H, Tanaka A. Rebleeding after endovascular embolization of ruptured cerebral aneurysms. *Neurol Med Chir (Tokyo)*. 2007 Oct;47(10):439-45; discussion 446-7. PubMed PMID: 17965560.

40: Nii K, Kazekawa K, Aikawa H, Onizuka M, Tsutsumi M, Iko M, Kodama T, Matsubara S, Etou H, Go Y, Tanaka A. [Clinical efficacy of blood flow interruption using the HyperForm in right vertebral arteriovenous fistula-case report]. *Brain Nerve*. 2007 Aug;59(8):887-90. Japanese. PubMed PMID: 17713126.

- 41: Tsutsumi M, Kazekawa K, Onizuka M, Aikawa H, Nii K, Kodama T, Iko M, Tomokiyo M, Matsubara S, Tanaka A. Spasm induced by protection balloon during carotid artery stenting. *Radiat Med*. 2007 Aug 1;25(7):335-8. Epub 2007 Aug 27. PubMed PMID: 17705003.
- 42: Tsutsumi M, Kazekawa K, Onizuka M, Kodama T, Nii K, Aikawa H, Iko M, Tomokiyo M, Matsubara S, Tanaka A. Cerebral protection during retrograde carotid artery stenting for proximal carotid artery stenosis: technical note. *Neurol Med Chir (Tokyo)*. 2007 Jun;47(6):285-7; discussion 287-8. PubMed PMID: 17587784.
- 43: Tomokiyo M, Kazekawa K, Onizuka M, Aikawa H, Tsutsumi M, Ikoh M, Kodama T, Nii K, Matsubara S, Tanaka A. Mechanisms of perianeurysmal edema following endovascular embolization of aneurysms. *Interv Neuroradiol*. 2007 Mar 15;13 Suppl 1:145-50. Epub 2007 Jun 27. PubMed PMID: 20566093; PubMed Central PMCID: PMC3345459.
- 44: Matsubara S, Kazekawa K, Aikawa H, Onizuka M, Tsutsumi M, Ikou M, Kodama T, Nii K, Nagata S, Tanaka A. Direct superficial temporal vein approach for dural carotid cavernous fistula. *Interv Neuroradiol*. 2007 Mar 15;13 Suppl 1:64-7. Epub 2007 Jun 27. PubMed PMID: 20566079; PubMed Central PMCID: PMC3345469.
- 45: Tsutsumi M, Kazekawa K, Onizuka M, Aikawa H, Iko M, Kodama T, Nii K, Matsubara S, Etou H, Tanaka A. Accordion effect during carotid artery stenting: report of two cases and review of the literature. *Neuroradiology*. 2007 Jul;49(7):567-70. Epub 2007 Mar 7. Review. PubMed PMID: 17342482.
- 46: Tsutsumi M, Kazekawa K, Onizuka M, Kodama T, Matsubara S, Aikawa H, Iko M, Nii K, Etou H, Tanaka A. Stent fracture in revascularization for symptomatic ostial vertebral artery stenosis. *Neuroradiology*. 2007 Mar;49(3):253-7. Epub 2006 Dec 7. PubMed PMID: 17151868.
- 47: Onizuka M, Kazekawa K, Tsutsumi M, Kodama T, Aikawa H, Ikou M, Tomokiyo M, Matsubara S, Nii K, Tanaka A. Hyperform remodeling balloon for the balloon occlusion test of persistent primitive trigeminal artery aneurysm - case report. *Neurol Med Chir (Tokyo)*. 2006 Nov;46(11):541-3. PubMed PMID: 17124369.
- 48: Onizuka M, Kazekawa K, Nagata S, Tsutsumi M, Aikawa H, Tomokiyo M, Iko M, Kodama T, Nii K, Matsubara S, Tanaka A. The significance of incomplete stent apposition in patients undergoing stenting of internal carotid artery stenosis. *AJNR Am J Neuroradiol*. 2006 Aug;27(7):1505-7. PubMed PMID: 16908569.
- 49: Nii K, Kazekawa K, Onizuka M, Aikawa H, Tsutsumi M, Tomokiyo M, Iko M, Kodama T, Matsubara S, Go Y, Tanaka A. Direct carotid puncture for the endovascular treatment of anterior circulation aneurysms. *AJNR Am J Neuroradiol*. 2006 Aug;27(7):1502-4. PubMed PMID: 16908568.
- 50: Onizuka M, Miskolczi L, Gounis MJ, Seong J, Lieber BB, Wakhloo AK. Elastase-induced aneurysms in rabbits: effect of postconstruction geometry on final size. *AJNR Am J Neuroradiol*. 2006 May;27(5):1129-31. PubMed PMID: 16687557.
- 51: Nagata S, Kazekawa K, Matsubara S, Sugata S. Percutaneous reconstruction of the innominate bifurcation using the retrograde 'kissing stents' technique. *Neuroradiology*. 2006 Aug;48(8):537-40. Epub 2006 Apr 27. PubMed PMID: 16642322.
- 52: Kohyama S, Kazekawa K, Iko M, Aikawa H, Tsutsumi M, Go Y, Nagata S, Kodama T, Nii K, Matsubara S, Tanaka A. Spontaneous improvement of persistent ulceration after carotid artery stenting. *AJNR Am J Neuroradiol*. 2006 Jan;27(1):151-6. PubMed PMID: 16418376.

53: Nagata S, Kazekawa K, Aikawa H, Tsutsumi M, Kodama T, Iko M, Nii K, Matsubara S, Go Y, Tanaka A. Hemodynamic stability under general anesthesia in carotid artery stenting. *Radiat Med.* 2005 Sep;23(6):427-31. PubMed PMID: 16389985.

54: Tsutsumi M, Kazekawa K, Kodama T, Aikawa H, Iko M, Tanaka A. Retrograde carotid stenting for isolated stenosis of the proximal common carotid artery-case report. *Neurol Med Chir (Tokyo).* 2003 Nov;43(11):546-9. PubMed PMID: 14705321.

55: Tsutsumi M, Kazekawa K, Tanaka A, Aikawa H, Nomoto Y, Nii K, Sakai N. Improved cerebral perfusion after simultaneous stenting for tandem stenoses of the internal carotid artery-two case reports. *Neurol Med Chir (Tokyo).* 2003 Aug;43(8):386-90. PubMed PMID: 12968805.

56: Kazekawa K, Iko M, Sakamoto S, Aikawa H, Tsutsumi M, Kodama T, Go Y, Tanaka A. Dural AVFs of the cavernous sinus: transvenous embolization using a direct superficial temporal vein approach. *Radiat Med.* 2003 May-Jun;21(3):138-41. PubMed PMID: 12868863.

57: Kazekawa K, Tsutsumi M, Aikawa H, Iko M, Tanaka A, Go Y, Kawano H. Endovascular treatment of anterior cerebral artery aneurysms using Guglielmi detachable coils: mid-term clinical evaluation. *Radiat Med.* 2002 Nov-Dec;20(6):291-7. PubMed PMID: 12553342.

58: Tsutsumi M, Kazekawa K, Tanaka A, Ueno Y, Nomoto Y, Nii K, Harada H. Traumatic middle meningeal artery pseudoaneurysm and subsequent fistula formation with the cavernous sinus: case report. *Surg Neurol.* 2002 Nov;58(5):325-8. PubMed PMID: 12504299.

59: Tsutsumi M, Kazekawa K, Tanaka A, Ueno Y, Nomoto Y. Duplication of distal part of the basilar artery. *Radiat Med.* 2002 Sep-Oct;20(5):265-7. PubMed PMID: 12450107.

60: Tsutsumi M, Kazekawa K, Tanaka A, Ueno Y, Nomoto Y. Spontaneous thrombosis of a giant intracavernous internal carotid artery aneurysm and ipsilateral internal carotid artery occlusion. *Radiat Med.* 2002 Sep-Oct;20(5):261-3. PubMed PMID: 12450106.

61: Tsutsumi M, Ueno Y, Kazekawa K, Tanaka A, Nomoto Y. Aberrant right subclavian artery-three case reports. *Neurol Med Chir (Tokyo).* 2002 Sep;42(9):396-8. PubMed PMID: 12371597.

62: Tsutsumi M, Kazekawa K, Tanaka A, Ueno Y, Nomoto Y, Nii K, Haraoka S. Rapid expansion of benign scalp neurofibroma caused by massive intratumoral hemorrhage-case report. *Neurol Med Chir (Tokyo).* 2002 Aug;42(8):338-40. PubMed PMID: 12206487.

63: Aikawa H, Kazekawa K, Tanaka A, Ueno Y, Nomoto Y. Clinicopathological Investigation of AVMs Embolized with HEMA-MMA. A New Non-Adhesive Liquid Material. *Interv Neuroradiol.* 2001 Dec 22;7(Suppl 1):175-80. Epub 2002 Jan 10. PubMed PMID: 20663398; PubMed Central PMCID: PMC3627239.

64: Ueno Y, Hamasaki N, Kimura H, Yamamoto M, Tomonaga M. [Effects of preserved erythrocytes and activated-preserved erythrocytes with phosphoenolpyruvate on energy metabolism in rat ischemic brain tissue]. *No To Shinkei.* 2001 Jun;53(6):551-8. Japanese. PubMed PMID: 11436340.

65: Nakayama Y, Tanaka A, Ueno Y, Yoshinaga S, Takano K. Scalp cavernous angioma presenting as sinus pericranii: diagnostic value of cerebral angiography and magnetic resonance imaging. *Childs Nerv Syst.* 2000 Sep;16(9):598-602. PubMed PMID: 11048636.

66: Nakamura H, Tanaka A, Nomoto Y, Ueno Y, Nakayama Y. Activation of fronto-limbic system in the

human brain by cigarette smoking: evaluated by a CBF measurement. Keio J Med. 2000 Feb;49 Suppl 1:A122-4. PubMed PMID: 10750360.

67: Nakayama Y, Ueno Y, Tanaka A, Nomoto Y, Takano K. Diagnostic value of perfusion MRI in classifying stroke. Keio J Med. 2000 Feb;49 Suppl 1:A51-4. PubMed PMID: 10750337.

68: Ueno Y, Tanaka A, Nakayama Y, Nomoto Y. Intracerebral cyst associated with meningioma. Clin Neurol Neurosurg. 1999 Dec;101(4):271-4. PubMed PMID: 10622460.

69: Nakayama Y, Tanaka A, Naritomi K, Yoshinaga S. Hyponatremia-induced metabolic encephalopathy caused by Rathke's cleft cyst: a case report. Clin Neurol Neurosurg. 1999 Jun;101(2):114-7. PubMed PMID: 10467907.

70: Nakayama Y, Tanaka A, Nagasaka S, Ikui H. [Intracerebral hemorrhage in a patient with moyamoya phenomenon caused by tuberculous arteritis: a case report]. No Shinkei Geka. 1999 Aug;27(8):751-5. Japanese. PubMed PMID: 10457940.

71: Tanaka A, Ueno Y, Nakayama Y, Takano K, Takebayashi S. Small chronic hemorrhages and ischemic lesions in association with spontaneous intracerebral hematomas. Stroke. 1999 Aug;30(8):1637-42. PubMed PMID: 10436114.

72: Nakayama Y, Tanaka A, Ueno Y, Yoshinaga S. Spontaneous cerebrospinal fluid leakage detected by magnetic resonance cisternography-case report. Neurol Med Chir (Tokyo). 1999 Mar;39(3):251-4. PubMed PMID: 10344117.

73: Nakayama Y, Tanaka A, Ueno Y, Naritomi K, Yoshinaga S. Pneumocephalus associated with ethmoidal sinus osteoma-case report. Neurol Med Chir (Tokyo). 1998 Dec;38(12):875-8. PubMed PMID: 10063363.

74: Nakayama Y, Tanaka A, Kumate S, Tomonaga M, Takebayashi S. Giant fusiform aneurysm of the basilar artery: consideration of its pathogenesis. Surg Neurol. 1999 Feb;51(2):140-5. PubMed PMID: 10029417.

75: Nakayama Y, Tanaka A, Yoshinaga S, Ueno Y. [Indications for surgery to determine the etiology of subcortical hemorrhage]. No Shinkei Geka. 1998 Dec;26(12):1067-74. Japanese. PubMed PMID: 9883445.

76: Ueno Y, Tanaka A, Nakayama Y. Transient neurological deficits simulating transient ischemic attacks in a patient with meningioma-case report. Neurol Med Chir (Tokyo). 1998 Oct;38(10):661-5. PubMed PMID: 9861851.

77: Tanaka A, Yoshinaga S, Nakayama Y, Tomonaga M. Cerebral blood flow and the response to acetazolamide during the acute, subacute, and chronic stages of aneurysmal subarachnoid hemorrhage. Neurol Med Chir (Tokyo). 1998 Oct;38(10):623-30; discussion 630-2. PubMed PMID: 9861845.

78: Tanaka A, Kimura M, Yoshinaga S, Tomonaga M, Mizoguchi T. Quantitative electroencephalographic correlates of cerebral blood flow in patients with chronic subdural hematomas. Surg Neurol. 1998 Sep;50(3):235-40. PubMed PMID: 9736086.

79: Nakayama Y, Tanaka A, Ohshiro S, Yoshinaga S. Extensive edema in the thalamus caused by thrombosed basilar artery aneurysm. Neurol Med Chir (Tokyo). 1998 May;38(5):274-7. PubMed PMID: 9640962.

- 80: Tanaka A, Kumate S, Nakayama Y, Yoshinaga S, Tomonaga M. Postoperative subarachnoid clots and the pattern of cerebral ischemia associated with symptomatic vasospasm. *Surg Neurol.* 1998 Feb;49(2):164-8; discussion 168-9. PubMed PMID: 9457266.
- 81: Ueno Y, Tanaka A, Yoshinaga S, Nakayama Y, Tomonaga M. [Clinical presentation and surgical indication in intracerebral lobar hemorrhage of elderly patients associated with amyloid angiopathy]. *No To Shinkei.* 1997 Sep;49(9):809-12. Japanese. PubMed PMID: 9310997.
- 82: Tanaka A, Kimura M, Nakayama Y, Yoshinaga S, Tomonaga M. Cerebral blood flow and autoregulation in normal pressure hydrocephalus. *Neurosurgery.* 1997 Jun;40(6):1161-5; discussion 1165-7. PubMed PMID: 9179888.
- 83: Tanaka A, Nakayama Y, Yoshinaga S. Cerebral blood flow and intracranial pressure in chronic subdural hematomas. *Surg Neurol.* 1997 Apr;47(4):346-51. PubMed PMID: 9122837.
- 84: Tanaka A, Yoshinaga S, Nakayama Y, Kimura M, Tomonaga M. Cerebral blood flow and clinical outcome in patients with thalamic hemorrhages: a comparison with putaminal hemorrhages. *J Neurol Sci.* 1996 Dec;144(1-2):191-7. PubMed PMID: 8994123.
- 85: Nakayama Y, Tanaka A, Kumate S, Yoshinaga S. Cerebral blood flow in normal brain tissue of patients with intracranial tumors. *Neurol Med Chir (Tokyo).* 1996 Oct;36(10):709-14; discussion 714-5. PubMed PMID: 8937092.
- 86: Nakayama Y, Tanaka A, Arita T, Kumate S, Yoshinaga S. [Penetrating head injury caused by weed-case report]. *No To Shinkei.* 1995 Dec;47(12):1192-4. Japanese. PubMed PMID: 8534557.
- 87: Yoshinaga S. [Sequential changes of the cerebral blood flow in hypertensive putaminal hemorrhages]. *No Shinkei Geka.* 1994 Mar;22(3):223-9. Japanese. PubMed PMID: 8133962.
- 88: Kimura M, Tanaka A, Matsuno H, Nagata S. Use of STA-MCA anastomosis for clipping of giant middle cerebral artery aneurysm-case report. *Neurol Med Chir (Tokyo).* 1993 Nov;33(11):774-8. PubMed PMID: 7506816.
- 89: Tanaka A, Kimura M, Yoshinaga S, Tomonaga M. Extracranial aneurysm of the posterior inferior cerebellar artery: case report. *Neurosurgery.* 1993 Oct;33(4):742-4; discussion 744-5. Review. PubMed PMID: 8232818.
- 90: Kimura M, Tanaka A, Yoshinaga S. Significance of periventricular hemodynamics in normal pressure hydrocephalus. *Neurosurgery.* 1992 May;30(5):701-4; discussion 704-5. PubMed PMID: 1584381.
- 91: Tanaka A, Kimura M, Yoshinaga S, Ohkawa M. Computed tomography and cerebral blood flow correlations of mental changes in chronic subdural hematoma. *Neurosurgery.* 1992 Mar;30(3):370-7; discussion 377-8. PubMed PMID: 1620300.
- 92: Kim Y, Tanaka A, Kimura M, Yoshinaga S, Tomonaga M. Arteriovenous malformation in the cerebellopontine angle presenting as hemifacial spasm-case report. *Neurol Med Chir (Tokyo).* 1991 Feb;31(2):109-12. PubMed PMID: 1715038.
- 93: Tanaka A, Tanaka T, Irie Y, Yoshinaga S, Tomonaga M. Elevation of the petrous bone caused by hyperplasia of the occipital bone presenting as hemifacial spasm: diagnostic values of magnetic resonance imaging and three-dimensional computed tomographic images in a bone anomaly.

Neurosurgery. 1990 Dec;27(6):1004-9. PubMed PMID: 2274120.

94: Tanaka A, Yoshinaga S, Kimura M. Xenon-enhanced computed tomographic measurement of cerebral blood flow in patients with chronic subdural hematomas. Neurosurgery. 1990 Oct;27(4):554-61. PubMed PMID: 2234358.

95: Nakayama Y, Tanaka A, Yoshinaga S, Tomonaga M, Maehara F, Ohkawa M. Multiple intracerebral arteriovenous malformations: report of two cases. Neurosurgery. 1989 Aug;25(2):281-6. Review. PubMed PMID: 2671785.

96: Tanaka A, Takaki T, Maruta Y. Neurinoma of the trigeminal root presenting as atypical trigeminal neuralgia: diagnostic values of orbicularis oculi reflex and magnetic resonance imaging. A case report. Neurosurgery. 1987 Nov;21(5):733-6. PubMed PMID: 3696411.

From:

<https://neurosurgerywiki.com/wiki/> - **Neurosurgery Wiki**

Permanent link:

https://neurosurgerywiki.com/wiki/doku.php?id=fukuoka_university_chikushi_hospital

Last update: **2024/06/07 02:51**

