

# Iatrogenic pseudomeningocele

Iatrogenic [pseudomeningocele](#) is a common complication of cranial surgeries.

Pseudomeningocele may result after brain surgery, spine surgery, or brachial plexus avulsion injury, ([preganglionic injury](#)).

Pseudomeningocele as unintended “incidental” durotomy: 0.7–2% <sup>1)</sup> (may appear similar radiographically to a spinal epidural abscess (SEA), but post-op SEA often enhances, is more irregular, and is associated with muscle edema).

Pseudomeningocele is a cause of [Failed back surgery syndrome](#).

## Guidelines

[Iatrogenic pseudomeningocele Guidelines](#).

<sup>1)</sup>  
Goodkin R, Laska LL. Unintended 'Incidental' Durotomy During Surgery of the Lumbar Spine: Medicolegal Implications. *Surg Neurol*. 1995; 43:4-14

From:  
<https://neurosurgerywiki.com/wiki/> - **Neurosurgery Wiki**

Permanent link:  
[https://neurosurgerywiki.com/wiki/doku.php?id=iatrogenic\\_pseudomeningocele](https://neurosurgerywiki.com/wiki/doku.php?id=iatrogenic_pseudomeningocele)

Last update: **2024/06/07 02:51**

