

Department of Neurosurgery, Suiseikai Kajikawa Hospital, [Hiroshima](#), Japan.

- 1: Nakamori M, Matsushima H, Tachiyama K, Hayashi Y, Imamura E, Mizoue T, Wakabayashi S. Association of ankle-brachial index with cognitive decline in patients with lacunar infarction. *PLoS One*. 2022 Feb 4;17(2):e0263525. doi: 10.1371/journal.pone.0263525. PMID: 35120183; PMCID: PMC8815973.
- 2: Han Y, Maruhashi T, Kajikawa M, Kishimoto S, Yamaji T, Harada T, Hashimoto Y, Yusoff FM, Nakano Y, Chayama K, Nakashima A, Goto C, Yoshimura K, Higashi Y. Isolated diastolic hypertension is not associated with endothelial dysfunction. *Hypertens Res*. 2022 Feb 3. doi: 10.1038/s41440-022-00854-y. Epub ahead of print. PMID: 35115698.
- 3: Nezu T, Hosomi N, Aoki S, Nishi H, Nakamori M, Shiga Y, Imamura E, Shintani T, Kawaguchi H, Maruyama H. Assessment of Serum IgG Titers to Various Periodontal Pathogens Associated with Atrial Fibrillation in Acute Stroke Patients. *J Stroke Cerebrovasc Dis*. 2022 Mar;31(3):106301. doi: 10.1016/j.jstrokecerebrovasdis.2021.106301. Epub 2022 Jan 13. PMID: 35032756.
- 4: Matsui S, Maruhashi T, Kishimoto S, Kajikawa M, Yusoff FM, Nakashima A, Taguchi A, Higashi Y. Poor tooth brushing behavior is associated with high risk of cardiovascular events: A prospective observational study. *Int J Cardiol*. 2022 Mar 1;350:111-117. doi: 10.1016/j.ijcard.2021.12.056. Epub 2021 Dec 31. PMID: 34979151.
- 5: Kishimoto S, Maruhashi T, Kajikawa M, Harada T, Yamaji T, Han Y, Mizobuchi A, Hashimoto Y, Yoshimura K, Nakano Y, Chayama K, Goto C, Yusoff FM, Nakashima A, Higashi Y. Vascular Dysfunction Predicts Future Deterioration of Left Ventricular Ejection Fraction in Patients with Heart Failure with Mildly Reduced Ejection Fraction. *J Clin Med*. 2021 Dec 20;10(24):5980. doi: 10.3390/jcm10245980. PMID: 34945276; PMCID: PMC8704434.
- 6: Maruhashi T, Matsui S, Yusoff FM, Kishimoto S, Kajikawa M, Higashi Y. Falsely normalized ankle-brachial index despite the presence of lower-extremity peripheral artery disease: two case reports. *J Med Case Rep*. 2021 Dec 17;15(1):622. doi: 10.1186/s13256-021-03155-z. PMID: 34920746; PMCID: PMC8679997.
- 7: Harada T, Kajikawa M, Maruhashi T, Kishimoto S, Yamaji T, Han Y, Mizobuchi A, Hashimoto Y, Yoshimura K, Nakano Y, Chayama K, Goto C, Yusoff FM, Nakashima A, Higashi Y. Short stature is associated with low flow-mediated vasodilation in Japanese men. *Hypertens Res*. 2022 Feb;45(2):308-314. doi: 10.1038/s41440-021-00785-0. Epub 2021 Nov 4. PMID: 34737433.
- 8: Yamaji T, Harada T, Hashimoto Y, Nakano Y, Kajikawa M, Yoshimura K, Aoki G, Chayama K, Goto C, Mizobuchi A, Han Y, Yusoff FM, Kishimoto S, Maruhashi T, Nakashima A, Higashi Y. Relationship between hemoglobin A1c level and flow-mediated vasodilation in patients with type 2 diabetes mellitus receiving antidiabetic drugs. *J Diabetes Investig*. 2021 Nov 1. doi: 10.1111/jdi.13705. Epub ahead of print. PMID: 34725937.
- 9: Hara N, Nakamori M, Ayukawa T, Matsushima H, Hayashi Y, Imamura E, Mizoue T, Wakabayashi S. Characteristics and Prognostic Factors of Swallowing Dysfunction in Patients with Lateral Medullary Infarction. *J Stroke Cerebrovasc Dis*. 2021 Dec;30(12):106122. doi: 10.1016/j.jstrokecerebrovasdis.2021.106122. Epub 2021 Sep 25. PMID: 34583216.
- 10: Kajikawa M, Maruhashi T, Kishimoto S, Yamaji T, Harada T, Hashimoto Y, Han Y, Mizobuchi A, Aoki G, Yoshimura K, Chayama K, Goto C, Yusoff FM, Nakashima A, Higashi Y. A body shape index is associated with endothelial dysfunction in both men and women. *Sci Rep*. 2021 Sep 9;11(1):17873. doi: 10.1038/s41598-021-97325-0. PMID: 34504193; PMCID: PMC8429591.

- 11: Maruhashi T, Kajikawa M, Kishimoto S, Takaeko Y, Yamaji T, Harada T, Hashimoto Y, Han Y, Yusoff FM, Nakano Y, Chayama K, Nakashima A, Goto C, Yoshimura K, Higashi Y. Upstroke time as a marker of atherosclerosis in patients with diabetes mellitus who have a normal ankle-brachial index. *J Diabetes Complications*. 2021 Nov;35(11):108044. doi: 10.1016/j.jdiacomp.2021.108044. Epub 2021 Aug 31. PMID: 34481714.
- 12: Araki H, Uchida K, Yoshimura S, Kurisu K, Shime N, Sakamoto S, Aoki S, Ichinose N, Kajihara Y, Tominaga A, Naka H, Mizoue T, Sumida M, Hirotsune N, Nomura E, Matsushige T, Kanazawa J, Kato Y, Kawamoto Y, Kuroki K, Morimoto T. Effect of region-wide use of prehospital stroke triage scale on management of patients with acute stroke. *J Neurointerv Surg*. 2021 Aug 19;neurintsurg-2021-017863. doi: 10.1136/neurintsurg-2021-017863. Epub ahead of print. PMID: 34413244.
- 13: Mohamad Yusoff F, Kajikawa M, Yamaji T, Takaeko Y, Hashimoto Y, Mizobuchi A, Han Y, Kishimoto S, Maruhashi T, Nakashima A, Higashi Y. Low-intensity pulsed ultrasound decreases major amputation in patients with critical limb ischemia: 5-year follow-up study. *PLoS One*. 2021 Aug 19;16(8):e0256504. doi: 10.1371/journal.pone.0256504. PMID: 34411183; PMCID: PMC8376014.
- 14: Iguchi M, Wada H, Shinozaki T, Suzuki M, Ajiro Y, Matsuda M, Koike A, Koizumi T, Shimizu M, Ono Y, Takenaka T, Sakagami S, Morita Y, Fujimoto K, Yonezawa K, Yoshida K, Ninomiya A, Nakamura T, Funada J, Kajikawa Y, Oishi Y, Kato T, Kotani K, Abe M, Akao M, Hasegawa K; PREHOSP-CHF Study Investigators. Soluble vascular endothelial growth factor receptor 2 and prognosis in patients with chronic heart failure. *ESC Heart Fail*. 2021 Oct;8(5):4187-4198. doi: 10.1002/ehf2.13555. Epub 2021 Aug 13. PMID: 34387398; PMCID: PMC8497334.
- 15: Yamaji T, Harada T, Hashimoto Y, Nakano Y, Kajikawa M, Yoshimura K, Chayama K, Goto C, Han Y, Mizobuchi A, Yusoff FM, Kishimoto S, Maruhashi T, Nakashima A, Higashi Y. Stair climbing activity and vascular function in patients with hypertension. *Hypertens Res*. 2021 Oct;44(10):1274-1282. doi: 10.1038/s41440-021-00697-z. Epub 2021 Jul 16. PMID: 34272476.
- 16: Inoue M, Shishida M, Watanabe A, Kajikawa R, Kajiwarra R, Sawada H, Ohmori I, Miyamoto K, Ikeda M, Toyota K, Sadamoto S, Takahashi T. A liver metastasis 7 years after resection of a low-risk duodenal gastrointestinal stromal tumor. *Clin J Gastroenterol*. 2021 Oct;14(5):1464-1469. doi: 10.1007/s12328-021-01464-w. Epub 2021 Jun 11. PMID: 34117599.
- 17: Yamaji T, Harada T, Hashimoto Y, Takaeko Y, Kajikawa M, Han Y, Maruhashi T, Kishimoto S, Hashimoto H, Kihara Y, Hida E, Chayama K, Goto C, Yusoff FM, Nakashima A, Higashi Y. Inconvenient relationship of haemoglobin A1c level with endothelial function in type 2 diabetes in a cross-sectional study. *BMJ Open*. 2021 Jun 9;11(6):e045415. doi: 10.1136/bmjopen-2020-045415. PMID: 34108164; PMCID: PMC8191618.
- 18: Nakamori M, Ishikawa K, Imamura E, Yamamoto H, Kimura K, Ayukawa T, Mizoue T, Wakabayashi S. Relationship between tongue pressure and dysphagia diet in patients with acute stroke. *PLoS One*. 2021 Jun 4;16(6):e0252837. doi: 10.1371/journal.pone.0252837. PMID: 34086830; PMCID: PMC8177488.
- 19: Takaeko Y, Maruhashi T, Kajikawa M, Kishimoto S, Yamaji T, Harada T, Hashimoto Y, Han Y, Kihara Y, Chayama K, Goto C, Yusoff FM, Yoshimura K, Nakashima A, Higashi Y. Lower triglyceride levels are associated with better endothelial function. *J Clin Lipidol*. 2021 May-Jun;15(3):500-511. doi: 10.1016/j.jacl.2021.04.004. Epub 2021 Apr 29. PMID: 34006457.
- 20: Shiga Y, Nezu T, Nakamori M, Hosomi N, Akiyama Y, Tachiyama K, Kamimura T, Kinoshita N,

Hayashi Y, Matsushima H, Imamura E, Aoki S, Ueno H, Ohshita T, Wakabayashi S, Yamasaki F, Awai K, Maruyama H. Utility of Magnetic Resonance Spectroscopy for the Progression of Neurological Symptoms in Lenticulostriate Artery Territory Infarction. *J Stroke Cerebrovasc Dis*. 2021 Jun;30(6):105747. doi: 10.1016/j.jstrokecerebrovasdis.2021.105747. Epub 2021 Mar 27. PMID: 33784520.

21: Kajikawa M, Tanji H, Higashi Y. Spontaneous renal hemorrhage in acquired cystic kidney disease. *J Gen Fam Med*. 2020 Nov 24;22(2):94-95. doi: 10.1002/jgf2.400. PMID: 33717784; PMCID: PMC7921347.

22: Kataoka T, Sakurashita H, Kajikawa K, Saeki Y, Taogoshi T, Matsuo H. Low Serum Albumin Level Is a Risk Factor for Delayed Methotrexate Elimination in High-Dose Methotrexate Treatment. *Ann Pharmacother*. 2021 Oct;55(10):1195-1202. doi: 10.1177/1060028021992767. Epub 2021 Feb 5. PMID: 33543634.

23: Karakuchi N, Toyota K, Kajikawa R, Watanabe A, Saito Y, Inoue M, Ohmori I, Miyamoto K, Ikeda M, Sadamoto S, Mandai K, Takahashi T. Alpha-fetoprotein- producing Colon Carcinoma with Rapidly Increasing Liver Metastases That Resulted in Death: A Case Report. *J Anus Rectum Colon*. 2021 Jan 28;5(1):100-106. doi: 10.23922/jarc.2020-038. PMID: 33537504; PMCID: PMC7843138.

24: Shiga Y, Aoki S, Hosomi N, Nomura R, Nakamori M, Nezu T, Tachiyama K, Kamimura T, Kinoshita N, Shimomura R, Hayashi Y, Matsushima H, Imamura E, Ueno H, Wakabayashi S, Nakano K, Kohriyama T, Maruyama H. cnm-Positive Streptococcus mutans and diffusion-weighted imaging hyperintensities in acute intracerebral hemorrhage. *Eur J Neurol*. 2021 May;28(5):1581-1589. doi: 10.1111/ene.14725. Epub 2021 Jan 24. PMID: 33426742.

25: Hashimoto H, Maruhashi T, Yamaji T, Harada T, Han Y, Takaeko Y, Kihara Y, Chayama K, Goto C, Aibara Y, Yusoff FM, Kishimoto S, Kajikawa M, Nakashima A, Higashi Y. Smoking status and endothelial function in Japanese men. *Sci Rep*. 2021 Jan 8;11(1):95. doi: 10.1038/s41598-020-80012-x. PMID: 33420173; PMCID: PMC7794366.

26: Oda N, Kajikawa M, Maruhashi T, Kishimoto S, Yusoff FM, Goto C, Nakashima A, Tomiyama H, Takase B, Yamashina A, Higashi Y. Endothelial function is preserved in light to moderate alcohol drinkers but is impaired in heavy drinkers in women: Flow-mediated Dilation Japan (FMD-J) study. *PLoS One*. 2020 Dec 3;15(12):e0243216. doi: 10.1371/journal.pone.0243216. PMID: 33270724; PMCID: PMC7714190.

27: Takaeko Y, Kajikawa M, Kishimoto S, Yamaji T, Harada T, Han Y, Kihara Y, Hida E, Chayama K, Goto C, Aibara Y, Yusoff FM, Maruhashi T, Nakashima A, Higashi Y. Low Levels of Low-Density Lipoprotein Cholesterol and Endothelial Function in Subjects without Lipid-Lowering Therapy. *J Clin Med*. 2020 Nov 24;9(12):3796. doi: 10.3390/jcm9123796. PMID: 33255270; PMCID: PMC7761134.

28: Maruhashi T, Kajikawa M, Kishimoto S, Hashimoto H, Takaeko Y, Yamaji T, Harada T, Hashimoto Y, Han Y, Aibara Y, Yusoff FM, Hidaka T, Chayama K, Nakashima A, Goto C, Kihara Y, Higashi Y. Upstroke Time Is a Useful Vascular Marker for Detecting Patients With Coronary Artery Disease Among Subjects With Normal Ankle-Brachial Index. *J Am Heart Assoc*. 2020 Dec;9(23):e017139. doi: 10.1161/JAHA.120.017139. Epub 2020 Nov 26. PMID: 33241751; PMCID: PMC7763789.

29: Yusoff FM, Kajikawa M, Takaeko Y, Kishimoto S, Hashimoto H, Maruhashi T, Nakashima A, Wahid SFSA, Higashi Y. Relationship between cell number and clinical outcomes of autologous bone-marrow mononuclear cell implantation in critical limb ischemia. *Sci Rep*. 2020 Nov 16;10(1):19891. doi: 10.1038/s41598-020-76886-6. PMID: 33199760; PMCID: PMC7669841.

- 30: Nakamori M, Hosomi N, Nishi H, Aoki S, Nezu T, Shiga Y, Kinoshita N, Ishikawa K, Imamura E, Shintani T, Ohge H, Kawaguchi H, Kurihara H, Wakabayashi S, Maruyama H. Serum IgG titers against periodontal pathogens are associated with cerebral hemorrhage growth and 3-month outcome. *PLoS One*. 2020 Oct 28;15(10):e0241205. doi: 10.1371/journal.pone.0241205. PMID: 33112888; PMCID: PMC7592768.
- 31: Takeda C, Yoshida M, Nakamori M, Hosomi N, Nagasaki T, Yoshikawa M, Kayashita J, Masuda S, Maruyama H, Tsuga K. Delayed Swallowing Reflex is Overlooked in Swallowing Screening Among Acute Stroke Patients. *J Stroke Cerebrovasc Dis*. 2020 Dec;29(12):105303. doi: 10.1016/j.jstrokecerebrovasdis.2020.105303. Epub 2020 Oct 9. PMID: 33039771.
- 32: Shiga Y, Hosomi N, Nezu T, Nishi H, Aoki S, Nakamori M, Ishikawa K, Kinoshita N, Imamura E, Ueno H, Shintani T, Ohge H, Kawaguchi H, Kurihara H, Wakabayashi S, Maruyama H. Association between periodontal disease due to *Campylobacter rectus* and cerebral microbleeds in acute stroke patients. *PLoS One*. 2020 Oct 8;15(10):e0239773. doi: 10.1371/journal.pone.0239773. PMID: 33031428; PMCID: PMC7544022.
- 33: Yamaji T, Harada T, Hashimoto Y, Takaeko Y, Kajikawa M, Kihara Y, Hida E, Chayama K, Goto C, Han Y, Yusoff FM, Kishimoto S, Maruhashi T, Nakashima A, Higashi Y. Pre-impaired fasting glucose state is a risk factor for endothelial dysfunction: Flow-mediated Dilation Japan (FMD-J) study. *BMJ Open Diabetes Res Care*. 2020 Oct;8(1):e001610. doi: 10.1136/bmjdr-2020-001610. PMID: 33028539; PMCID: PMC7542623.
- 34: Nakamori M, Hosomi N, Tachiyama K, Kamimura T, Matsushima H, Hayashi Y, Imamura E, Wakabayashi S, Maruyama H. Lobar microbleeds are associated with cognitive impairment in patients with lacunar infarction. *Sci Rep*. 2020 Oct 2;10(1):16410. doi: 10.1038/s41598-020-73404-6. PMID: 33009480; PMCID: PMC7532194.
- 35: Kamimura T, Nakamori M, Imamura E, Hayashi Y, Matsushima H, Mizoue T, Wakabayashi S, Maruyama H. Low-dose Contrast-induced Encephalopathy During Diagnostic Cerebral Angiography. *Intern Med*. 2021 Feb 15;60(4):629-633. doi: 10.2169/internalmedicine.5139-20. Epub 2020 Sep 30. PMID: 32999223; PMCID: PMC7946509.
- 36: Nakamori M, Imamura E, Kuwabara M, Ayukawa T, Tachiyama K, Kamimura T, Hayashi Y, Matsushima H, Funai M, Mizoue T, Wakabayashi S. Simplified cough test can predict the risk for pneumonia in patients with acute stroke. *PLoS One*. 2020 Sep 29;15(9):e0239590. doi: 10.1371/journal.pone.0239590. PMID: 32991632; PMCID: PMC7523950.
- 37: Nakamori M, Hosomi N, Imamura E, Matsushima H, Maetani Y, Yoshida M, Yoshikawa M, Takeda C, Nagasaki T, Masuda S, Kayashita J, Tsuga K, Tanimoto K, Wakabayashi S, Maruyama H. Association between stroke lesions and videofluoroscopic findings in acute stroke patients. *J Neurol*. 2021 Mar;268(3):1025-1035. doi: 10.1007/s00415-020-10244-4. Epub 2020 Sep 26. PMID: 32979098.
- 38: Nakamori M, Imamura E, Tachiyama K, Kamimura T, Hayashi Y, Matsushima H, Okamoto H, Mizoue T, Wakabayashi S. Patient Health Questionnaire-9 predicts the functional outcome of stroke patients in convalescent rehabilitation ward. *Brain Behav*. 2020 Dec;10(12):e01856. doi: 10.1002/brb3.1856. Epub 2020 Sep 20. PMID: 32951302; PMCID: PMC7749590.
- 39: Kajikawa M, Maruhashi T, Kishimoto S, Hashimoto H, Takaeko Y, Yamaji T, Harada T, Hashimoto Y, Han Y, Kihara Y, Hida E, Chayama K, Goto C, Yusoff FM, Nakashima A, Higashi Y. Association of Body Mass Index with Endothelial Function in Asian Men. *Int J Cardiol*. 2021 Feb 1;324:186-192. doi: 10.1016/j.ijcard.2020.09.029. Epub 2020 Sep 12. PMID: 32931855.

40: Kishimoto S, Oki K, Maruhashi T, Kajikawa M, Hashimoto H, Takaeko Y, Harada T, Yamaji T, Han Y, Kihara Y, Chayama K, Goto C, Yusoff FM, Nakashima A, Higashi Y. A Comparison of Adrenalectomy and Eplerenone on Vascular Function in Patients with Aldosterone-producing Adenoma. *J Clin Endocrinol Metab*. 2020 Nov 1;105(11):dgaa561. doi: 10.1210/clinem/dgaa561. PMID: 32818224.

41: Nakamori M, Imamura E, Fukuta M, Tachiyama K, Kamimura T, Hayashi Y, Matsushima H, Ogawa K, Nishino M, Hirata A, Mizoue T, Wakabayashi S. Tongue thickness measured by ultrasonography is associated with tongue pressure in the Japanese elderly. *PLoS One*. 2020 Aug 7;15(8):e0230224. doi: 10.1371/journal.pone.0230224. PMID: 32764766; PMCID: PMC7413413.

42: Aoki S, Hosomi N, Nishi H, Nakamori M, Nezu T, Shiga Y, Kinoshita N, Ueno H, Ishikawa K, Imamura E, Shintani T, Ohge H, Kawaguchi H, Kurihara H, Maruyama H. Serum IgG titers to periodontal pathogens predict 3-month outcome in ischemic stroke patients. *PLoS One*. 2020 Aug 6;15(8):e0237185. doi: 10.1371/journal.pone.0237185. PMID: 32760103; PMCID: PMC7410289.

43: Kishimoto S, Maruhashi T, Kajikawa M, Matsui S, Hashimoto H, Takaeko Y, Harada T, Yamaji T, Han Y, Kihara Y, Chayama K, Goto C, Yusoff FM, Nakashima A, Higashi Y. Hematocrit, hemoglobin and red blood cells are associated with vascular function and vascular structure in men. *Sci Rep*. 2020 Jul 10;10(1):11467. doi: 10.1038/s41598-020-68319-1. PMID: 32651430; PMCID: PMC7351756.

44: Takaeko Y, Matsui S, Kajikawa M, Maruhashi T, Yamaji T, Harada T, Han Y, Hashimoto H, Kihara Y, Hida E, Chayama K, Goto C, Aibara Y, Yusoff FM, Kishimoto S, Nakashima A, Higashi Y. Relationship between high-density lipoprotein cholesterol levels and endothelial function in women: a cross-sectional study. *BMJ Open*. 2020 Jul 7;10(7):e038121. doi: 10.1136/bmjopen-2020-038121. PMID: 32641366; PMCID: PMC7342861.

45: Maruhashi T, Kajikawa M, Kishimoto S, Hashimoto H, Takaeko Y, Yamaji T, Harada T, Hashimoto Y, Han Y, Aibara Y, Yusoff FM, Hidaka T, Chayama K, Nakashima A, Goto C, Kihara Y, Higashi Y. Vascular function is further impaired in subjects aged 80 years or older. *Hypertens Res*. 2020 Sep;43(9):914-921. doi: 10.1038/s41440-020-0435-z. Epub 2020 Apr 8. PMID: 32269307.

46: Uwatoko H, Nakamori M, Imamura E, Imura T, Okada K, Matsumae Y, Okamoto H, Wakabayashi S. Prediction of Independent Gait in Acute Stroke Patients with Hemiplegia Using the Ability for Basic Movement Scale II Score. *Eur Neurol*. 2020;83(1):49-55. doi: 10.1159/000506421. Epub 2020 Mar 25. PMID: 32209795.

47: Nishi H, Hosomi N, Ohta K, Aoki S, Nakamori M, Nezu T, Shigeishi H, Shintani T, Obayashi T, Ishikawa K, Kinoshita N, Shiga Y, Sugiyama M, Ohge H, Maruyama H, Kawaguchi H, Kurihara H. Serum immunoglobulin G antibody titer to *Fusobacterium nucleatum* is associated with unfavorable outcome after stroke. *Clin Exp Immunol*. 2020 Jun;200(3):302-309. doi: 10.1111/cei.13430. Epub 2020 Mar 24. PMID: 32155293; PMCID: PMC7232001.

48: Maruhashi T, Soga J, Fujimura N, Idei N, Mikami S, Iwamoto Y, Iwamoto A, Kajikawa M, Matsumoto T, Oda N, Kishimoto S, Matsui S, Hashimoto H, Takaeko Y, Yamaji T, Harada T, Han Y, Aibara Y, Mohamad Yusoff F, Hidaka T, Kihara Y, Chayama K, Noma K, Nakashima A, Goto C, Tomiyama H, Takase B, Kohro T, Suzuki T, Ishizu T, Ueda S, Yamazaki T, Furumoto T, Kario K, Inoue T, Koba S, Watanabe K, Takemoto Y, Hano T, Sata M, Ishibashi Y, Node K, Maemura K, Ohya Y, Furukawa T, Ito H, Ikeda H, Yamashina A, Higashi Y. Increased arterial stiffness and cardiovascular risk prediction in controlled hypertensive patients with coronary artery disease: post hoc analysis of FMD-J (Flow-mediated Dilation Japan) Study A. *Hypertens Res*. 2020 Aug;43(8):781-790. doi: 10.1038/s41440-020-0420-6. Epub 2020 Mar 9. PMID: 32152482.

49: Takao S, Masuda T, Yamada T, Yamaguchi K, Sakamoto S, Matsushima H, Horimasu Y, Nakashima T, Miyamoto S, Iwamoto H, Fujitaka K, Hamada H, Hattori N. Pulmonary arteriovenous malformation exhibiting recanalization >10 years after coil embolization: Two case reports. *Medicine (Baltimore)*. 2020 Jan;99(2):e18694. doi: 10.1097/MD.00000000000018694. PMID: 31914070; PMCID: PMC6959888.

50: Maruhashi T, Kajikawa M, Kishimoto S, Hashimoto H, Takaeko Y, Yamaji T, Harada T, Han Y, Aibara Y, Mohamad Yusoff F, Hidaka T, Kihara Y, Chayama K, Nakashima A, Goto C, Tomiyama H, Takase B, Kohro T, Suzuki T, Ishizu T, Ueda S, Yamazaki T, Furumoto T, Kario K, Inoue T, Koba S, Watanabe K, Takemoto Y, Hano T, Sata M, Ishibashi Y, Node K, Maemura K, Ohya Y, Furukawa T, Ito H, Ikeda H, Yamashina A, Higashi Y. Diagnostic Criteria of Flow-Mediated Vasodilation for Normal Endothelial Function and Nitroglycerin-Induced Vasodilation for Normal Vascular Smooth Muscle Function of the Brachial Artery. *J Am Heart Assoc*. 2020 Jan 21;9(2):e013915. doi: 10.1161/JAHA.119.013915. Epub 2020 Jan 8. PMID: 31910779; PMCID: PMC7033833.

51: Nakamura K, Ikawa K, Nishikawa G, Kobayashi I, Tobiume M, Sugie M, Muramatsu H, Morinaga S, Kajikawa K, Watanabe M, Kanao K, Onita T, Morikawa N. Clinical pharmacokinetics of flomoxef in prostate tissue and dosing considerations for prostatitis based on site-specific pharmacodynamic target attainment. *J Infect Chemother*. 2020 Feb;26(2):236-241. doi: 10.1016/j.jiac.2019.08.019. Epub 2019 Dec 9. PMID: 31822449.

52: Nishimura A, Nishimura K, Onozuka D, Matsuo R, Kada A, Kamitani S, Higashi T, Ogasawara K, Shimodozono M, Harada M, Hashimoto Y, Hirano T, Hoshino H, Itabashi R, Itoh Y, Iwama T, Kohriyama T, Matsumaru Y, Osato T, Sasaki M, Shiokawa Y, Shimizu H, Takekawa H, Nishi T, Uno M, Yagita Y, Ido K, Kurogi A, Kurogi R, Arimura K, Ren N, Hagihara A, Takizawa S, Arai H, Kitazono T, Miyamoto S, Minematsu K, Iihara K; J-ASPECT study collaborators. Development of Quality Indicators of Stroke Centers and Feasibility of Their Measurement Using a Nationwide Insurance Claims Database in Japan — J-ASPECT Study —. *Circ J*. 2019 Oct 25;83(11):2292-2302. doi: 10.1253/circj.CJ-19-0089. Epub 2019 Sep 26. PMID: 31554766.

53: Yamasaki T, Aso T, Kaseda Y, Mimori Y, Doi H, Matsuoka N, Takamiya N, Torii T, Takahashi T, Ohshita T, Yamashita H, Doi H, Inamizu S, Chatani H, Tobimatsu S. Decreased stimulus-driven connectivity of the primary visual cortex during visual motion stimulation in amnesic mild cognitive impairment: An fMRI study. *Neurosci Lett*. 2019 Oct 15;711:134402. doi: 10.1016/j.neulet.2019.134402. Epub 2019 Jul 26. PMID: 31356844.

54: Kajikawa M, Higashi Y. Triglycerides and endothelial function: molecular biology to clinical perspective. *Curr Opin Lipidol*. 2019 Oct;30(5):364-369. doi: 10.1097/MOL.0000000000000630. PMID: 31348023.

55: Takaeko Y, Matsui S, Kajikawa M, Maruhashi T, Kishimoto S, Hashimoto H, Kihara Y, Hida E, Chayama K, Goto C, Aibara Y, Yusoff FM, Noma K, Nakashima A, Higashi Y. Association of extremely high levels of high-density lipoprotein cholesterol with endothelial dysfunction in men. *J Clin Lipidol*. 2019 Jul-Aug;13(4):664-672.e1. doi: 10.1016/j.jacl.2019.06.004. Epub 2019 Jun 20. PMID: 31311726.

56: Kajikawa M, Maruhashi T, Hidaka T, Matsui S, Hashimoto H, Takaeko Y, Nakano Y, Kurisu S, Kihara Y, Yusoff FM, Kishimoto S, Chayama K, Goto C, Noma K, Nakashima A, Hiro T, Hirayama A, Shiina K, Tomiyama H, Yagi S, Amano R, Yamada H, Sata M, Higashi Y. Effect of Saxagliptin on Endothelial Function in Patients with Type 2 Diabetes: A Prospective Multicenter Study. *Sci Rep*. 2019 Jul 15;9(1):10206. doi: 10.1038/s41598-019-46726-3. PMID: 31308448; PMCID: PMC6629702.

57: Yusoff FM, Kajikawa M, Matsui S, Hashimoto H, Kishimoto S, Maruhashi T, Chowdhury M, Noma K, Nakashima A, Kihara Y, Sueda T, Higashi Y. Review of the Long-term Effects of Autologous Bone-

Marrow Mononuclear Cell Implantation on Clinical Outcomes in Patients with Critical Limb Ischemia. *Sci Rep.* 2019 May 22;9(1):7711. doi: 10.1038/s41598-019-44176-5. PMID: 31118440; PMCID: PMC6531470.

58: Shimomura R, Hosomi N, Tsunematsu M, Mukai T, Sueda Y, Shimoe Y, Ohshita T, Torii T, Nezu T, Aoki S, Kakehashi M, Matsumoto M, Maruyama H; Hiroshima 'Emergency and Weather' Study-stroke collaborators. Warm Front Passage on the Previous Day Increased Ischemic Stroke Events. *J Stroke Cerebrovasc Dis.* 2019 Jul;28(7):1873-1878. doi: 10.1016/j.jstrokecerebrovasdis.2019.04.011. Epub 2019 May 15. PMID: 31103553.

59: Maruhashi T, Kajikawa M, Kishimoto S, Matsui S, Hashimoto H, Takaeko Y, Aibara Y, Yusoff FM, Hidaka T, Chayama K, Noma K, Nakashima A, Goto C, Kihara Y, Higashi Y. Relationships Between Calcium Channel Blockers and Vascular Function Tests. *Am J Hypertens.* 2019 Jun 11;32(7):640-648. doi: 10.1093/ajh/hpz061. PMID: 31089726.

60: Kishimoto S, Kinoshita Y, Matsumoto T, Maruhashi T, Kajikawa M, Matsui S, Hashimoto H, Takaeko Y, Kihara Y, Chayama K, Goto C, Mohamad Yusoff F, Nakashima A, Noma K, Higashi Y. Effects of the Dipeptidyl Peptidase 4 Inhibitor Alogliptin on Blood Pressure in Hypertensive Patients with Type 2 Diabetes Mellitus. *Am J Hypertens.* 2019 Jun 11;32(7):695-702. doi: 10.1093/ajh/hpz065. PMID: 31045223.

61: Maruhashi T, Kinoshita Y, Kajikawa M, Kishimoto S, Matsui S, Hashimoto H, Takaeko Y, Aibara Y, Yusoff FM, Hidaka T, Chayama K, Noma K, Nakashima A, Goto C, Takahashi M, Kihara Y, Higashi Y; Hiroshima NOCTURNE Research Group. Relationship between home blood pressure and vascular function in patients receiving antihypertensive drug treatment. *Hypertens Res.* 2019 Aug;42(8):1175-1185. doi: 10.1038/s41440-019-0240-8. Epub 2019 Mar 7. PMID: 30846869.

62: Maetani Y, Nakamori M, Imamura E, Ishii Y, Aihara H, Suyama Y, Wakabayashi S, Maruyama H. Utility of Minimum Apparent Diffusion Coefficient Ratios in Alberta Stroke Program Early CT Score Regions for Deciding on Stroke Therapy. *J Stroke Cerebrovasc Dis.* 2019 May;28(5):1371-1380. doi: 10.1016/j.jstrokecerebrovasdis.2019.02.003. Epub 2019 Feb 22. PMID: 30803784.

63: Kajikawa M, Higashi Y, Tomiyama H, Maruhashi T, Kurisu S, Kihara Y, Mutoh A, Ueda SI. Effect of short-term colchicine treatment on endothelial function in patients with coronary artery disease. *Int J Cardiol.* 2019 Apr 15;281:35-39. doi: 10.1016/j.ijcard.2019.01.054. Epub 2019 Jan 15. PMID: 30683457.

64: Suyama Y, Wakabayashi S, Aihara H, Ebiko Y, Kajikawa H, Nakahara I. Evaluation of clinical significance of decompressive suboccipital craniectomy on the prognosis of cerebellar infarction. *Fujita Med J.* 2019;5(1):21-24. doi: 10.20407/fmj.2018-010. Epub 2018 Dec 6. PMID: 35111496; PMCID: PMC8766232.

65: Kishimoto S, Oki K, Maruhashi T, Kajikawa M, Matsui S, Hashimoto H, Takaeko Y, Kihara Y, Chayama K, Goto C, Aibara Y, Yusoff FM, Nakashima A, Noma K, Liao JK, Higashi Y. Eplerenone improves endothelial function and arterial stiffness and inhibits Rho-associated kinase activity in patients with idiopathic hyperaldosteronism: a pilot study. *J Hypertens.* 2019 May;37(5):1083-1095. doi: 10.1097/HJH.0000000000001989. PMID: 30418321; PMCID: PMC6467648.

66: Kishimoto S, Matsumoto T, Oki K, Maruhashi T, Kajikawa M, Matsui S, Hashimoto H, Kihara Y, Yusoff FM, Higashi Y. Microvascular endothelial function is impaired in patients with idiopathic hyperaldosteronism. *Hypertens Res.* 2018 Nov;41(11):932-938. doi: 10.1038/s41440-018-0093-6. Epub 2018 Sep 11. PMID: 30206323.

67: Kinoshita N, Hosomi N, Matsushima H, Nakamori M, Yagita Y, Yamawaki T, Torii T, Kitamura T, Sueda Y, Shimomura R, Araki M, Nezu T, Aoki S, Ishii S, Maruyama H, Matsumoto M, Maruyama H. Screening for Fabry Disease in Japanese Patients with Young-Onset Stroke by Measuring α -Galactosidase A and Globotriaosylsphingosine. *J Stroke Cerebrovasc Dis*. 2018 Dec;27(12):3563-3569. doi: 10.1016/j.jstrokecerebrovasdis.2018.08.025. Epub 2018 Sep 7. PMID: 30201457.

68: Maruhashi T, Soga J, Fujimura N, Idei N, Mikami S, Iwamoto Y, Iwamoto A, Kajikawa M, Matsumoto T, Oda N, Kishimoto S, Matsui S, Hashimoto H, Aibara Y, Mohamad Yusoff F, Hidaka T, Kihara Y, Chayama K, Noma K, Nakashima A, Goto C, Tomiyama H, Takase B, Kohro T, Suzuki T, Ishizu T, Ueda S, Yamazaki T, Furumoto T, Kario K, Inoue T, Koba S, Watanabe K, Takemoto Y, Hano T, Sata M, Ishibashi Y, Node K, Maemura K, Ohya Y, Furukawa T, Ito H, Ikeda H, Yamashina A, Higashi Y. Endothelial Dysfunction, Increased Arterial Stiffness, and Cardiovascular Risk Prediction in Patients With Coronary Artery Disease: FMD-J (Flow-Mediated Dilation Japan) Study A. *J Am Heart Assoc*. 2018 Jul 12;7(14):e008588. doi: 10.1161/JAHA.118.008588. PMID: 30005558; PMCID: PMC6064856.

69: Suyama Y, Wakabayashi S, Kajikawa H, Nakahara I. Dural arteriovenous fistula presenting with acute subdural haematoma showing impending cerebral herniation. *BMJ Case Rep*. 2018 Jun 27;2018:bcr2017223177. doi: 10.1136/bcr-2017-223177. PMID: 29950494; PMCID: PMC6040469.

70: Hirano H, Takama R, Matsumoto R, Tanaka H, Hirano H, Soh Z, Ukawa T, Takayanagi T, Morimoto H, Nakamura R, Saeki N, Hashimoto H, Matsui S, Kishimoto S, Oda N, Kajikawa M, Maruhashi T, Kawamoto M, Yoshizumi M, Higashi Y, Tsuji T. Assessment of Lower-limb Vascular Endothelial Function Based on Enclosed Zone Flow-mediated Dilation. *Sci Rep*. 2018 Jun 18;8(1):9263. doi: 10.1038/s41598-018-27392-3. PMID: 29915185; PMCID: PMC6006353.

71: Matsui S, Kajikawa M, Maruhashi T, Hashimoto H, Kihara Y, Chayama K, Goto C, Aibara Y, Yusoff FM, Kishimoto S, Nakashima A, Noma K, Kawaguchi T, Matsumoto T, Higashi Y. New assessment of endothelial function measured by short time flow-mediated vasodilation: Comparison with conventional flow-mediated vasodilation measurement. *Int J Cardiol*. 2018 Aug 15;265:24-29. doi: 10.1016/j.ijcard.2018.05.006. Epub 2018 May 4. PMID: 29754930.

72: Matsui S, Kajikawa M, Maruhashi T, Iwamoto Y, Oda N, Kishimoto S, Hashimoto H, Hidaka T, Kihara Y, Chayama K, Hida E, Goto C, Aibara Y, Nakashima A, Yusoff FM, Noma K, Kuwahara Y, Matsubara A, Higashi Y. Endothelial dysfunction, abnormal vascular structure and lower urinary tract symptoms in men and women. *Int J Cardiol*. 2018 Jun 15;261:196-203. doi: 10.1016/j.ijcard.2018.02.041. PMID: 29657043.

73: Maetani Y, Nakamori M, Watanabe T, Matsushima H, Imamura E, Wakabayashi S. Subarachnoid hemorrhage after transient global amnesia caused by cerebral venous congestion: case report. *BMC Neurol*. 2018 Apr 6;18(1):36. doi: 10.1186/s12883-018-1042-3. PMID: 29625555; PMCID: PMC5889575.

74: Kishimoto S, Matsumoto T, Maruhashi T, Iwamoto Y, Kajikawa M, Oda N, Matsui S, Hashimoto H, Hidaka T, Kihara Y, Chayama K, Goto C, Aibara Y, Yusoff FBM, Nakashima A, Noma K, Higashi Y. Reactive hyperemia-peripheral arterial tonometry is useful for assessment of not only endothelial function but also stenosis of the digital artery. *Int J Cardiol*. 2018 Jun 1;260:178-183. doi: 10.1016/j.ijcard.2017.10.069. PMID: 29622435.

75: Iwamoto Y, Maruhashi T, Kajikawa M, Oda N, Kishimoto S, Matsui S, Hashimoto H, Aibara Y, Yusoff FM, Hidaka T, Kihara Y, Chayama K, Noma K, Nakashima A, Goto C, Higashi Y. Chronic kidney disease is associated with vascular smooth muscle dysfunction but not with endothelial dysfunction. *Int J Cardiol*. 2018 Mar 1;254:284-290. doi: 10.1016/j.ijcard.2017.10.122. Epub 2018 Jan 28. PMID:

29407110.

76: Kajikawa M, Maruhashi T, Hidaka T, Nakano Y, Kurisu S, Matsumoto T, Iwamoto Y, Kishimoto S, Matsui S, Aibara Y, Yusoff FM, Kihara Y, Chayama K, Goto C, Noma K, Nakashima A, Watanabe T, Tone H, Hibi M, Osaki N, Katsuragi Y, Higashi Y. Coffee with a high content of chlorogenic acids and low content of hydroxyhydroquinone improves postprandial endothelial dysfunction in patients with borderline and stage 1 hypertension. *Eur J Nutr*. 2019 Apr;58(3):989-996. doi: 10.1007/s00394-018-1611-7. Epub 2018 Jan 12. PMID: 29330659; PMCID: PMC6499758.

77: Maruhashi T, Iwamoto Y, Kajikawa M, Oda N, Kishimoto S, Matsui S, Hashimoto H, Aibara Y, Yusoff FM, Hidaka T, Kihara Y, Chayama K, Noma K, Nakashima A, Goto C, Hida E, Higashi Y. Interrelationships Among Flow-Mediated Vasodilation, Nitroglycerine-Induced Vasodilation, Baseline Brachial Artery Diameter, Hyperemic Shear Stress, and Cardiovascular Risk Factors. *J Am Heart Assoc*. 2017 Dec 29;7(1):e006797. doi: 10.1161/JAHA.117.006797. PMID: 29288158; PMCID: PMC5778958.

78: Maruhashi T, Soga J, Fujimura N, Idei N, Mikami S, Iwamoto Y, Iwamoto A, Kajikawa M, Matsumoto T, Oda N, Kishimoto S, Matsui S, Hashimoto H, Aibara Y, Yusoff FM, Hidaka T, Kihara Y, Chayama K, Noma K, Nakashima A, Goto C, Tomiyama H, Takase B, Kohro T, Suzuki T, Ishizu T, Ueda S, Yamazaki T, Furumoto T, Kario K, Inoue T, Koba S, Watanabe K, Takemoto Y, Hano T, Sata M, Ishibashi Y, Node K, Maemura K, Ohya Y, Furukawa T, Ito H, Ikeda H, Yamashina A, Higashi Y. Brachial artery diameter as a marker for cardiovascular risk assessment: FMD-J study. *Atherosclerosis*. 2018 Jan;268:92-98. doi: 10.1016/j.atherosclerosis.2017.11.022. Epub 2017 Nov 22. PMID: 29195110.

79: Ishino T, Ragaee MA, Maruhashi T, Kajikawa M, Higashi Y, Sonoyama T, Takeno S, Hirakawa K. Effects of Cerebral Blood Flow and Vessel Conditions on Speech Recognition in Patients With Postlingual Adult Cochlear Implant: Predictable Factors for the Efficacy of Cochlear Implant. *Ear Hear*. 2018 May/Jun;39(3):540-547. doi: 10.1097/AUD.0000000000000507. PMID: 29095241.

80: Nakamura K, Ikawa K, Nishikawa G, Kobayashi I, Narushima M, Muramatsu H, Morinaga S, Kajikawa K, Kato Y, Watanabe M, Zennami K, Kanao K, Morikawa N, Sumitomo M. Clinical pharmacokinetics and pharmacodynamic target attainment of pazufloxacin in prostate tissue: Dosing considerations for prostatitis. *J Infect Chemother*. 2017 Dec;23(12):809-813. doi: 10.1016/j.jiac.2017.08.005. Epub 2017 Oct 12. PMID: 28923301.

81: Ishii Y, Tanaka Y, Momose T, Yamashina M, Sato A, Wakabayashi S, Maehara T, Nariai T. Chronologic Evaluation of Cerebral Hemodynamics by Dynamic Susceptibility Contrast Magnetic Resonance Imaging After Indirect Bypass Surgery for Moyamoya Disease. *World Neurosurg*. 2017 Dec;108:427-435. doi: 10.1016/j.wneu.2017.09.001. Epub 2017 Sep 8. PMID: 28893695.

82: Matsui S, Kajikawa M, Hida E, Maruhashi T, Iwamoto Y, Iwamoto A, Oda N, Kishimoto S, Hidaka T, Kihara Y, Chayama K, Goto C, Aibara Y, Nakashima A, Yusoff FBM, Noma K, Higashi Y. Optimal Target Level of Low-density Lipoprotein Cholesterol for Vascular Function in Statin Naïve Individuals. *Sci Rep*. 2017 Aug 21;7(1):8422. doi: 10.1038/s41598-017-09043-1. PMID: 28827781; PMCID: PMC5566450.

83: Maruhashi T, Soga J, Fujimura N, Idei N, Mikami S, Iwamoto Y, Iwamoto A, Kajikawa M, Matsumoto T, Oda N, Kishimoto S, Matsui S, Hashimoto H, Aibara Y, Yusoff FBM, Hidaka T, Kihara Y, Chayama K, Noma K, Nakashima A, Goto C, Tomiyama H, Takase B, Kohro T, Suzuki T, Ishizu T, Ueda S, Yamazaki T, Furumoto T, Kario K, Inoue T, Koba S, Watanabe K, Takemoto Y, Hano T, Sata M, Ishibashi Y, Node K, Maemura K, Ohya Y, Furukawa T, Ito H, Ikeda H, Yamashina A, Higashi Y. Endothelial Function Is Impaired in Patients Receiving Antihypertensive Drug Treatment Regardless of Blood Pressure Level: FMD-J Study (Flow-Mediated Dilation Japan). *Hypertension*. 2017 Oct;70(4):790-797. doi: 10.1161/HYPERTENSIONAHA.117.09612. Epub 2017 Aug 14. PMID: 28808069.

- 84: Mukai T, Hosomi N, Tsunematsu M, Sueda Y, Shimoe Y, Ohshita T, Torii T, Aoki S, Nezu T, Maruyama H, Kakehashi M, Matsumoto M; Hiroshima 'Emergency and Weather' Study-stroke collaborators. Various meteorological conditions exhibit both immediate and delayed influences on the risk of stroke events: The HEWS- stroke study. *PLoS One*. 2017 Jun 2;12(6):e0178223. doi: 10.1371/journal.pone.0178223. PMID: 28575005; PMCID: PMC5456042.
- 85: Oda N, Maruhashi T, Kishimoto S, Kajikawa M, Iwamoto Y, Iwamoto A, Matsui S, Hidaka T, Kihara Y, Chayama K, Goto C, Aibara Y, Nakashima A, Noma K, Hirano H, Higashi Y. Relation of the Bilateral Earlobe Crease to Endothelial Dysfunction. *Am J Cardiol*. 2017 Jun 15;119(12):1983-1988. doi: 10.1016/j.amjcard.2017.03.029. Epub 2017 Mar 29. PMID: 28438303.
- 86: Matsui S, Kajikawa M, Maruhashi T, Iwamoto Y, Iwamoto A, Oda N, Kishimoto S, Hidaka T, Kihara Y, Chayama K, Goto C, Aibara Y, Nakashima A, Noma K, Taguchi A, Higashi Y. Decreased frequency and duration of tooth brushing is a risk factor for endothelial dysfunction. *Int J Cardiol*. 2017 Aug 15;241:30-34. doi: 10.1016/j.ijcard.2017.03.049. Epub 2017 Mar 16. PMID: 28341376.
- 87: Kishimoto S, Kajikawa M, Maruhashi T, Iwamoto Y, Matsumoto T, Iwamoto A, Oda N, Matsui S, Hidaka T, Kihara Y, Chayama K, Goto C, Aibara Y, Nakashima A, Noma K, Higashi Y. Endothelial dysfunction and abnormal vascular structure are simultaneously present in patients with heart failure with preserved ejection fraction. *Int J Cardiol*. 2017 Mar 15;231:181-187. doi: 10.1016/j.ijcard.2017.01.024. Epub 2017 Jan 5. PMID: 28082090.
- 88: Oda N, Kajikawa M, Maruhashi T, Iwamoto Y, Kishimoto S, Matsui S, Hidaka T, Kihara Y, Chayama K, Goto C, Aibara Y, Nakashima A, Noma K, Tomiyama H, Takase B, Yamashina A, Higashi Y. Endothelial function is impaired in relation to alcohol intake even in the case of light alcohol consumption in Asian men; Flow- mediated Dilation Japan (FMD-J) Study. *Int J Cardiol*. 2017 Mar 1;230:523-528. doi: 10.1016/j.ijcard.2016.12.065. Epub 2016 Dec 21. PMID: 28057366.
- 89: Morimoto H, Kajikawa M, Oda N, Idei N, Hirano H, Hida E, Maruhashi T, Iwamoto Y, Kishimoto S, Matsui S, Aibara Y, Hidaka T, Kihara Y, Chayama K, Goto C, Noma K, Nakashima A, Ukawa T, Tsuji T, Higashi Y. Endothelial Function Assessed by Automatic Measurement of Enclosed Zone Flow-Mediated Vasodilation Using an Oscillometric Method Is an Independent Predictor of Cardiovascular Events. *J Am Heart Assoc*. 2016 Dec 21;5(12):e004385. doi: 10.1161/JAHA.116.004385. PMID: 28003249; PMCID: PMC5210444.
- 90: Kajikawa M, Hida E, Kihara Y, Yamagishi SI, Higashi Y. Response to "circulating level of pigment epithelium-derived factor is associated with vascular function and structure: Methodological issues". *Int J Cardiol*. 2017 Feb 15;229:121. doi: 10.1016/j.ijcard.2016.10.100. Epub 2016 Nov 2. PMID: 27836306.
- 91: Nakamori M, Hosomi N, Ishikawa K, Imamura E, Shishido T, Ohshita T, Yoshikawa M, Tsuga K, Wakabayashi S, Maruyama H, Matsumoto M. Prediction of Pneumonia in Acute Stroke Patients Using Tongue Pressure Measurements. *PLoS One*. 2016 Nov 1;11(11):e0165837. doi: 10.1371/journal.pone.0165837. PMID: 27802333; PMCID: PMC5089549.
- 92: Kajikawa M, Maruhashi T, Iwamoto Y, Iwamoto A, Oda N, Kishimoto S, Matsui S, Aibara Y, Hidaka T, Kihara Y, Chayama K, Goto C, Noma K, Nakashima A, Matsui T, Yamagishi SI, Higashi Y. Circulating level of pigment epithelium-derived factor is associated with vascular function and structure: A cross-sectional study. *Int J Cardiol*. 2016 Dec 15;225:91-95. doi: 10.1016/j.ijcard.2016.09.123. Epub 2016 Oct 3. PMID: 27716557.
- 93: Wilson D, Charidimou A, Ambler G, Fox ZV, Gregoire S, Rayson P, Imaizumi T, Fluri F, Naka H,

Horstmann S, Veltkamp R, Rothwell PM, Kwa VI, Thijs V, Lee YS, Kim YD, Huang Y, Wong KS, Jäger HR, Werring DJ. Recurrent stroke risk and cerebral microbleed burden in ischemic stroke and TIA: A meta-analysis. *Neurology*. 2016 Oct 4;87(14):1501-1510. doi: 10.1212/WNL.0000000000003183. Epub 2016 Sep 2. PMID: 27590288; PMCID: PMC5075978.

94: Maruhashi T, Kajikawa M, Nakashima A, Iwamoto Y, Iwamoto A, Oda N, Kishimoto S, Matsui S, Higaki T, Shimonaga T, Watanabe N, Ikenaga H, Hidaka T, Kihara Y, Chayama K, Goto C, Aibara Y, Noma K, Higashi Y. Nitroglycerine-induced vasodilation in coronary and brachial arteries in patients with suspected coronary artery disease. *Int J Cardiol*. 2016 Sep 15;219:312-6. doi: 10.1016/j.ijcard.2016.06.050. Epub 2016 Jun 15. PMID: 27344131.

95: Kajikawa M, Maruhashi T, Matsumoto T, Iwamoto Y, Iwamoto A, Oda N, Kishimoto S, Matsui S, Aibara Y, Hidaka T, Kihara Y, Chayama K, Goto C, Noma K, Nakashima A, Tomiyama H, Takase B, Yamashina A, Higashi Y. Relationship between serum triglyceride levels and endothelial function in a large community-based study. *Atherosclerosis*. 2016 Jun;249:70-5. doi: 10.1016/j.atherosclerosis.2016.03.035. Epub 2016 Apr 1. PMID: 27065244.

96: Kajikawa M, Maruhashi T, Hida E, Iwamoto Y, Matsumoto T, Iwamoto A, Oda N, Kishimoto S, Matsui S, Hidaka T, Kihara Y, Chayama K, Goto C, Aibara Y, Nakashima A, Noma K, Higashi Y. Combination of Flow-Mediated Vasodilation and Nitroglycerine-Induced Vasodilation Is More Effective for Prediction of Cardiovascular Events. *Hypertension*. 2016 May;67(5):1045-52. doi: 10.1161/HYPERTENSIONAHA.115.06839. Epub 2016 Mar 14. PMID: 26975705.

97: Hori M, Matsumoto M, Tanahashi N, Momomura SI, Uchiyama S, Goto S, Izumi T, Koretsune Y, Kajikawa M, Kato M, Cavaliere M, Iekushi K, Yamanaka S; J-ROCKET AF Study Investigators. Predictive factors for bleeding during treatment with rivaroxaban and warfarin in Japanese patients with atrial fibrillation - Subgroup analysis of J-ROCKET AF. *J Cardiol*. 2016 Dec;68(6):523-528. doi: 10.1016/j.jjcc.2015.12.003. Epub 2016 Jan 18. PMID: 26796348.

98: Aoki S, Hosomi N, Sueda Y, Kono T, Takamatsu K, Ohyama H, Torii T, Kitamura T, Nomura E, Noda K, Ohtsuki T, Matsumoto M; HARP Registry Study Group. Multicenter Study of Intravenous Recombinant Tissue Plasminogen Activator Infusion around Hiroshima, Japan: The Hiroshima Acute Stroke Retrospective and Prospective Registry Study. *J Stroke Cerebrovasc Dis*. 2015 Dec;24(12):2747-53. doi: 10.1016/j.jstrokecerebrovasdis.2015.08.005. Epub 2015 Sep 7. PMID: 26360972.

99: Kajikawa M, Noma K, Nakashima A, Maruhashi T, Iwamoto Y, Matsumoto T, Iwamoto A, Oda N, Hidaka T, Kihara Y, Aibara Y, Chayama K, Sasaki S, Kato M, Dote K, Goto C, Liao JK, Higashi Y. Rho-associated kinase activity is an independent predictor of cardiovascular events in acute coronary syndrome. *Hypertension*. 2015 Oct;66(4):892-9. doi: 10.1161/HYPERTENSIONAHA.115.05587. Epub 2015 Aug 17. PMID: 26283039; PMCID: PMC4989242.

100: Kobayashi I, Ikawa K, Nakamura K, Nishikawa G, Kajikawa K, Yoshizawa T, Watanabe M, Kato Y, Zennami K, Kanao K, Tobiume M, Yamada Y, Mitsui K, Narushima M, Morikawa N, Sumitomo M. Penetration of piperacillin-tazobactam into human prostate tissue and dosing considerations for prostatitis based on site-specific pharmacokinetics and pharmacodynamics. *J Infect Chemother*. 2015 Aug;21(8):575-80. doi: 10.1016/j.jiac.2015.04.015. Epub 2015 May 14. PMID: 26050020.

101: Ohshita T, Imamura E, Nomura E, Wakabayashi S, Kajikawa H, Matsumoto M. Hypoglycemia with focal neurological signs as stroke mimic: Clinical and neuroradiological characteristics. *J Neurol Sci*. 2015;353(1-2):98-101. doi: 10.1016/j.jns.2015.04.015. Epub 2015 Apr 17. PMID: 25912175.

- 102: Sueda Y, Hosomi N, Tsunematsu M, Takamatsu K, Nomura E, Torii T, Ohtsuki T, Aoki S, Mukai T, Nezu T, Kakehashi M, Matsumoto M; HEWS-tPA Collaborators. Effects of Meteorological Conditions on the Risk of Ischemic Stroke Events in Patients Treated with Alteplase-HEWS-tPA. *J Stroke Cerebrovasc Dis*. 2015 Jul;24(7):1500-5. doi: 10.1016/j.jstrokecerebrovasdis.2015.03.013. Epub 2015 Apr 14. PMID: 25881777.
- 103: Maruhashi T, Noma K, Fujimura N, Kajikawa M, Matsumoto T, Hidaka T, Nakashima A, Kihara Y, Liao JK, Higashi Y. Exogenous nitric oxide inhibits Rho- associated kinase activity in patients with angina pectoris: a randomized controlled trial. *Hypertens Res*. 2015 Jul;38(7):485-90. doi: 10.1038/hr.2015.24. Epub 2015 Mar 5. PMID: 25740292; PMCID: PMC4889444.
- 104: Matsumoto T, Oki K, Kajikawa M, Nakashima A, Maruhashi T, Iwamoto Y, Iwamoto A, Oda N, Hidaka T, Kihara Y, Kohno N, Chayama K, Goto C, Aibara Y, Noma K, Liao JK, Higashi Y. Effect of aldosterone-producing adenoma on endothelial function and Rho-associated kinase activity in patients with primary aldosteronism. *Hypertension*. 2015 Apr;65(4):841-8. doi: 10.1161/HYPERTENSIONAHA.114.05001. Epub 2015 Jan 26. PMID: 25624340; PMCID: PMC4917381.
- 105: Nomura E, Suzuki A, Inoue I, Nakagawara J, Takahashi K, Takahashi T, Manabe Y, Yokota C, Okada K, Nishihara T, Yamamoto Y, Noda K, Takahashi S, Ibayashi S, Takagi M, Kitagawa K, Tanahashi N, Kuriyama M, Hirata K, Hosomi N, Minematsu K, Kobayashi S, Matsumoto M; J-STARS-L Investigators. Subsequent vascular events after ischemic stroke: the Japan Statin Treatment Against Recurrent Stroke- Longitudinal. *J Stroke Cerebrovasc Dis*. 2015 Feb;24(2):473-9. doi: 10.1016/j.jstrokecerebrovasdis.2014.09.023. Epub 2014 Oct 14. PMID: 25447211.
- 106: Kajikawa M, Nakashima A, Fujimura N, Maruhashi T, Iwamoto Y, Iwamoto A, Matsumoto T, Oda N, Hidaka T, Kihara Y, Chayama K, Goto C, Aibara Y, Noma K, Takeuchi M, Matsui T, Yamagishi S, Higashi Y. Ratio of serum levels of AGEs to soluble form of RAGE is a predictor of endothelial function. *Diabetes Care*. 2015 Jan;38(1):119-25. doi: 10.2337/dc14-1435. Epub 2014 Oct 21. PMID: 25336748.
- 107: Maruhashi T, Noma K, Iwamoto Y, Iwamoto A, Oda N, Kajikawa M, Matsumoto T, Hidaka T, Kihara Y, Chayama K, Nakashima A, Goto C, Liao JK, Higashi Y. Critical role of exogenous nitric oxide in ROCK activity in vascular smooth muscle cells. *PLoS One*. 2014 Oct 3;9(10):e109017. doi: 10.1371/journal.pone.0109017. PMID: 25280018; PMCID: PMC4184841.
- 108: Nomura E, Ohshita T, Imamura E, Wakabayashi S, Kajikawa H, Matsumoto M. Can early effective anticoagulation prevent new lesions on magnetic resonance imaging in acute cardioembolic stroke? *J Stroke Cerebrovasc Dis*. 2014 Sep;23(8):2099-2104. doi: 10.1016/j.jstrokecerebrovasdis.2014.03.016. Epub 2014 Aug 6. PMID: 25106835.
- 109: Ohkawa T, Satake S, Yokoi N, Miyazaki Y, Ohshita T, Sobue G, Takashima H, Watanabe O, Fukata Y, Fukata M. Identification and characterization of GABA(A) receptor autoantibodies in autoimmune encephalitis. *J Neurosci*. 2014 Jun 11;34(24):8151-63. doi: 10.1523/JNEUROSCI.4415-13.2014. PMID: 24920620; PMCID: PMC6608235.
- 110: Maruhashi T, Nakashima A, Matsumoto T, Oda N, Iwamoto Y, Iwamoto A, Kajikawa M, Kihara Y, Chayama K, Goto C, Noma K, Higashi Y. Relationship between nitroglycerine-induced vasodilation and clinical severity of peripheral artery disease. *Atherosclerosis*. 2014 Jul;235(1):65-70. doi: 10.1016/j.atherosclerosis.2014.04.012. Epub 2014 Apr 26. PMID: 24816039.
- 111: Kohriyama T, Mihara C, Yokoyama T, Torii T, Yamada A, Takamatsu K, Ota T, Noda K, Kataoka S, Ito H, Nomura E, Ohtsuki T, Aoki S, Nezu T, Takeda I, Mukai T, Hosomi N, Matsumoto M. Safety evaluation of substituting clopidogrel for ticlopidine in Japanese patients with ischemic

stroke-Hiroshima ticlopidine, clopidogrel safe exchange trial. *J Stroke Cerebrovasc Dis.* 2014 Jul;23(6):1485-90. doi: 10.1016/j.jstrokecerebrovasdis.2013.12.025. Epub 2014 Feb 20. PMID: 24560246.

112: Matsumoto M, Hori M, Tanahashi N, Momomura S, Uchiyama S, Goto S, Izumi T, Koretsune Y, Kajikawa M, Kato M, Ueda H, Iekushi K, Yamanaka S, Tajiri M; J-ROCKET AF Study Investigators. Rivaroxaban versus warfarin in Japanese patients with non-valvular atrial fibrillation in relation to hypertension: a subgroup analysis of the J-ROCKET AF trial. *Hypertens Res.* 2014 May;37(5):457-62. doi: 10.1038/hr.2014.1. Epub 2014 Jan 30. PMID: 24477179.

113: Kono T, Naka H, Nomura E, Hosomi N, Aoki S, Imamura E, Sueda Y, Nezu T, Mukai T, Ohshita T, Ohtsuki T, Wakabayashi S, Matsumoto M. The association between hyperintense vessel sign and final ischemic lesion differ in its location. *J Stroke Cerebrovasc Dis.* 2014 Jul;23(6):1337-43. doi: 10.1016/j.jstrokecerebrovasdis.2013.11.009. Epub 2014 Jan 11. PMID: 24424335.

114: Kajikawa M, Noma K, Maruhashi T, Mikami S, Iwamoto Y, Iwamoto A, Matsumoto T, Hidaka T, Kihara Y, Chayama K, Nakashima A, Goto C, Liao JK, Higashi Y. Rho- associated kinase activity is a predictor of cardiovascular outcomes. *Hypertension.* 2014 Apr;63(4):856-64. doi: 10.1161/HYPERTENSIONAHA.113.02296. Epub 2013 Dec 30. PMID: 24379190; PMCID: PMC4101172.

115: Maruhashi T, Nakashima A, Soga J, Fujimura N, Idei N, Mikami S, Iwamoto Y, Kajikawa M, Matsumoto T, Hidaka T, Kihara Y, Chayama K, Goto C, Noma K, Tomiyama H, Takase B, Yamashina A, Higashi Y. Hyperuricemia is independently associated with endothelial dysfunction in postmenopausal women but not in premenopausal women. *BMJ Open.* 2013 Nov 8;3(11):e003659. doi: 10.1136/bmjopen-2013-003659. PMID: 24213096; PMCID: PMC3822312.

116: Uchiyama S, Hori M, Matsumoto M, Tanahashi N, Momomura S, Goto S, Izumi T, Koretsune Y, Kajikawa M, Kato M, Ueda H, Iekushi K, Yamanaka S, Tajiri M; J-ROCKET AF Study Investigators. Net clinical benefit of rivaroxaban versus warfarin in Japanese patients with nonvalvular atrial fibrillation: a subgroup analysis of J-ROCKET AF. *J Stroke Cerebrovasc Dis.* 2014 May-Jun;23(5):1142-7. doi: 10.1016/j.jstrokecerebrovasdis.2013.10.001. Epub 2013 Nov 1. PMID: 24189454.

117: Maruhashi T, Soga J, Fujimura N, Idei N, Mikami S, Iwamoto Y, Kajikawa M, Matsumoto T, Hidaka T, Kihara Y, Chayama K, Noma K, Nakashima A, Goto C, Tomiyama H, Takase B, Yamashina A, Higashi Y. Relationship between flow-mediated vasodilation and cardiovascular risk factors in a large community-based study. *Heart.* 2013 Dec;99(24):1837-42. doi: 10.1136/heartjnl-2013-304739. Epub 2013 Oct 23. PMID: 24153417; PMCID: PMC3841746.

118: Hori M, Matsumoto M, Tanahashi N, Momomura S, Uchiyama S, Goto S, Izumi T, Koretsune Y, Kajikawa M, Kato M, Ueda H, Iekushi K, Yamanaka S, Tajiri M; J-ROCKET AF Study Investigators. Rivaroxaban versus warfarin in Japanese patients with nonvalvular atrial fibrillation in relation to the CHADS2 score: a subgroup analysis of the J-ROCKET AF trial. *J Stroke Cerebrovasc Dis.* 2014 Feb;23(2):379-83. doi: 10.1016/j.jstrokecerebrovasdis.2013.07.021. Epub 2013 Aug 15. PMID: 23954611.

119: Kagawa E, Dote K, Kato M, Sasaki S, Nakano Y, Kajikawa M, Higashi A, Itakura K, Sera A, Inoue I, Kawagoe T, Ishihara M, Shimatani Y, Kurisu S. Should we emergently revascularize occluded coronaries for cardiac arrest?: rapid- response extracorporeal membrane oxygenation and intra-arrest percutaneous coronary intervention. *Circulation.* 2012 Sep 25;126(13):1605-13. doi: 10.1161/CIRCULATIONAHA.111.067538. Epub 2012 Aug 16. PMID: 22899771.

120: Nomura E, Naka H, Wakabayashi S, Kajikawa H, Matsumoto M. Leukocytes may have 2 opposing

effects in intravenous rtPA treatment for ischemic stroke. *Clin Appl Thromb Hemost*. 2014 Jan;20(1):37-42. doi: 10.1177/1076029612452115. Epub 2012 Jul 11. PMID: 22790658.

121: Kato M, Dote K, Naganuma T, Sasaki S, Ueda K, Okita M, Watanabe Y, Kajikawa M, Yokoyama H, Higashi A. Clinical predictors of culprit plaque rupture assessed on intravascular ultrasound in acute coronary syndrome. *Circ J*. 2010 Sep;74(9):1936-42. doi: 10.1253/circj.cj-10-0086. Epub 2010 Jul 8. PMID: 20625214.

122: Kato M, Dote K, Sasaki S, Ueda K, Kono Y, Naganuma T, Watanabe Y, Kajikawa M, Yokoyama H, Higashi A. Clinical impact of dyslipidemia for coronary plaque vulnerability in acute coronary syndrome without metabolic syndrome. *J Cardiol*. 2009 Dec;54(3):394-401. doi: 10.1016/j.jjcc.2009.06.007. Epub 2009 Jul 23. PMID: 19944314.

123: Kanzaki H, Nouse K, Miyahara K, Kajikawa N, Kobayashi S, Sakakihara I, Iwadow S, Uematsu S, Okamoto R, Shiraga K, Mizuno M, Araki Y. A case of hepatocellular carcinoma with skin injury of the upper abdominal wall after transcatheter arterial chemoembolization: a case report. *Cases J*. 2009 Sep 1;2:7197. doi: 10.4076/1757-1626-2-7197. PMID: 19918514; PMCID: PMC2769344.

124: Nomura E, Kohriyama T, Kozuka K, Kajikawa H, Nakamura S. Sequential changes in von Willebrand factor and soluble thrombomodulin in acute ischemic stroke. *J Stroke Cerebrovasc Dis*. 2001 Nov-Dec;10(6):257-64. doi: 10.1053/jscd.2001.123776. PMID: 17903836.

125: Naka H, Nomura E, Takahashi T, Wakabayashi S, Kajikawa H, Kohriyama T, Mimori Y, Matsumoto M. Plasma total homocysteine levels are associated with advanced leukoariosis but not with asymptomatic microbleeds on T2*-weighted MRI in patients with stroke. *Eur J Neurol*. 2006 Mar;13(3):261-5. doi: 10.1111/j.1468-1331.2006.01205.x. PMID: 16618343.

126: Naka H, Nomura E, Takahashi T, Wakabayashi S, Mimori Y, Kajikawa H, Kohriyama T, Matsumoto M. Combinations of the presence or absence of cerebral microbleeds and advanced white matter hyperintensity as predictors of subsequent stroke types. *AJNR Am J Neuroradiol*. 2006 Apr;27(4):830-5. PMID: 16611773; PMCID: PMC8133980.

127: Nomura E, Kohriyama T, Kozuka K, Kajikawa H, Nakamura S, Matsumoto M. Significance of serum soluble thrombomodulin level in acute cerebral infarction. *Eur J Neurol*. 2004 May;11(5):329-34. doi: 10.1111/j.1468-1331.2004.00776.x. PMID: 15142226.

128: Naka H, Nomura E, Wakabayashi S, Kajikawa H, Kohriyama T, Mimori Y, Nakamura S, Matsumoto M. Frequency of asymptomatic microbleeds on T2*-weighted MR images of patients with recurrent stroke: association with combination of stroke subtypes and leukoariosis. *AJNR Am J Neuroradiol*. 2004 May;25(5):714-9. PMID: 15140709; PMCID: PMC7974475.

129: Yamamura K, Kodama O, Kajikawa H, Kawanishi M, Sugie A, Kajikawa M, Fujii S, Sumioka S. [Rare intra-abdominal complications of a ventriculoperitoneal shunt: report of three cases]. *No Shinkei Geka*. 1998 Nov;26(11):1007-11. Japanese. PMID: 9834496.

130: Suyama Y, Kajikawa H, Yamamura K, Sumioka S, Kajikawa M, Tsuji S, Pant B, Ohama E. [A case report of chronic encapsulated intracerebral hematoma]. *No Shinkei Geka*. 1996 May;24(5):487-91. Japanese. PMID: 8692378.

From:

<https://neurosurgerywiki.com/wiki/> - **Neurosurgery Wiki**

Permanent link:

https://neurosurgerywiki.com/wiki/doku.php?id=kajikawa_hospital

Last update: **2024/06/07 02:57**

