

- 1: Helmers AK, Birkenfeld F, Deuschl G, Paschen S, Cohrs G, Mehdorn HM, Falk D. Do Adaptors Shorten the Battery Life of Nonrechargeable Generators for Deep Brain Stimulation? *World Neurosurg.* 2019 Jul;127:e65-e68. doi: 10.1016/j.wneu.2019.02.064. Epub 2019 Apr 8. PubMed PMID: 30974267.
- 2: Israeli-Korn SD, Fay-Karmon T, Tessler S, Yahalom G, Benizri S, Strauss H, Zibly Z, Spiegelmann R, Hassin-Baer S. Decreasing battery life in subthalamic deep brain stimulation for Parkinson's disease with repeated replacements: Just a matter of energy delivered? *Brain Stimul.* 2019 Jul - Aug;12(4):845-850. doi: 10.1016/j.brs.2019.02.008. Epub 2019 Feb 22. PubMed PMID: 30876884.
- 3: Sette AL, Seigneuret E, Reymond F, Chabardes S, Castrioto A, Boussat B, Moro E, François P, Fraix V. Battery longevity of neurostimulators in Parkinson disease: A historic cohort study. *Brain Stimul.* 2019 Jul - Aug;12(4):851-857. doi: 10.1016/j.brs.2019.02.006. Epub 2019 Feb 25. PubMed PMID: 30842036.
- 4: Fisher B, Kausar J, Garratt H, Hodson J, White A, Ughratdar I, Mitchell R. Battery Longevity Comparison of Two Commonly Available Dual Channel Implantable Pulse Generators Used for Subthalamic Nucleus Stimulation in Parkinson's Disease. *Stereotact Funct Neurosurg.* 2018;96(3):151-156. doi: 10.1159/000488684. Epub 2018 Jun 19. PubMed PMID: 29920479.
- 5: Niemann M, Schneider GH, Kühn A, Vajkoczy P, Faust K. Longevity of Implantable Pulse Generators in Bilateral Deep Brain Stimulation for Movement Disorders. *Neuromodulation.* 2018 Aug;21(6):597-603. doi: 10.1111/ner.12743. Epub 2017 Dec 19. Erratum in: *Neuromodulation.* 2019 Jan;22(1):122-123. PubMed PMID: 29265529.
- 6: Helmers AK, Lübbing I, Deuschl G, Witt K, Synowitz M, Mehdorn HM, Falk D. Comparison of the Battery Life of Nonrechargeable Generators for Deep Brain Stimulation. *Neuromodulation.* 2018 Aug;21(6):593-596. doi: 10.1111/ner.12720. Epub 2017 Nov 3. PubMed PMID: 29105245.
- 7: Kaminska M, Perides S, Lumsden DE, Nakou V, Selway R, Ashkan K, Lin JP. Complications of Deep Brain Stimulation (DBS) for dystonia in children - The challenges and 10 year experience in a large paediatric cohort. *Eur J Paediatr Neurol.* 2017 Jan;21(1):168-175. doi: 10.1016/j.ejpn.2016.07.024. Epub 2016 Aug 3. PubMed PMID: 27567277.
- 8: Fakhar K, Hastings E, Butson CR, Foote KD, Zeilman P, Okun MS. Management of deep brain stimulator battery failure: battery estimators, charge density, and importance of clinical symptoms. *PLoS One.* 2013;8(3):e58665. doi: 10.1371/journal.pone.0058665. Epub 2013 Mar 11. PubMed PMID: 23536810; PubMed Central PMCID: PMC3594176.
- 9: Chelvarajah R, Lumsden D, Kaminska M, Samuel M, Hulse N, Selway RP, Lin JP, Ashkan K. Shielded battery syndrome: a new hardware complication of deep brain stimulation. *Stereotact Funct Neurosurg.* 2012;90(2):113-7. doi: 10.1159/000336342. Epub 2012 Mar 2. PubMed PMID: 22398703.
- 10: Halpern CH, McGill KR, Baltuch GH, Jaggi JL. Longevity analysis of currently available deep brain stimulation devices. *Stereotact Funct Neurosurg.* 2011;89(1):1-5. doi: 10.1159/000321710. Epub 2010 Dec 1. PubMed PMID: 21124046.
- 11: Janson C, Maxwell R, Gupte AA, Abosch A. Bowstringing as a complication of deep brain stimulation: case report. *Neurosurgery.* 2010 Jun;66(6):E1205; discussion E1205. doi: 10.1227/01.NEU.0000369199.72783.F9. PubMed PMID: 20495391.
- 12: Peña E, Pastor J, Hernando V, Gallego I, Pedrosa M, Carrasco R, Sola RG. Skin erosion over implants in deep brain stimulation patients. *Stereotact Funct Neurosurg.* 2008;86(2):120-6. doi: 10.1159/000116216. Epub 2008 Feb 13. PubMed PMID: 18270483.

13: Blomstedt P, Jabre M, Bejjani BP, Koskinen LO. Electromagnetic environmental influences on implanted deep brain stimulators. *Neuromodulation*. 2006 Oct;9(4):262-9. doi: 10.1111/j.1525-1403.2006.00068.x. PubMed PMID: 22151760.

14: Vesper J, Chabardes S, Fraix V, Sunde N, Østergaard K; Kinetra Study Group. Dual channel deep brain stimulation system (Kinetra) for Parkinson's disease and essential tremor: a prospective multicentre open label clinical study. *J Neurol Neurosurg Psychiatry*. 2002 Sep;73(3):275-80. PubMed PMID: 12185158; PubMed Central PMCID: PMC1738018.

15: Benabid AL, Koudsie A, Benazzouz A, Vercueil L, Fraix V, Chabardes S, Lebas JF, Pollak P. Deep brain stimulation of the corpus luyisi (subthalamic nucleus) and other targets in Parkinson's disease. Extension to new indications such as dystonia and epilepsy. *J Neurol*. 2001 Sep;248 Suppl 3:III37-47. Review. PubMed PMID: 11697687.

From:

<https://neurosurgerywiki.com/wiki/> - **Neurosurgery Wiki**

Permanent link:

<https://neurosurgerywiki.com/wiki/doku.php?id=kinetra>

Last update: **2024/06/07 02:51**

