

Las malformaciones cavernosas de los nervios craneales son muy raras.

En una revisión del año 2003, sólo 44 casos de malformaciones cavernosas de los nervios craneales fueron encontrados en la literatura, (Deshmukh y col., 2003).

Se han descrito en:

III par

V par (Mascarenhas y col., 2006; Pereira de Moraes y col., 2012).

VII par

VIII par

Quiasma óptico

Nervio óptico

Bibliografía

Deshmukh, V.R., Albuquerque, F.C., Zabramski, J.M., et al.: Surgical management of cavernous malformations involving the cranial nerves. *Neurosurgery* 2003; 53: 352-357

Mascarenhas, L, F Magalhães, Z Magalhães, H Romão, M Resende, J Resende-Pereira, M Honavar, and A Rocha Vaz. 2006. "Cavernous Malformation of the Trigeminal Nerve." *Neurocirugía (Asturias, Spain)* 17 (1) (February): 64-66; discussion 67.

Pereira de Moraes, Nuno Miguel, António Lino Rodrigues Mascarenhas, João Paulo Soares-Fernandes, and José António Moreira da Costa. 2012. "Cranial Nerve Cavernous Malformations Causing Trigeminal Neuralgia and Chiasmal Apoplexy: Report of 2 Cases and Review of the Literature." *Surgical Neurology International* 3: 105. doi:10.4103/2152-7806.100864.

From:

<https://neurosurgerywiki.com/wiki/> - **Neurosurgery Wiki**

Permanent link:

https://neurosurgerywiki.com/wiki/doku.php?id=malformacion_cavernosa_de_nervio_craneal

Last update: **2025/03/10 15:14**

