

MMN (Multifocal Motor Neuropathy) is a rare disorder in which focal areas of multiple motor nerves are attacked by one's own immune system. Typically, MMN is slowly progressive, resulting in asymmetrical weakness of a patient's limbs.

## Differential diagnosis

The immunological pathophysiologies of [chronic inflammatory demyelinating polyneuropathy](#) (CIDP) and [multifocal motor neuropathy](#) (MMN) differ considerably, but neither has been elucidated completely. [Quantitative magnetic resonance imaging](#) (MRI) techniques as [diffusion tensor imaging](#), [T2 mapping](#), and [fat fraction](#) analysis may indicate in vivo pathophysiological changes in nerve architecture.

A study of van Rosmalen et al. aimed to [systematically](#) study [nerve](#) architecture of the [brachial plexus](#) in patients with CIDP, MMN, [motor neuron disease](#) (MND) and healthy controls using these quantitative MRI techniques.

They enrolled patients with CIDP (n = 47), MMN (n = 29), MND (n = 40) and healthy controls (n = 10). All patients underwent MRI of the brachial plexus and obtained diffusion parameters, T2 relaxation times and fat fraction using an automated processing pipeline. They compared these parameters between groups using a univariate general linear model.

[Fractional anisotropy](#) was lower in patients with CIDP compared to healthy controls ( $p < 0.001$ ), patients with MND ( $p = 0.010$ ) and MMN ( $p < 0.001$ ). Radial diffusivity was higher in patients with CIDP compared to healthy controls ( $p = 0.015$ ) and patients with MND ( $p = 0.001$ ) and MMN ( $p < 0.001$ ). T2 relaxation time was elevated in patients with CIDP compared to patients with MND ( $p = 0.023$ ). Fat fraction was lower in patients with CIDP and MMN compared to patients with MND (both  $p < 0.001$ ).

Thee results show that quantitative MRI parameters differ between CIDP, MMN and MND, which may reflect differences in underlying pathophysiological mechanisms <sup>1)</sup>.

<sup>1)</sup>

van Rosmalen M, Goedee HS, Derks R, Asselman FL, Verhamme C, de Luca A, Hendrikse J, van der Pol WL, Froeling M. Quantitative MRI of the brachial plexus shows specific changes in nerve architecture in CIDP, MMN and motor neuron disease. Eur J Neurol. 2021 May 1. doi: 10.1111/ene.14896. Epub ahead of print. PMID: 33934438.

From:

<https://neurosurgerywiki.com/wiki/> - **Neurosurgery Wiki**

Permanent link:

[https://neurosurgerywiki.com/wiki/doku.php?id=multifocal\\_motor\\_neuropathy](https://neurosurgerywiki.com/wiki/doku.php?id=multifocal_motor_neuropathy)

Last update: **2024/06/07 02:59**

