

Paraophthalmic aneurysm

The paraophthalmic segment of the [internal carotid artery](#) (ICA) originates from the distal border of the cavernous [ICA](#) and terminates at the [posterior communicating artery](#)

- [Cephalgia Following Flow Diversion of Unruptured Intracranial Aneurysms](#)
- [Flow Diversion Versus Coiling in Small and Medium-sized Unruptured Aneurysms of Proximal Anterior Circulation with Complex Anatomy: a Matched-pairs Study](#)
- [Natural history of small incidental intracranial aneurysms: a systematic review and pooled analysis on the influence of follow-up duration and aneurysm location on rupture risk reporting](#)
- [Catheter Intervention in a Patient with Intracranial Aneurysms and Glanzmann Thrombasthenia Caused by a Novel Homozygous Likely Pathogenic Variant in the ITGA2B Gene](#)
- [In vitro evaluation of flow diverter performance using a human fibrinogen-based flow model](#)
- [Recurrent, Severe Coital Headaches Associated With Bilateral Carotid Artery Aneurysms and the Effect of Endovascular Treatment](#)
- [Surgical treatment of a giant paraophthalmic aneurysm postfailed flow diversion through endoscopic endonasal approach: Technical nuances and review of the literature](#)
- [Comparative outcomes of the treatment of unruptured paraophthalmic aneurysms in the era of flow diversion](#)

Ophthalmic artery aneurysm.

From:

<https://neurosurgerywiki.com/wiki/> - **Neurosurgery Wiki**

Permanent link:

https://neurosurgerywiki.com/wiki/doku.php?id=paraophthalmic_aneurysm

Last update: **2024/06/07 02:52**

