

Peripheral arterial disease

- 1: Jagt VL, Hazenberg CEVB, Kapelle J, Cramer MJ, Visseren FLJ, Westerink J; UCC-SMART Study Group. Screen-detected abnormal ankle brachial index: A risk indicator for future cardiovascular morbidity and mortality in patients with manifest cardiovascular disease. *PLoS One*. 2022 Mar 10;17(3):e0265050. doi: 10.1371/journal.pone.0265050. PMID: 35271641.
- 2: Nagasawa Y, Shimoda A, Shiratori H, Morishita T, Sakuma K, Chiba T, Cao X, Kawakami S, Aimoto M, Miyazaki C, Sato S, Takahashi M, Shimizu K, Shirai K, Takahara A. Analysis of effects of acute hypovolemia on arterial stiffness in rabbits monitored with cardio-ankle vascular index. *J Pharmacol Sci*. 2022 Mar;148(3):331-336. doi: 10.1016/j.jphs.2022.01.008. Epub 2022 Jan 24. PMID: 35177213.
- 3: Fengler K, Reimann P, Rommel KP, Kresoja KP, Blazek S, Unterhuber M, Besler C, von Roeder M, Böhm M, Desch S, Thiele H, Lurz P. Comparison of Long-Term Outcomes for Responders Versus Non-Responders Following Renal Denervation in Resistant Hypertension. *J Am Heart Assoc*. 2021 Nov 2;10(21):e022429. doi: 10.1161/JAHA.121.022429. Epub 2021 Oct 29. PMID: 34713718; PMCID: PMC8751833.
- 4: Güneş M, Özmen T, Güler TM. The association between pain, balance, fall, and disability in patients with lumbar spinal stenosis with vascular claudication. *Korean J Pain*. 2021 Oct 1;34(4):471-478. doi: 10.3344/kjp.2021.34.4.471. PMID: 34593665; PMCID: PMC8494951.
- 5: Stephas SA, Hertel P, Bennetts P. Peripheral Nerve Blockade for Patients With Raynaud Phenomenon and Other Causes of Digital Ischemia: A Case Report and Practice Implications. *AANA J*. 2021 Oct;89(5):391-395. PMID: 34586992.
- 6: Bameshki A, Khayat Kashani HR, Razavi M, Shobeiry M, Taghavi Gilani M. Comparison of the effects of 2 ventilatory strategies using tidal volumes of 6 and 8 ml/kg on pulmonary shunt and alveolar dead space volume in upper abdominal cancers surgery. *Med J Islam Repub Iran*. 2021 Jun 19;35:79. doi: 10.47176/mjiri.35.79. PMID: 34291003; PMCID: PMC8285548.
- 7: Kalousek V, Sajko T, Splavski B, Rotim K, Jurilj M, Čulo B, Rotim A. CURRENT ENDOVASCULAR MANAGEMENT OF INFECTED DISTAL BRANCH INTRACRANIAL ANEURYSMS: A CASE REPORT AND INSIGHT INTO THE LITERATURE. *Acta Clin Croat*. 2020 Dec;59(4):754-760. doi: 10.20471/acc.2020.59.04.24. PMID: 34285448; PMCID: PMC8253077.
- 8: Chao CM, Hsu CC, Huang CC, Wang CH, Lin MT, Chang CP, Lin HJ, Chio CC. Selective brain cooling achieves peripheral organs protection in hemorrhagic shock resuscitation via preserving the integrity of the brain-gut axis. *Int J Med Sci*. 2021 Jun 4;18(13):2920-2929. doi: 10.7150/ijms.61191. PMID: 34220319; PMCID: PMC8241763.
- 9: De Stefano F, Rios LHP, Fiani B, Fareed J, Tafur A. National Trends for Peripheral Artery Disease and End Stage Renal Disease From the National Inpatient Sample Database. *Clin Appl Thromb Hemost*. 2021 Jan- Dec;27:10760296211025625. doi: 10.1177/10760296211025625. PMID: 34151608; PMCID: PMC8221664.
- 10: McDermott MM, Dayanidhi S, Kosmac K, Saini S, Slyszy J, Leeuwenburgh C, Hartnell L, Sufit R, Ferrucci L. Walking Exercise Therapy Effects on Lower Extremity Skeletal Muscle in Peripheral Artery Disease. *Circ Res*. 2021 Jun 11;128(12):1851-1867. doi: 10.1161/CIRCRESAHA.121.318242. Epub 2021 Jun 10. PMID: 34110902.

- 11: Chen Z, Wu X, Zhou D, Shang S, Ding Y, Ji X, Meng R. Characteristics of cerebral ischemic stroke based on moyamoya disease and atherosclerosis- associated intracranial arterial stenosis. *Neurol Sci*. 2022 Feb;43(2):1087-1096. doi: 10.1007/s10072-021-05359-z. Epub 2021 Jun 9. PMID: 34106367.
- 12: Stavres J, Wang J, Sica CT, Blaha C, Herr M, Pai S, Cauffman A, Vesek J, Yang QX, Sinoway LI. Diffusion tensor imaging indices of acute muscle damage are augmented after exercise in peripheral arterial disease. *Eur J Appl Physiol*. 2021 Sep;121(9):2595-2606. doi: 10.1007/s00421-021-04711-7. Epub 2021 Jun 9. PMID: 34106324.
- 13: Naser A, Isgandarov K, İtal İ, Güvenç TS, Şahin M. Peripheral neural blockade for pain control in patients undergoing percutaneous angioplasty for complex infrapopliteal disease. *Turk Kardiyol Dern Ars*. 2021 Jun;49(4):321-327. doi: 10.5543/tkda.2021.92422. PMID: 34106066.
- 14: Xie Y, Fang F, Lin P, Zhang Z, Zhuang Y. Segmental branches emanating from saphenous nerve morphing into sympathetic trunks for innervation of saphenous artery and its clinical implication for arterial sympathectomy. *Int Wound J*. 2022 Feb;19(2):294-304. doi: 10.1111/iwj.13630. Epub 2021 Jun 4. PMID: 34085754; PMCID: PMC8762570.
- 15: Gulaï IS, Snegirev AI, Denisova NP, Dmitriev AB. Khronicheskaiia spinal'naia stimuliatsiia v lechenii sindroma kriticheskoi ishemii nizhnikh konechnostei [Chronic spinal stimulation in treatment of lower limb critical ischaemia syndrome]. *Angiol Sosud Khir*. 2021;27(1):128-135. Russian. doi: 10.33529/ANGIO2020413. PMID: 33825739.
- 16: Zhang J, Zhang T, Wang R, Wang T. Musculoskeletal ultrasound diagnosis of quadrilateral space syndrome: A case report. *Medicine (Baltimore)*. 2021 Mar 12;100(10):e24976. doi: 10.1097/MD.00000000000024976. PMID: 33725866; PMCID: PMC7969238.
- 17: Zakeri A, Jadhav AP, Sullenger BA, Nimjee SM. Ischemic stroke in COVID-19-positive patients: an overview of SARS-CoV-2 and thrombotic mechanisms for the neurointerventionalist. *J Neurointerv Surg*. 2021 Mar;13(3):202-206. doi: 10.1136/neurintsurg-2020-016794. Epub 2020 Dec 9. PMID: 33298508.
- 18: Sakai H, Kawata K, Masuoka J, Nishimura T, Enaida H. Diagnosis and clinical course of ocular ischemic syndrome with retinal vascular abnormalities due to unilateral ocular artery and internal carotid artery stenosis in a child with neurofibromatosis type 1: a case report. *BMC Ophthalmol*. 2020 Oct 23;20(1):426. doi: 10.1186/s12886-020-01670-z. PMID: 33097012; PMCID: PMC7583210.
- 19: Ughi GJ, Marosfoi MG, King RM, Caroff J, Peterson LM, Duncan BH, Langan ET, Collins A, Leporati A, Rousselle S, Lopes DK, Gounis MJ, Puri AS. A neurovascular high-frequency optical coherence tomography system enables in situ cerebrovascular volumetric microscopy. *Nat Commun*. 2020 Jul 31;11(1):3851. doi: 10.1038/s41467-020-17702-7. PMID: 32737314; PMCID: PMC7395105.
- 20: Lortz J, Simanovski J, Kuether T, Kreitschmann-Andermahr I, Ullrich G, Steinmetz M, Rammos C, János RA, Moebus S, Rassaf T, Paldán K. Needs and Requirements in the Designing of Mobile Interventions for Patients With Peripheral Arterial Disease: Questionnaire Study. *JMIR Form Res*. 2020 Aug 4;4(8):e15669. doi: 10.2196/15669. PMID: 32663154; PMCID: PMC7435621.
- 21: Sayar Z, Weatherill A, Keddie S, Sive J, Lunn MP, Thomas M, D'Sa S. High rates of venous and arterial thrombotic events in patients with POEMS syndrome: results from the UCLH (UK) POEMS Registry. *Blood Adv*. 2020 May 26;4(10):2139-2142. doi: 10.1182/bloodadvances.2020001492. PMID: 32421810; PMCID: PMC7252560.
- 22: Chen Y, Li X, Zhao L, Wu G. Association between sleep-disordered breathing and lower extremity

artery disease: a meta-analysis. *Sleep Breath*. 2021 Mar;25(1):227-236. doi: 10.1007/s11325-020-02096-z. Epub 2020 May 12. PMID: 32399698.

23: Niyomsri S, Duarte RV, Eldabe S, Fiore G, Kopell BH, McNicol E, Taylor RS. A Systematic Review of Economic Evaluations Reporting the Cost-Effectiveness of Spinal Cord Stimulation. *Value Health*. 2020 May;23(5):656-665. doi: 10.1016/j.jval.2020.02.005. Epub 2020 Apr 20. PMID: 32389232.

24: Kleffmann J, Pahl R, Ferbert A, Roth C. Factors influencing intracranial pressure (ICP) during percutaneous tracheostomy. *Clin Neurol Neurosurg*. 2020 Aug;195:105869. doi: 10.1016/j.clineuro.2020.105869. Epub 2020 Apr 23. PMID: 32353664.

25: Cho SM, Starling RC, Teuteberg J, Rogers J, Pagani F, Shah P, Uchino K, Hiivala N. Understanding risk factors and predictors for stroke subtypes in the ENDURANCE trials. *J Heart Lung Transplant*. 2020 Jul;39(7):639-647. doi: 10.1016/j.healun.2020.01.1330. Epub 2020 Jan 29. PMID: 32044205.

26: Nomura S, Aihara Y, Akagawa H, Chiba K, Yamaguchi K, Kawashima A, Okada Y, Kawamata T. Can Moyamoya Disease Susceptibility Gene Affect Extracranial Systemic Artery Stenosis? *J Stroke Cerebrovasc Dis*. 2020 Feb;29(2):104532. doi: 10.1016/j.jstrokecerebrovasdis.2019.104532. Epub 2019 Dec 2. PMID: 31806452.

27: Fereydooni A, O'Meara T, Popescu WM, Dardik A, Ochoa Chaar CI. Utilization and Outcomes of Local Anesthesia and Peripheral Nerve Block for Hybrid Lower Extremity Revascularization. *J Endovasc Ther*. 2020 Feb;27(1):94-101. doi: 10.1177/1526602819887382. Epub 2019 Nov 20. PMID: 31746264.

28: Salmeron KE, Maniskas ME, Edwards DN, Wong R, Rajkovic I, Trout A, Rahman AA, Hamilton S, Fraser JF, Pinteaux E, Bix GJ. Interleukin 1 alpha administration is neuroprotective and neuro-restorative following experimental ischemic stroke. *J Neuroinflammation*. 2019 Nov 14;16(1):222. doi: 10.1186/s12974-019-1599-9. PMID: 31727174; PMCID: PMC6857151.

29: Musiałek P, Montauk L, Saugnet A, Micari A, Hopkins LN. The cardio-vascular future of panvascular medicine: the basics. *Kardiol Pol*. 2019 Oct 25;77(10):899-901. doi: 10.33963/KP.15034. Epub 2019 Oct 25. PMID: 31651911.

30: Stavres J, Sica CT, Blaha C, Herr M, Wang J, Pai S, Cauffman A, Vesek J, Yang QX, Sinoway LI. The exercise pressor reflex and active O₂ transport in peripheral arterial disease. *Physiol Rep*. 2019 Oct;7(20):e14243. doi: 10.14814/phy2.14243. PMID: 31637857; PMCID: PMC6803779.

31: He Y, DeSart K, Kubilis PS, Irwin A, Tran-Son-Tay R, Nelson PR, Berceli SA. Heterogeneous and dynamic lumen remodeling of the entire infrainguinal vein bypass grafts in patients. *J Vasc Surg*. 2020 May;71(5):1620-1628.e3. doi: 10.1016/j.jvs.2019.05.069. Epub 2019 Oct 11. PMID: 31611109.

32: Onishi S, Sakamoto S, Sadatomo T, Shimizu K, Hara T, Kurisu K. Stenting for Innominate Artery Stenosis Under Double-Filter Protection of the Anterior and Posterior Circulation via the Right Brachial Artery. *Ann Vasc Surg*. 2020 Feb;63:454.e5-454.e9. doi: 10.1016/j.avsg.2019.07.012. Epub 2019 Sep 26. PMID: 31563657.

33: Filippiadis DK, Cornelis FH, Kelekis A. Interventional oncologic procedures for pain palliation. *Presse Med*. 2019 Jul-Aug;48(7-8 Pt 2):e251-e256. doi: 10.1016/j.lpm.2019.06.006. Epub 2019 Aug 22. PMID: 31447338.

34: Liao KM, Kuo LT, Lu HY. Increased risk of peripheral arterial occlusive diseases in patients with chronic obstructive pulmonary disease: a nationwide study in Taiwan. *Int J Chron Obstruct Pulmon Dis*. 2019 Jul 4;14:1455-1464. doi: 10.2147/COPD.S202029. PMID: 31308650; PMCID: PMC6613542.

- 35: Kikuchi S, Yamaguchi T, Miyake K, Uchida D, Koya A, Iida T, Kurosawa A, Sasakawa T, Kunisawa T, Azuma N. Effectiveness and Safety of Ultrasound Guided Lower Extremity Nerve Blockade in Infragenicular Bypass Grafting for High Risk Patients With Chronic Limb Threatening Ischaemia. *Eur J Vasc Endovasc Surg.* 2019 Aug;58(2):206-213. doi: 10.1016/j.ejvs.2019.03.023. Epub 2019 Jul 1. PMID: 31272780.
- 36: Raghunathan D, Hernandez N, Rajagopal K, Jumeau M. Axillary Impella insertion under regional nerve block: A case report. *Catheter Cardiovasc Interv.* 2020 Mar 1;95(4):E108-E110. doi: 10.1002/ccd.28378. Epub 2019 Jun 22. PMID: 31228327.
- 37: Tulgar S, Selvi O, Senturk O, Unal OK, Thomas DT, Ozer Z. The Maltepe combination: Novel parasacral interfascial plane block and lumbar erector spinae plane block for surgical anesthesia in transfemoral knee amputation. *J Clin Anesth.* 2019 Nov;57:95-96. doi: 10.1016/j.jclinane.2019.03.024. Epub 2019 Mar 30. PMID: 30939421.
- 38: Klinkova A, Kamenskaya O, Ashurkov A, Murtazin V, Orlov K, Lomivorotov VV, Karaskov A. The Clinical Outcomes in Patients with Critical Limb Ischemia One Year after Spinal Cord Stimulation. *Ann Vasc Surg.* 2020 Jan;62:356-364. doi: 10.1016/j.avsg.2018.12.093. Epub 2019 Feb 22. PMID: 30802587.
- 39: Laukka D, Rahi M, Parkkola R, Vahlberg T, Rintala A, Salo E, Rinne J. Unlikely association between Kawasaki disease and intracranial aneurysms: a prospective cohort study. *J Neurosurg Pediatr.* 2019 Feb 15:1-4. doi: 10.3171/2018.11.PEDS18575. Epub ahead of print. PMID: 30771761.
- 40: Suzuki K, Yamamoto J, Kakeda S, Takamatsu S, Miyaoka R, Kitagawa T, Saito T, Nakano Y, Nishizawa S. Vessel wall magnetic resonance imaging findings and surgical treatment in nilotinib-associated cerebrovascular disease: A case report. *Mol Clin Oncol.* 2019 Feb;10(2):239-243. doi: 10.3892/mco.2018.1780. Epub 2018 Nov 30. PMID: 30680201; PMCID: PMC6327219.
- 41: Bjerkreim AT, Khanevski AN, Selvik HA, Waje-Andreassen U, Thomassen L, Naess H, Logallo N. The Impact of Ischaemic Stroke Subtype on 30-day Hospital Readmissions. *Stroke Res Treat.* 2018 Dec 3;2018:7195369. doi: 10.1155/2018/7195369. PMID: 30643624; PMCID: PMC6311302.
- 42: Lewallen LW, Spinner RJ, Amrami KK, Kakar S. Adventitial cysts of the radial artery are joint connected. *Clin Anat.* 2019 Mar;32(2):201-205. doi: 10.1002/ca.23271. Epub 2018 Nov 8. PMID: 30194877.
- 43: Kilic M, Aydin MD, Demirci E, Kilic B, Yilmaz I, Tanriverdi O, Kanat A. Unpublished Neuropathologic Mechanism Behind the Muscle Weakness/Paralysis and Gait Disturbances Induced by Sciatic Nerve Degeneration After Spinal Subarachnoid Hemorrhage: An Experimental Study. *World Neurosurg.* 2018 Nov;119:e1029-e1034. doi: 10.1016/j.wneu.2018.08.054. Epub 2018 Aug 23. PMID: 30144617.
- 44: Koller A, Szenasi A, Dornyei G, Kovacs N, Leibach A, Kovacs I. Coronary Microvascular and Cardiac Dysfunction Due to Homocysteine Pathometabolism; A Complex Therapeutic Design. *Curr Pharm Des.* 2018;24(25):2911-2920. doi: 10.2174/1381612824666180625125450. PMID: 29938610.
- 45: Timmerman RD, Paulus R, Pass HI, Gore EM, Edelman MJ, Galvin J, Straube WL, Nedzi LA, McGarry RC, Robinson CG, Schiff PB, Chang G, Loo BW Jr, Bradley JD, Choy H. Stereotactic Body Radiation Therapy for Operable Early-Stage Lung Cancer: Findings From the NRG Oncology RTOG 0618 Trial. *JAMA Oncol.* 2018 Sep 1;4(9):1263-1266. doi: 10.1001/jamaoncol.2018.1251. PMID: 29852037; PMCID: PMC6117102.
- 46: George R, Menon VP, Edathadathil F, Balachandran S, Moni M, Sathyapalan D, Prasanna P, S G,

Paul J, K K C, Kumar L, Pillai A. Myocardial injury after noncardiac surgery-incidence and predictors from a prospective observational cohort study at an Indian tertiary care centre. *Medicine (Baltimore)*. 2018 May;97(19):e0402. doi: 10.1097/MD.00000000000010402. PMID: 29742684; PMCID: PMC5959425.

47: Sen I, Agarwal S, Tharyan P, Forster R. Lumbar sympathectomy versus prostanoids for critical limb ischaemia due to non-reconstructable peripheral arterial disease. *Cochrane Database Syst Rev*. 2018 Apr 16;4(4):CD009366. doi: 10.1002/14651858.CD009366.pub2. PMID: 29658630; PMCID: PMC6494604.

48: Tanida M, Zhang T, Sun L, Song J, Yang W, Kuda Y, Kurata Y, Shibamoto T. Anaphylactic hypotension causes renal and adrenal sympathoexcitation and induces c-fos in the hypothalamus and medulla oblongata. *Exp Physiol*. 2018 Jun;103(6):790-806. doi: 10.1113/EP086809. Epub 2018 Apr 19. PMID: 29524326.

49: Yilmaz A, Yıldızgören MT, Melek İ, Doğan OV. Spinal cord stimulation may improve not only intractable pain but also necrotic wounds. *Turk J Phys Med Rehabil*. 2018 Feb 22;64(3):288-290. doi: 10.5606/tftrd.2018.2112. PMID: 31453524; PMCID: PMC6657783.

50: Wu VC, Chen TH, Wu M, Cheng CW, Chen SW, Chang CW, Chen CC, Chang SH, Hung KC, Chern MS, Lin FC, Chu PH, Wu CS. Comparison of cardiovascular outcomes and all-cause mortality in patients with chronic hepatitis B and C: A 13-year nationwide population-based study in Asia. *Atherosclerosis*. 2018 Feb;269:178-184. doi: 10.1016/j.atherosclerosis.2018.01.007. Epub 2018 Jan 12. Erratum in: *Atherosclerosis*. 2019 Aug;287:184-185. PMID: 29366991.

51: Pisansky AJB, Brovman EY, Kuo C, Kaye AD, Urman RD. Perioperative Outcomes after Regional Versus General Anesthesia for Above the Knee Amputations. *Ann Vasc Surg*. 2018 Apr;48:53-66. doi: 10.1016/j.avsg.2017.10.014. Epub 2017 Dec 5. PMID: 29217448.

52: Whiting BB, Mulholland CB, Daniels L, Kakarla UK, Theodore N, Snyder LA. Misplacement of Stent Into Epidural Venous Plexus With Resultant Cauda Equina Syndrome and Open Surgical Treatment: A Case Report. *Oper Neurosurg (Hagerstown)*. 2018 Sep 1;15(3):E23-E26. doi: 10.1093/ons/oxp249. PMID: 29211872.

53: Chio CC, Hsu CC, Tian YF, Wang CH, Lin MT, Chang CP, Lin HJ. Combined Hemorrhagic Shock and Unilateral Common Carotid Occlusion Induces Neurological Injury in Adult Male Rats. *Int J Med Sci*. 2017 Oct 15;14(13):1327-1334. doi: 10.7150/ijms.21022. PMID: 29200946; PMCID: PMC5707749.

54: Muhammad S, Chaudhry SR, Yearwood TL, Krauss JK, Kinfe TM. Changes of Metabolic Disorders Associated Peripheral Cytokine/Adipokine Traffic in Non- Obese Chronic Back Patients Responsive to Burst Spinal Cord Stimulation. *Neuromodulation*. 2018 Jan;21(1):31-37. doi: 10.1111/ner.12708. Epub 2017 Oct 24. PMID: 29064604.

55: Igari K, Kudo T, Toyofuku T, Inoue Y. Endothelial dysfunction in patients with Buerger disease. *Vasc Health Risk Manag*. 2017 Aug 23;13:317-323. doi: 10.2147/VHRM.S139892. PMID: 28860792; PMCID: PMC5574590.

56: Ozaki T, Nakamura H, Izutsu N, Masaie H, Ishikawa J, Kinoshita M. Intracranial stenting for nilotinib treatment-associated cerebrovascular stenosis in chronic myeloid leukemia. *Interv Neuroradiol*. 2017 Oct;23(5):527-530. doi: 10.1177/1591019917710810. Epub 2017 Jun 5. PMID: 28583043; PMCID: PMC5624406.

57: Naiberg MR, Hatch JK, Selkirk B, Fiksenbaum L, Yang V, Black S, Kertes PJ, Goldstein BI. Retinal

- photography: A window into the cardiovascular-brain link in adolescent bipolar disorder. *J Affect Disord.* 2017 Aug 15;218:227-237. doi: 10.1016/j.jad.2017.04.066. Epub 2017 Apr 29. PMID: 28477501.
- 58: Rinaldo L, McCutcheon BA, Murphy ME, Shepherd DL, Maloney PR, Kerezoudis P, Bydon M, Lanzino G. Quantitative analysis of the effect of institutional case volume on complications after surgical clipping of unruptured aneurysms. *J Neurosurg.* 2017 Dec;127(6):1297-1306. doi: 10.3171/2016.9.JNS161875. Epub 2017 Jan 6. PMID: 28059649.
- 59: Karanth VK, Karanth TK, Karanth L. Lumbar sympathectomy techniques for critical lower limb ischaemia due to non-reconstructable peripheral arterial disease. *Cochrane Database Syst Rev.* 2016 Dec 13;12(12):CD011519. doi: 10.1002/14651858.CD011519.pub2. PMID: 27959471; PMCID: PMC6463847.
- 60: Li Z, Muller MD, Wang J, Sica CT, Karunanayaka P, Sinoway LI, Yang QX. Dynamic characteristics of T2*-weighted signal in calf muscles of peripheral artery disease during low-intensity exercise. *J Magn Reson Imaging.* 2017 Jul;46(1):40-48. doi: 10.1002/jmri.25532. Epub 2016 Oct 26. PMID: 27783446; PMCID: PMC5406273.
- 61: Koo M, Chen JC, Hwang JH. Risk of Peripheral Artery Occlusive Disease in Patients with Vertigo, Tinnitus, or Sudden Deafness: A Secondary Case-Control Analysis of a Nationwide, Population-Based Health Claims Database. *PLoS One.* 2016 Sep 15;11(9):e0162629. doi: 10.1371/journal.pone.0162629. PMID: 27631630; PMCID: PMC5025238.
- 62: Onen MR, Yilmaz I, Ramazanoglu L, Aydin MD, Keles S, Baykal O, Aydin N, Gundogdu C. Uncovering the Forgotten Effect of Superior Cervical Ganglia on Pupil Diameter in Subarachnoid Hemorrhage: An Experimental Study. *Turk Neurosurg.* 2018;28(1):48-55. doi: 10.5137/1019-5149.JTN.16867-16.3. PMID: 27593832.
- 63: Lee JA, Marshman LA, Moran CS, Kuma L, Guazzo EP, Anderson DS, Golledge J. A small animal model for early cerebral aneurysm pathology. *J Clin Neurosci.* 2016 Dec;34:259-263. doi: 10.1016/j.jocn.2016.05.039. Epub 2016 Jul 28. PMID: 27476892.
- 64: Suckow BD, Newhall KA, Bekelis K, Faerber AE, Gottlieb DJ, Skinner JS, Stone DH, Goodney PP. Hemoglobin A1c Testing and Amputation Rates in Black, Hispanic, and White Medicare Patients. *Ann Vasc Surg.* 2016 Oct;36:208-217. doi: 10.1016/j.avsg.2016.03.035. Epub 2016 Jul 27. PMID: 27474195; PMCID: PMC5064433.
- 65: Gaigalaite V, Vilimas A, Ozeraitiene V, Dementaviciene J, Janilionis R, Kalibatiene D, Rocka S. Association between vertebral artery hypoplasia and posterior circulation stroke. *BMC Neurol.* 2016 Jul 26;16:118. doi: 10.1186/s12883-016-0644-x. PMID: 27461465; PMCID: PMC4962415.
- 66: Byun SH, Lee J, Kim JH. Ultrasound-guided bilateral combined inguinal femoral and subgluteal sciatic nerve blocks for simultaneous bilateral below- knee amputations due to bilateral diabetic foot gangrene unresponsive to peripheral arterial angioplasty and bypass surgery in a coagulopathic patient on antiplatelet therapy with a history of percutaneous coronary intervention for ischemic heart disease: A case report. *Medicine (Baltimore).* 2016 Jul;95(29):e4324. doi: 10.1097/MD.0000000000004324. PMID: 27442683; PMCID: PMC5265800.
- 67: Zechlinski JJ, Hieb RA. Lumbar Sympathetic Neurolysis: How to and When to Use? *Tech Vasc Interv Radiol.* 2016 Jun;19(2):163-8. doi: 10.1053/j.tvir.2016.04.008. Epub 2016 Apr 27. PMID: 27423998.
- 68: Newhall KA, Bekelis K, Suckow BD, Gottlieb DJ, Farber AE, Goodney PP, Skinner JS. The relationship

of regional hemoglobin A1c testing and amputation rate among patients with diabetes. *Vascular*. 2017 Apr;25(2):142-148. doi: 10.1177/1708538116650099. Epub 2016 Jul 9. PMID: 27206471; PMCID: PMC5457810.

69: Pekař M, Mazur M, Pekařová A, Kozák J, Foltys A. Lumbálna sympatektómia prehľad svetovej literatúry za posledných 15 rokov [Lumbar sympathectomy literature review over the past 15 years]. *Rozhl Chir*. 2016 Mar;95(3):101-6. Czech. PMID: 27091617.

70: Miyazaki H, Kohno K, Tanaka H, Fukumoto S, Ichikawa H, Onoue S, Fumoto N, Ozaki S, Maeda T. [A Case of Ruptured Peripheral Cerebral Aneurysm at Abnormal Vessels Associated with Middle Cerebral Artery Stenosis: Similarity to Moyamoya Disease]. *No Shinkei Geka*. 2016 Apr;44(4):311-8. Japanese. doi: 10.11477/mf.1436203281. PMID: 27056872.

71: Jia YC, Chen HH, Kang QL, Chai YM. Stimulation of Nitric Oxide Production Contributes to the Antithrombotic Effect of Stromal Cell-Derived Factor-1 α in Preventing Microsurgical Anastomotic Thrombosis. *J Reconstr Microsurg*. 2016 Jul;32(6):470-5. doi: 10.1055/s-0036-1571797. Epub 2016 Jan 29. PMID: 26824479.

72: Pagliaro B, Santolamazza C, Rubattu S, Volpe M. New therapies for arterial hypertension. *Panminerva Med*. 2016 Mar;58(1):34-47. Epub 2016 Jan 5. PMID: 26730462.

73: Barry A, Knox JJ, Wei AC, Dawson LA. Can Stereotactic Body Radiotherapy Effectively Treat Hepatocellular Carcinoma? *J Clin Oncol*. 2016 Feb 10;34(5):404-8. doi: 10.1200/JCO.2015.64.8097. Epub 2015 Dec 23. PMID: 26700118.

74: Bhat A, Kuang YM, Gan GC, Burgess D, Denniss AR. An update on renal artery denervation and its clinical impact on hypertensive disease. *Biomed Res Int*. 2015;2015:607079. doi: 10.1155/2015/607079. Epub 2015 Oct 1. PMID: 26495305; PMCID: PMC4606151.

75: Mekaj YH, Daci FT, Mekaj AY. New insights into the mechanisms of action of aspirin and its use in the prevention and treatment of arterial and venous thromboembolism. *Ther Clin Risk Manag*. 2015 Sep 24;11:1449-56. doi: 10.2147/TCRM.S92222. PMID: 26445544; PMCID: PMC4590672.

76: Bale R. Ganglienblockade. Wann und wie? [Ganglion block. When and how?]. *Radiologe*. 2015 Oct;55(10):886-95. German. doi: 10.1007/s00117-015-0015-4. PMID: 26384294.

77: Igari K, Inoue Y, Iwai T. The Epidemiologic and Clinical Findings of Patients with Buerger Disease. *Ann Vasc Surg*. 2016 Jan;30:263-9. doi: 10.1016/j.avsg.2015.07.014. Epub 2015 Sep 11. PMID: 26370744.

78: Chen YL, Tsai TH, Wallace CG, Chen YL, Huang TH, Sung PH, Yuen CM, Sun CK, Lin KC, Chai HT, Sheu JJ, Lee FY, Yip HK. Intra-carotid arterial administration of autologous peripheral blood-derived endothelial progenitor cells improves acute ischemic stroke neurological outcomes in rats. *Int J Cardiol*. 2015 Dec 15;201:668-83. doi: 10.1016/j.ijcard.2015.03.137. Epub 2015 Mar 11. PMID: 26363631.

79: Steinberg VA, Mommertz G, Thiesler T, Kristiansen G, Schild H, Naehle CP. Effect of Peripheral Artery Sympathetic Denervation on Muscle Microperfusion and Macroperfusion in an Animal Peripheral Artery Disease Model Using Contrast- Enhanced Ultrasound and Doppler Flow Measurement. *J Vasc Interv Radiol*. 2015 Sep;26(9):1396-402.e2. doi: 10.1016/j.jvir.2015.06.013. Epub 2015 Jul 17. PMID: 26190189.

80: Li HB, Lu Y, Liu JJ, Miao YW, Zheng TZ, Su Q, Qi J, Tan H, Yuan ZY, Zhu GQ, Kang YM. Salusin β

Within the Nucleus Tractus Solitarius Suppresses Blood Pressure Via Inhibiting the Activities of Presympathetic Neurons in the Rostral Ventrolateral Medulla in Spontaneously Hypertensive Rats. *Cardiovasc Toxicol*. 2016 Jul;16(3):223-34. doi: 10.1007/s12012-015-9330-2. PMID: 26059186.

81: Balingier KJ, Elmously A, Hoey BA, Stehly CD, Stawicki SP, Portner ME. Selective computed tomographic angiography in traumatic subarachnoid hemorrhage: a pilot study. *J Surg Res*. 2015 Nov;199(1):183-9. doi: 10.1016/j.jss.2015.04.006. Epub 2015 Apr 9. PMID: 25940154.

82: Chen JC, Koo M, Hwang JH. Risks of peripheral arterial occlusive disease in patients with obstructive sleep apnoea: a population-based case-control study. *Clin Otolaryngol*. 2015 Oct;40(5):437-42. doi: 10.1111/coa.12393. PMID: 25704276.

83: Miclăuș GD, Sas I, Joseph SC, Matusz P, Pleș H, Tubbs RS, Loukas M. Seven renal arteries: a case report using MDCT angiography. *Rom J Morphol Embryol*. 2014;55(3 Suppl):1181-4. PMID: 25607403.

84: Teraa M, Sprengers RW, Schutgens RE, Slaper-Cortenbach IC, van der Graaf Y, Algra A, van der Tweel I, Doevendans PA, Mali WP, Moll FL, Verhaar MC. Effect of repetitive intra-arterial infusion of bone marrow mononuclear cells in patients with no-option limb ischemia: the randomized, double-blind, placebo-controlled Rejuvenating Endothelial Progenitor Cells via Transcutaneous Intra-arterial Supplementation (JUVENTAS) trial. *Circulation*. 2015 Mar 10;131(10):851-60. doi: 10.1161/CIRCULATIONAHA.114.012913. Epub 2015 Jan 7. PMID: 25567765.

85: Aboyans V, Brodmann M, De Carlo M, Clement D, Mazzolai L, van Bortel L, van Sambeek MR, Vlachopoulos C; On Behalf the ESC Working Group of Peripheral Circulation. The year in cardiology 2014: peripheral circulation. *Eur Heart J*. 2015 Mar 7;36(10):591-7. doi: 10.1093/eurheartj/ehu515. Epub 2015 Jan 2. PMID: 25559131.

86: Han MH, Lee DH, Park KS, Lee YS, Kim KT, Sung JK, Kim HK, Cho DC. Risk factors and incidence for peripheral arterial disease in patients with typical lumbar spinal stenosis. *Korean J Spine*. 2014 Sep;11(3):183-7. doi: 10.14245/kjs.2014.11.3.183. Epub 2014 Sep 30. PMID: 25346766; PMCID: PMC4206957.

87: Herrick A, Muir L. Raynaud's phenomenon (secondary). *BMJ Clin Evid*. 2014 Oct 14;2014:1125. PMID: 25322727; PMCID: PMC4200538.

88: Uekusa H, Miyazaki C, Kondo K, Harada N, Nomoto J, Sugo N, Nemoto M. Hydroperoxide in internal jugular venous blood reflects occurrence of subarachnoid hemorrhage-induced delayed cerebral vasospasm. *J Stroke Cerebrovasc Dis*. 2014 Oct;23(9):2217-24. doi: 10.1016/j.jstrokecerebrovasdis.2014.04.002. PMID: 25263433.

89: Kortüm FC, Bräscher AK, Schmitz-Buchholz D, Feldmann RE Jr, Benrath J. Interventionelle Schmerztherapie. Ergebnisse einer bundesweiten Umfrage unter speziellen Schmerztherapeuten [Interventional pain therapy. Results of a survey among specialized pain physicians in Germany]. *Schmerz*. 2014 Dec;28(6):591-9. German. doi: 10.1007/s00482-014-1491-6. PMID: 25261339.

90: Liu JT, Liao WJ, Chang CS, Chen YH. Lower limb pain caused by insufficient muscular microcirculation. *Indian J Surg*. 2014 Feb;76(1):70-5. doi: 10.1007/s12262-012-0628-z. Epub 2012 Jun 21. PMID: 24799788; PMCID: PMC4006007.

91: Conaway D. Hypothermia and the acute abdomen. *BMJ Case Rep*. 2014 Jan 15;2014:bcr2013202774. doi: 10.1136/bcr-2013-202774. PMID: 24429054; PMCID: PMC3902769.

92: Li RY, Cao ZG, Zhang JR, Li Y, Wang RT. Decreased serum bilirubin is associated with silent

- cerebral infarction. *Arterioscler Thromb Vasc Biol.* 2014 Apr;34(4):946-51. doi: 10.1161/ATVBAHA.113.303003. Epub 2013 Dec 26. PMID: 24371085.
- 93: Deogaonkar M, Zibly Z, Slavin KV. Spinal cord stimulation for the treatment of vascular pathology. *Neurosurg Clin N Am.* 2014 Jan;25(1):25-31. doi: 10.1016/j.nec.2013.08.013. Epub 2013 Oct 5. PMID: 24262897.
- 94: Connolly M, Bilgin-Freiert A, Ellingson B, Dusick JR, Liebeskind D, Saver J, Gonzalez NR. Peripheral vascular disease as remote ischemic preconditioning, for acute stroke. *Clin Neurol Neurosurg.* 2013 Oct;115(10):2124-9. doi: 10.1016/j.clineuro.2013.07.038. Epub 2013 Aug 6. PMID: 23958050; PMCID: PMC3798063.
- 95: Pennekamp W, Krumova EK, Feigl GP, Frombach E, Nicolas V, Schwarzer A, Maier C. Permanent lesion of the lateral femoral cutaneous nerve after low-volume ethanol 96% application on the lumbar sympathetic chain. *Pain Physician.* 2013 Jul-Aug;16(4):391-7. PMID: 23877455.
- 96: Ogata T, Inoue T, Okada Y. Outcome of 312 Japanese patients with carotid endarterectomy and factors associated with cardiovascular events—a single-center study in Japan. *J Stroke Cerebrovasc Dis.* 2014 Mar;23(3):529-33. doi: 10.1016/j.jstrokecerebrovasdis.2013.04.030. Epub 2013 May 28. PMID: 23721616.
- 97: Kumar K, Rizvi S. Cost-effectiveness of spinal cord stimulation therapy in management of chronic pain. *Pain Med.* 2013 Nov;14(11):1631-49. doi: 10.1111/pme.12146. Epub 2013 May 24. PMID: 23710759.
- 98: Matsumoto Y, Nakai K, Tsutsumi M, Iko M, Oishi H, Eto H, Mizokami T, Nii K, Aikawa H, Kazekawa K. A simplified pull-through angioplasty technique without a snare device. A technical note. *Interv Neuroradiol.* 2013 Jun;19(2):167-72. doi: 10.1177/159101991301900204. Epub 2013 May 21. PMID: 23693039; PMCID: PMC3670054.
- 99: Haghighi SS, Richard Z, Ramirez B. Somatosensory-evoked potential monitoring detects iliac artery occlusion during posterior spinal fusion. *Spine (Phila Pa 1976).* 2013 Apr 1;38(7):E436-9. doi: 10.1097/BRS.0b013e318286f239. PMID: 23324925.
- 100: Guinto G, Abdo M, Zepeda E, Aréchiga N, Mercado M. Acromegaly: role of surgery in the therapeutic armamentarium. *Int J Endocrinol.* 2012;2012:306094. doi: 10.1155/2012/306094. Epub 2012 Nov 12. PMID: 23209463; PMCID: PMC3502868.
- 101: Mortensen K, Franzen K, Himmel F, Bode F, Schunkert H, Weil J, Reppel M. Catheter-based renal sympathetic denervation improves central hemodynamics and arterial stiffness: a pilot study. *J Clin Hypertens (Greenwich).* 2012 Dec;14(12):861-70. doi: 10.1111/j.1751-7176.2012.00704.x. Epub 2012 Sep 11. PMID: 23205753; PMCID: PMC8108752.
- 102: Abdala AP, McBryde FD, Marina N, Hendy EB, Engelman ZJ, Fudim M, Sobotka PA, Gourine AV, Paton JF. Hypertension is critically dependent on the carotid body input in the spontaneously hypertensive rat. *J Physiol.* 2012 Sep 1;590(17):4269-77. doi: 10.1113/jphysiol.2012.237800. Epub 2012 Jun 11. PMID: 22687617; PMCID: PMC3473284.
- 103: Koizuka S, Saito S, Masuoka S, Nakajima K, Koyama Y. Location of major vessels in prone-positioned patients undergoing percutaneous lumbar sympathectomy. *Neuroradiology.* 2012 Oct;54(10):1127-31. doi: 10.1007/s00234-012-1007-y. Epub 2012 Feb 15. PMID: 22349565.
- 104: Gavrilenko AV, Kotov AE, Murav'eva Ialu, Kochetov SV, Alikin Elu. [Surgical mistakes in treatment

of patients with lower limbs' critical ischemia]. *Khirurgiia (Mosk)*. 2011;(5):10-4. Russian. PMID: 21606914.

105: Nemeş R, Şurlin V, Chiuţu L, Georgescu E, Georgescu M, Georgescu I. Retroperitoneoscopic lumbar sympathectomy: prospective study upon a series of 50 consecutive patients. *Surg Endosc*. 2011 Sep;25(9):3066-70. doi: 10.1007/s00464-011-1671-8. Epub 2011 Apr 22. PMID: 21512881.

106: Adams H, Pendleton C, Latimer K, Cohen-Gadol AA, Carson BS, Quinones- Hinojosa A. Harvey Cushing's case series of trigeminal neuralgia at the Johns Hopkins Hospital: a surgeon's quest to advance the treatment of the 'suicide disease'. *Acta Neurochir (Wien)*. 2011 May;153(5):1043-50. doi: 10.1007/s00701-011-0975-8. Epub 2011 Mar 17. PMID: 21409517.

107: Gaus P, Grabener M, Höche W, Saur P. Wiederholte perkutane chemische sympathektomie als therapieoption bei peripherer arterieller verschlusskrankheit II [Repeated percutaneous chemical sympathectomy as a therapeutic option for treating PAD II]. *Schmerz*. 2010 Dec;24(6):625-8. German. doi: 10.1007/s00482-010-0986-z. PMID: 20972689.

108: Lataro RM, Castania JA, Chappleau MW, Salgado HC, Fazan R Jr. Baroreceptor and chemoreceptor contributions to the hypertensive response to bilateral carotid occlusion in conscious mice. *Am J Physiol Heart Circ Physiol*. 2010 Dec;299(6):H1990-5. doi: 10.1152/ajpheart.00315.2010. Epub 2010 Sep 17. PMID: 20852042.

109: Nicolakakis N, Hamel E. The Nuclear Receptor PPARgamma as a Therapeutic Target for Cerebrovascular and Brain Dysfunction in Alzheimer's Disease. *Front Aging Neurosci*. 2010 May 21;2:21. doi: 10.3389/fnagi.2010.00021. PMID: 20725514; PMCID: PMC2912024.

110: Gifford E, Drazin D, Dalfino JC, Nair AK, Yamamoto J, Boulos AS. The effectiveness of microballoon angioplasty in treating middle cerebral artery occlusion beyond the bifurcation. *AJNR Am J Neuroradiol*. 2010 Sep;31(8):1541-8. doi: 10.3174/ajnr.A2099. Epub 2010 Jun 10. PMID: 20538827; PMCID: PMC7966115.

111: Ter Laan M, van Dijk JM, Elting JW, Fidler V, Staal MJ. The influence of transcutaneous electrical neurostimulation (TENS) on human cerebral blood flow velocities. *Acta Neurochir (Wien)*. 2010 Aug;152(8):1367-73; discussion 1373. doi: 10.1007/s00701-010-0678-6. Epub 2010 May 15. PMID: 20473532; PMCID: PMC2901492.

112: Bessede T, Alsaid B, Ferretti L, Pierre M, Bernabé J, Giuliano F, Karam I, Benoît G, Droupy S. Effect of a local delivery of triiodothyronine (T3) within neuroregenerative guide on recovery of erectile function in a rat-model of cavernous nerve injury. *J Sex Med*. 2010 May;7(5):1798-806. doi: 10.1111/j.1743-6109.2010.01706.x. Epub 2010 Feb 25. PMID: 20214723.

113: Hayashi K, Morikawa M, Horie N, Morofuji Y, So G, Suyama K, Nagata I. [A case of common femoral artery occlusion after homeostasis using device at carotid artery stenting]. *Brain Nerve*. 2010 Feb;62(2):173-6. Japanese. PMID: 20192037.

114: Ruiz-Aragón J, Márquez Calderón S. Efectividad de la simpatectomía lumbar en el tratamiento de la arteriopatía periférica oclusiva de miembros inferiores: revisión sistemática [Effectiveness of lumbar sympathectomy in the treatment of occlusive peripheral vascular disease in lower limbs: systematic review]. *Med Clin (Barc)*. 2010 Apr 17;134(11):477-82. Spanish. doi: 10.1016/j.medcli.2009.09.039. Epub 2009 Dec 21. PMID: 20022613.

115: Trindade AS Jr, Moreira ED, Silva GJ, Krieger EM. Evidence that blood pressure remains under the control of arterial baroreceptors in renal hypertensive rats. *Braz J Med Biol Res*. 2009

Oct;42(10):954-7. doi: 10.1590/s0100-879x2009001000013. PMID: 19784480.

116: Ito N, Saito S, Yamada MH, Koizuka S, Obata H, Nishikawa K, Tabata Y. A novel bFGF-GH injection therapy for two patients with severe ischemic limb pain. *J Anesth*. 2008;22(4):449-52. doi: 10.1007/s00540-008-0649-8. Epub 2008 Nov 15. PMID: 19011787.

117: Fu LW, Phan A, Longhurst JC. Myocardial ischemia-mediated excitatory reflexes: a new function for thromboxane A2? *Am J Physiol Heart Circ Physiol*. 2008 Dec;295(6):H2530-40. doi: 10.1152/ajpheart.00790.2008. Epub 2008 Oct 24. PMID: 18952714; PMCID: PMC2614549.

118: Guner I, Sahin G, Yelmen NK, Aksu U, Oruc T, Yildirim Z. Intracerebroventricular serotonin reduces the degree of acute hypoxic ventilatory depression in peripherally chemodenervated rabbits. *Chin J Physiol*. 2008 Jun 30;51(3):136-45. Erratum in: *Chin J Physiol*. 2008 Aug 31;51(4):261. PMID: 18935908.

119: Nickel J, Brinckmann W, Andresen R. Ambulante, CT-gestützte lumbale Sympathikolyse bei Patienten mit schwerer pAVK: Einfluss auf die periphere Perfusion sowie die klinischen Beschwerden [Ambulatory, CT-assisted lumbar sympathicolytic in patients with severe peripheral artery disease: influence on peripheral blood flow and clinical outcome]. *Zentralbl Chir*. 2008 Aug;133(4):349-54. German. doi: 10.1055/s-2008-1076859. PMID: 18702019.

120: Liu AJ, Ling G, Wu J, Shen FM, Wang DS, Lin LL, Liu JG, Su DF. Arterial baroreflex function is an important determinant of acute cerebral ischemia in rats with middle cerebral artery occlusion. *Life Sci*. 2008 Sep 12;83(11-12):388-93. doi: 10.1016/j.lfs.2008.06.021. Epub 2008 Jul 2. PMID: 18647611.

121: Kaku Y, Hamada JI, Kuroda JI, Kai Y, Morioka M, Kuratsu JI. Multiple peripheral middle cerebral artery aneurysms associated with [Behcet's disease](#). *Acta Neurochir (Wien)*. 2007 Aug;149(8):823-7; discussion 827. doi: 10.1007/s00701-007-1226-x. Epub 2007 Jun 22. PMID: 17585365.

122: Wang WH, Lai CS, Chang KP, Lee SS, Yang CC, Lin SD, Liu CM. Peripheral sympathectomy for Raynaud's phenomenon: a salvage procedure. *Kaohsiung J Med Sci*. 2006 Oct;22(10):491-9. doi: 10.1016/S1607-551X(09)70343-2. PMID: 17098681.

123: Funahashi S, Masaki I, Furuyama T. Hypereosinophilic syndrome accompanying gangrene of the toes with peripheral arterial occlusion—a case report. *Angiology*. 2006 Mar-Apr;57(2):231-4. doi: 10.1177/000331970605700215. PMID: 16518533.

124: Tomonori T, Keiko S, Shinkichi H, Yoji N, Akira T. Carotid atherosclerosis and arterial peripheral pulse wave velocity in cerebral thrombosis. *J Clin Neurosci*. 2006 Jan;13(1):45-9. doi: 10.1016/j.jocn.2005.02.012. PMID: 16410196.

125: Mullerad M, Donohue JF, Li PS, Scardino PT, Mulhall JP. Functional sequelae of cavernous nerve injury in the rat: is there model dependency. *J Sex Med*. 2006 Jan;3(1):77-83. doi: 10.1111/j.1743-6109.2005.00158.x. PMID: 16409220.

126: Mukkamala R, Kim JK, Li Y, Sala-Mercado J, Hammond RL, Scislo TJ, O'Leary DS. Estimation of arterial and cardiopulmonary total peripheral resistance baroreflex gain values: validation by chronic arterial baroreceptor denervation. *Am J Physiol Heart Circ Physiol*. 2006 May;290(5):H1830-6. doi: 10.1152/ajpheart.00898.2005. Epub 2005 Nov 23. PMID: 16306216.

127: Honcharuk OO, Tsymbaliuk VI, Kostyn'skyi HB. [Characteristics of sciatic nerve regeneration in limb blood supply disturbance]. *Fiziol Zh*. 2005;51(3):78-82. Ukrainian. PMID: 16108229.

128: Jacob F, Clark LA, Guzman PA, Osborn JW. Role of renal nerves in development of hypertension in DOCA-salt model in rats: a telemetric approach. *Am J Physiol Heart Circ Physiol*. 2005 Oct;289(4):H1519-29. doi: 10.1152/ajpheart.00206.2005. Epub 2005 Jun 3. PMID: 15937098.

129: Liu R, Martuza RL, Rabkin SD. Intracarotid delivery of oncolytic HSV vector G47Delta to metastatic breast cancer in the brain. *Gene Ther*. 2005 Apr;12(8):647-54. doi: 10.1038/sj.gt.3302445. PMID: 15647762.

130: Petronella P, Freda F, Nunziata L, Antropoli M, Manganiello A, Cutolo PP, D'Amodio AS. Prostaglandin E1 versus lumbar sympathectomy in the treatment of peripheral arterial occlusive disease: randomised study of 86 patients. *Nutr Metab Cardiovasc Dis*. 2004 Aug;14(4):186-92. doi: 10.1016/s0939-4753(04)80003-6. PMID: 15553595.

131: Kim DH, Murovic JA, Tiel RL, Kline DG. Intrapelvic and thigh-level femoral nerve lesions: management and outcomes in 119 surgically treated cases. *J Neurosurg*. 2004 Jun;100(6):989-96. doi: 10.3171/jns.2004.100.6.0989. PMID: 15200113.

132: Patel AB, Johnson DM. Endovascular treatment of neurovascular disorders. *Mt Sinai J Med*. 2004 Jan;71(1):29-41. PMID: 14770248.

133: Shan ZZ, Dai SM, Fang F, Su DF. Changes of central norepinephrine, beta- endorphin, LEU-enkephalin, peripheral arginine-vasopressin, and angiotensin II levels in acute and chronic phases of sino-aortic denervation in rats. *J Cardiovasc Pharmacol*. 2004 Feb;43(2):234-41. doi: 10.1097/00005344-200402000-00011. PMID: 14716211.

134: Ilyinsky O, Tolstykh G, Mifflin S. Chronic hypoxia abolishes posthypoxia frequency decline in the anesthetized rat. *Am J Physiol Regul Integr Comp Physiol*. 2003 Dec;285(6):R1322-30. doi: 10.1152/ajpregu.00033.2003. PMID: 14615401.

135: Rogers LR. Cerebrovascular complications in cancer patients. *Neurol Clin*. 2003 Feb;21(1):167-92. doi: 10.1016/s0733-8619(02)00066-x. PMID: 12690649.

136: Lin Q, Zou X, Fang L, Willis WD. Sympathetic modulation of acute cutaneous flare induced by intradermal injection of capsaicin in anesthetized rats. *J Neurophysiol*. 2003 Feb;89(2):853-61. doi: 10.1152/jn.00568.2002. PMID: 12574463.

137: Huttner S, Huttner M, Neher M, Antes G. CT-gesteuerte Sympathikolyse bei peripherer arterieller Verschlusskrankheit - Indikationen, Patientenauswahl, Langzeitergebnisse [CT-guided sympathicolytic in peripheral artery disease - Indications, patient selection and long-term results]. *Rofo*. 2002 Apr;174(4):480-4. German. doi: 10.1055/s-2002-25113. PMID: 11960412.

138: Nesterenko VL. Viddaleni rezul'taty zastosuvannia miniinvazyvnoi nedostatnosti kintsivok [Remote results of mini-invasive sympathectomy in chronic arterial insufficiency of extremities]. *Klin Khir*. 2002 Jan;(1):52-3. Ukrainian. PMID: 11944301.

139: Finkenzeller T, Techert J, Lenhart M, Link J, Feuerbach S. CT-gesteuerte thorakale Sympathikolyse zur Behandlung der peripheren arteriellen Verschlusskrankheit und thorakaler Schmerzen in 6 Fällen [CT-guided thoracal sympathicolytic for the treatment of peripheral arterial occlusive disease and chronic thoracal pain syndromes in 6 patients]. *Rofo*. 2001 Oct;173(10):920-3. German. doi: 10.1055/s-2001-17588. PMID: 11588680.

140: Nesterenko VL. Likuvannia khronichnoi arterial'noi nedostatnosti z vykorystanniam khimichnoi desympatyzatsii pid kontrolem komp'iuternoï tomohrafiï [Treatment of chronic arterial insufficiency

- using chemical desympathization under control of computer tomography]. *Klin Khir.* 2001;(5):55-8. Ukrainian. PMID: 11503340.
- 141: Hong LZ, Kuo JS, Yen MH, Chai CY. Dorsomedial medulla is more susceptible than rostral ventrolateral medulla to hypoxic insult in cats. *J Appl Physiol* (1985). 2001 Jan;90(1):248-60. doi: 10.1152/jappl.2001.90.1.248. PMID: 11133917.
- 142: Horowitz MB, Purdy PD. The use of stents in the management of neurovascular disease: a review of historical and present status. *Neurosurgery.* 2000 Jun;46(6):1335-42; discussion 1342-3. doi: 10.1097/00006123-200006000-00010. PMID: 10834639.
- 143: Lundorff L, Dich-Nielsen JO, Laugesen H, Jensen MM. Single-dose spinal anaesthesia versus incremental dosing for lower limb vascular surgery. *Acta Anaesthesiol Scand.* 1999 Apr;43(4):405-10. doi: 10.1034/j.1399-6576.1999.430407.x. PMID: 10225073.
- 144: Nakajima N. The change in concept and surgical treatment on Buerger's disease—personal experience and review. *Int J Cardiol.* 1998 Oct 1;66 Suppl 1:S273-80; discussion S281. doi: 10.1016/s0167-5273(98)00179-x. PMID: 9951830.
- 145: Casati A, Fanelli G, Torri G. Physiological dead space/tidal volume ratio during face mask, laryngeal mask, and cuffed oropharyngeal airway spontaneous ventilation. *J Clin Anesth.* 1998 Dec;10(8):652-5. doi: 10.1016/s0952-8180(98)00108-1. PMID: 9873966.
- 146: Liu Y, Tsuchihashi T, Kagiya S, Matsumura K, Abe I, Fujishima M. Central and peripheral mechanisms involved in hypertension induced by chronic inhibition of nitric oxide synthase in rats. *J Hypertens.* 1998 Aug;16(8):1165-73. PMID: 9794721.
- 147: Matsushita M, Nishikimi N, Sakurai T, Nimura Y. Decrease in prevalence of Buerger's disease in Japan. *Surgery.* 1998 Sep;124(3):498-502. PMID: 9736901.
- 148: Kellogg JX, Nesbit GM, Clark WM, Barnwell SL. The role of angioplasty in the treatment of cerebrovascular disease. *Neurosurgery.* 1998 Sep;43(3):549-55; discussion 555-6. doi: 10.1097/00006123-199809000-00077. PMID: 9733309.
- 149: Heindel W, Ernst S, Manshausen G, Gawenda M, Siemens P, Krahe T, Walter M, Lackner K. CT-guided lumbar sympathectomy: results and analysis of factors influencing the outcome. *Cardiovasc Intervent Radiol.* 1998 Jul-Aug;21(4):319-23. doi: 10.1007/s002709900268. PMID: 9688800.
- 150: Hassen-Khodja R, Le Bas P, Pittaluga P, Batt M, Declémy S, Bariseel H. Abdominal aortic aneurysm and lower-limb occlusive arterial disease. *J Cardiovasc Surg (Torino).* 1998 Apr;39(2):141-5. PMID: 9638995.
- 151: Beretta L, Bortolani EM, Tolva V, La Penna A, Boneschi M. Risultati a lungo termine della gangliectomia lombare radicale. Nostra esperienza [Long-term results of radical lumbar ganglionectomy. Our experience]. *Minerva Chir.* 1998 Mar;53(3):173-7. Italian. PMID: 9617114.
- 152: Lesske J, Fletcher EC, Bao G, Unger T. Hypertension caused by chronic intermittent hypoxia—influence of chemoreceptors and sympathetic nervous system. *J Hypertens.* 1997 Dec;15(12 Pt 2):1593-603. doi: 10.1097/00004872-199715120-00060. PMID: 9488210.
- 153: Wilhelm A. Operative Behandlung der therapieresistenten Sudeckschen Dystrophie durch transaxilläre Dekompression des Nervengefäßstranges und Sympathektomie. Zur Pathogenese des M. Sudeck [Surgical treatment of therapy refractory Sudeck's dystrophy by transaxillary

decompression of the neurovascular bundle and sympathectomy. On the pathogenesis of Sudeck's disease]. *Handchir Mikrochir Plast Chir*. 1997 Mar;29(2):60-72. German. PMID: 9206675.

154: Mattes E, Norman PE, Jamrozik K. Falling incidence of amputations for peripheral occlusive arterial disease in Western Australia between 1980 and 1992. *Eur J Vasc Endovasc Surg*. 1997 Jan;13(1):14-22. doi: 10.1016/s1078-5884(97)80045-7. PMID: 9046909.

155: Martínez-Pallí G, Sala-Blanch X, Salvadó E, Acosta M, Nalda MA. Epidural hematoma after epidural anesthesia in a patient with peripheral vascular disease. Case report. *Reg Anesth*. 1996 Jul-Aug;21(4):342-6. PMID: 8837193.

156: Weinstock M, Gorodetsky E, Kalman R. Renal denervation prevents sodium retention and hypertension in salt-sensitive rabbits with genetic baroreflex impairment. *Clin Sci (Lond)*. 1996 Apr;90(4):287-93. doi: 10.1042/cs0900287. PMID: 8777835.

157: Vandertop WP, de Vries WB, Notermans NC, Nijsen MJ, de Wildt DJ, Tulleken CA, Gispen WH. Cisplatin-induced autonomic neuropathy: does it really exist? *J Neurooncol*. 1996 Jan;27(1):53-60. doi: 10.1007/BF00146084. PMID: 8699226.

158: Koman LA, Smith BP, Pollock FE Jr, Smith TL, Pollock D, Russell GB. The microcirculatory effects of peripheral sympathectomy. *J Hand Surg Am*. 1995 Sep;20(5):709-17. doi: 10.1016/S0363-5023(05)80419-8. PMID: 8522734.

159: Gleim M, Maier C, Melchert U. Lumbar neurolytic sympathetic blockades provide immediate and long-lasting improvement of painless walking distance and muscle metabolism in patients with severe peripheral vascular disease. *J Pain Symptom Manage*. 1995 Feb;10(2):98-104. doi: 10.1016/0885-3924(94)00070-2. PMID: 7537321.

160: Duda SH, Huppert PE, Heinzelmann B, Schareck W, Seboldt H, Claussen CD. CT- gestützte perkutane lumbale Sympathikolyse bei peripherer arterieller Verschlusskrankheit [CT-guided percutaneous lumbar sympathicolysis in peripheral arterial occlusive diseases]. *Rofo*. 1994 Feb;160(2):132-6. German. doi: 10.1055/s-2008-1032390. PMID: 8312509.

161: Iaconetta G, Benvenuti D, Lamaida E, Gallicchio B, Signorelli F, Maiuri F. Cerebral hemorrhagic complication in polyarteritis nodosa. Case report and review of the literature. *Acta Neurol (Napoli)*. 1994 Feb-Apr;16(1-2):64-9. PMID: 7915489.

162: Grohmann G, Pöhlmann G, Eidner G. Optimierung der Analgesie und Verfahrensweise der retrograden Venenperfusion bei Behandlung von Patienten mit peripheren arteriellen Durchblutungsstörungen [Optimizing analgesia and procedure of retrograde venous perfusion in treatment of patients with peripheral arterial occlusive diseases]. *Vasa*. 1994;23(1):74-5. German. PMID: 8154178.

163: Weyland A, Weyland W, Lamersdorf A, Ensink FB, Hildebrandt J, Kettler D. Neurolytische Blockaden des lumbalen Grenzstrangs in fortgeschrittenen Stadien der peripheren arteriellen Verschlusskrankheit [Neurolytic block of the lumbar sympathetic trunk in advanced stages of peripheral arterial occlusive disease]. *Anesthesiol Intensivmed Notfallmed Schmerzther*. 1993 Nov;28(7):420-6. German. doi: 10.1055/s-2007-998956. PMID: 8297947.

164: Sayin A, Bozkurt AK, Tüzün H, Vural FS, Erdogan G, Ozer M. Surgical treatment of Buerger's disease: experience with 216 patients. *Cardiovasc Surg*. 1993 Aug;1(4):377-80. PMID: 8076063.

165: Heimig T, Scheffler A, Rieger H, Acevedo A. Die regionale medikamentös induzierte

Sympathikolyse bei Patienten mit AVK [Regional drug-induced sympathicolysis in patients with arterial occlusive disease]. *Wien Med Wochenschr.* 1993;143(7-8):184-5. German. PMID: 8379171.

166: Orlin JR, Zwetnow NN, Hall C. Regional blood flow in brain and peripheral tissues during acute experimental arterial subdural bleeding. *Acta Neurochir (Wien).* 1993;122(3-4):257-65. doi: 10.1007/BF01405539. PMID: 8372718.

167: Morgan RH, Psaila JV, Stone J, Carolan G, Woodcock JP. Postural changes in femoral artery blood flow in normal subjects, patients with peripheral vascular occlusive disease and patients undergoing lumbar sympathectomy, measured by duplex ultrasound flowmetry. *Eur J Vasc Surg.* 1992 Jul;6(4):408-15. doi: 10.1016/s0950-821x(05)80289-0. PMID: 1499744.

168: Bond RF, Krech LH, Hershey JC. Effect of ibuprofen upon denervated skeletal muscle resistance and compliance vessels during endotoxemia. *Circ Shock.* 1992 Jun;37(2):145-52. PMID: 1511505.

169: Fletcher EC, Lesske J, Behm R, Miller CC 3rd, Stauss H, Unger T. Carotid chemoreceptors, systemic blood pressure, and chronic episodic hypoxia mimicking sleep apnea. *J Appl Physiol* (1985). 1992 May;72(5):1978-84. doi: 10.1152/jappl.1992.72.5.1978. PMID: 1601808.

170: Probst C. Neurochirurgie im Alter. Teil II: Tumoren des ZNS-zerebrospinale vaskuläre Erkrankungen-Schmerzchirurgie-Schlussfolgerungen [Neurosurgery in old age. II: CNS tumors-cerebrospinal-vascular diseases-pain surgery- conclusions]. *Schweiz Rundsch Med Prax.* 1991 Dec 10;80(50):1396-411. German. PMID: 1721233.

171: Schievink WI, Piepgras DG. Cervical vertebral artery aneurysms and arteriovenous fistulae in neurofibromatosis type 1: case reports. *Neurosurgery.* 1991 Nov;29(5):760-5. doi: 10.1097/00006123-199111000-00020. PMID: 1961409.

172: Reitan JA, Kien ND, Martucci RW, Thorup SJ, Dennis PJ. Development of a near anesthetic-free isolated canine hindlimb model. The effects of halothane and atropine sulfate on vascular resistance. *J Pharmacol Methods.* 1991 Nov;26(3):223-32. doi: 10.1016/0160-5402(91)90046-8. PMID: 1753746.

173: Huber KH, Rexroth W, Werle E, Koeth T, Weicker H, Hild R. Sympathetic neuronal activity in diabetic and non-diabetic subjects with peripheral arterial occlusive disease. *Klin Wochenschr.* 1991 Apr 4;69(6):233-8. doi: 10.1007/BF01666848. PMID: 2038172.

174: Dominkus M, Kepplinger B, Bauer W, Dubsky E. Percutaneous radiofrequency thermolesion of the sympathetic chain in the treatment of peripheral vascular disease. *Acta Med Austriaca.* 1991;18 Suppl 1:69-70. PMID: 1950393.

175: Zucker IH, Wang W. Modulation of baroreflex and baroreceptor function in experimental heart failure. *Basic Res Cardiol.* 1991;86 Suppl 3:133-48. doi: 10.1007/978-3-662-30769-4_13. PMID: 1781763.

176: Huber A. Die gefässchirurgische Rekonstruktion bei der chronischen arteriellen Verschlusskrankheit der unteren Extremität [Vascular surgery reconstruction in chronic arterial occlusive disease of the lower extremities]. *Schweiz Rundsch Med Prax.* 1990 Dec 11;79(50):1564-8. German. PMID: 2270378.

177: Yamashita S, Ishikawa I, Ohkawa N, Sugihara S. [A case of brain metastasis from hepatocellular carcinoma]. *Gan No Rinsho.* 1990 Nov;36(14):2450-5. Japanese. PMID: 2174472.

178: Devin R, Ciosi G, Cormier JM, Espinoza H, Hodara M, Howette L, Jimeno MT, Kasbarian M, Laurian

C, Long A, et al. Conduite à tenir dans les ischémies critiques des membres inférieurs en dehors de l'urgence [Procedures in critical ischemia of the legs in non-emergency situations]. *J Mal Vasc*. 1990;15(2):114-37; discussion 137-8. French. PMID: 2193080.

179: Green GA, Darnall RA, Bierd TB, Adams JM. Effect of aortic balloon inflation on ventilation and brain stem blood flow in piglets. *J Appl Physiol* (1985). 1989 May;66(5):2174-80. doi: 10.1152/jappl.1989.66.5.2174. PMID: 2501276.

180: Nakanishi S, Hiramoto T, Ahmed N, Nishimoto Y. Almitrine enhances in low dose the reactivity of pulmonary vessels to hypoxia. *Respir Physiol*. 1988 Nov;74(2):139-50. doi: 10.1016/0034-5687(88)90100-4. PMID: 2906450.

181: Stern PH. Occlusive vascular disease of lower limbs: diagnosis, amputation surgery and rehabilitation. A review of the Burke experience. *Am J Phys Med Rehabil*. 1988 Aug;67(4):145-54. doi: 10.1097/00002060-198808000-00003. PMID: 3401360.

182: Loftus CM, Biller J, Godersky JC, Adams HP, Yamada T, Edwards PS. Carotid endarterectomy in symptomatic elderly patients. *Neurosurgery*. 1988 Apr;22(4):676-80. doi: 10.1227/00006123-198804000-00009. PMID: 3374779.

183: Diaz FG, Ausman JI, Malik GM. Pitfalls during carotid endarterectomy. *Acta Neurochir (Wien)*. 1988;91(3-4):87-94. doi: 10.1007/BF01424560. PMID: 2841825.

184: Krasney JA, Miki K, McAndrews K, Hajduczuk G, Curran-Everett D. Peripheral circulatory responses to 96 h of hypoxia in conscious sinoaortic-denervated sheep. *Am J Physiol*. 1986 May;250(5 Pt 2):R868-74. doi: 10.1152/ajpregu.1986.250.5.R868. PMID: 3706571.

185: Zagzag D, Fields S, Romanoff H, Shifrin E, Cohen R, Beer G, Magora F. Percutaneous chemical lumbar sympathectomy with alcohol with computed tomography control. *Int Angiol*. 1986 Apr-Jun;5(2):83-6. PMID: 3746017.

186: Rossi M, Perbellini A, Laterza E, Zorzi R, Genna M. Attualità della simpaticectomia nella chirurgia ricostruttiva periferica [Current state of sympathectomy in peripheral reconstructive surgery]. *Chir Ital*. 1986 Apr;38(2):185-92. Italian. PMID: 3742683.

187: Boas RA. Intra arterial ketanserin in peripheral vascular disease. *Angiology*. 1986 Apr;37(4):267-71. doi: 10.1177/000331978603700401. PMID: 2940946.

188: Welch GH, Leiberman DP. Cutaneous blood flow in the foot following lumbar sympathectomy. *Scand J Clin Lab Invest*. 1985 Nov;45(7):621-6. doi: 10.3109/00365518509155269. PMID: 4070960.

189: Sweet WD, Freeman RH, Davis JO, Vari RC. Ganglionic blockade in conscious dogs with chronic caval constriction. *Am J Physiol*. 1985 Nov;249(5 Pt 2):H1038-44. doi: 10.1152/ajpheart.1985.249.5.H1038. PMID: 2865899.

190: Boldt J, von Bormann B, Kling D, Görlach G, Hempelmann G. Hämodynamische Veränderungen unter Infusion von Nimodipin [Hemodynamic changes in infusion with nimodipine]. *Anaesthesist*. 1985 May;34(5):229-35. German. PMID: 3875296.

191: Füessl HS, Schälzky H, Schewe S, Frey KW, Goebel FD. Zur Pathogenese und klinischen Bedeutung der Mönckeberg'schen Mediaverkalkung [Pathogenesis and clinical significance of Mönckeberg medial calcinosis]. *Klin Wochenschr*. 1985 Mar 1;63(5):211-6. German. doi: 10.1007/BF01731171. PMID: 3990163.

- 192: Carpentier P, Magne JL, Guidicelli H, Franco A. Sympathectomie et microcirculation: réflexions physiopathologiques [Sympathectomy and microcirculation: physiopathologic reflections]. *J Mal Vasc*. 1985;10 Suppl A:62-5. French. PMID: 4031686.
- 193: Werber AH, Bryan WJ, Fink GD. Hemodynamic and neural mechanisms of acute neurogenic hypertension in the rat. *Am J Physiol*. 1984 Dec;247(6 Pt 2):H991-8. doi: 10.1152/ajpheart.1984.247.6.H991. PMID: 6507647.
- 194: Clifford PC. Peripheral vascular disease: non-invasive physiological measurement. *Br J Hosp Med*. 1984 Aug;32(2):82-4. PMID: 6399217.
- 195: Myts BV, Kartseva FF, Gizatulin Zla. Rezul'taty khirurgicheskikh operatsii po povodu gipertonicheskoi bolezni [Results of the surgical treatment of hypertension]. *Vestn Khir Im I I Grek*. 1984 May;132(5):52-5. Russian. PMID: 6464280.
- 196: Steinbrook RA, Javaheri S, Gabel RA, Donovan JC, Leith DE, Fencel V. Respiration of chemodenervated goats in acute metabolic acidosis. *Respir Physiol*. 1984 Apr;56(1):51-60. doi: 10.1016/0034-5687(84)90129-4. PMID: 6429806.
- 197: Ramos M, Almazán A, Lozano F, Gómez-Alonso A. Phenol lumbar sympathectomy in severe arterial disease of the lower limbs: a hemodynamic study. *Int Surg*. 1983 Apr-Jun;68(2):127-30. PMID: 6885290.
- 198: Hollier LH. Aortic and peripheral arterial disease: when is surgery warranted? *Geriatrics*. 1982 Aug;37(8):85-94. PMID: 7095431.
- 199: Katholi RE, Winternitz SR, Oparil S. Decrease in peripheral sympathetic nervous system activity following renal denervation or unclipping in the one- kidney one-clip Goldblatt hypertensive rat. *J Clin Invest*. 1982 Jan;69(1):55-62. doi: 10.1172/jci110441. PMID: 6172449; PMCID: PMC371168.
- 200: Ghiringhelli C, Montorsi M. Corso di aggiornamento di chirurgia. 21a Lezione. Le arteriopatie obliteranti croniche periferiche (A.O.C.P.) degli arti inferiori [Chronic peripheral obliterating arteriopathies (CPOA) of the lower limbs]. *Minerva Med*. 1980 Jun 30;71(26):1833-64. Italian. PMID: 7393468.
- 201: Walker PM, Johnston KW. Predicting the success of a sympathectomy: a prospective study using discriminant function and multiple regression analysis. *Surgery*. 1980 Feb;87(2):216-21. PMID: 7355393.
- 202: Cordoba A, Gordillo O. Mesenteric arterial steal syndrome secondary to bilateral lumbar sympathectomy. *Int Surg*. 1979 May-Jul;64(4):67-9. PMID: 536170.
- 203: Courbier R, Reggi M, Jausseran JM. Evaluation of effectiveness of lumbar sympathectomy by non invasive diagnostic techniques. *J Cardiovasc Surg (Torino)*. 1979 May-Jun;20(3):333-7. PMID: 447771.
- 204: Bishop VS, Peterson DF. The circulatory influences of vagal afferents at rest and during coronary occlusion in conscious dogs. *Circ Res*. 1978 Dec;43(6):840-7. doi: 10.1161/01.res.43.6.840. PMID: 709745.
- 205: Väänttinen E, Inberg MV, Sotarauta M. The immediate effect of lumbar sympathectomy on arterial blood flow measured by electromagnetic flowmetry. *Scand J Thorac Cardiovasc Surg*. 1978;12(2):101-4. doi: 10.3109/14017437809100357. PMID: 715392.

206: Faenza A, Spolaore R, Lapilli A, Gelsomini S, Possati L. Clinical results of lumbar sympathectomy alone or as a complement of direct arterial surgery. *Acta Chir Belg*. 1977 Jan;76(1):101-7. PMID: 557864.

207: Dooley DM, Kasprak M. Modification of blood flow to the extremities by electrical stimulation of the nervous system. *South Med J*. 1976 Oct;69(10):1309-11. doi: 10.1097/00007611-197610000-00017. PMID: 1086511.

208: Cohen SE, Matolo NM, Wolfman EF. Arteriovenous fistula for revascularization of the ischemic extremity. *Vasc Surg*. 1976 Sep- Oct;10(4):238-50. doi: 10.1177/153857447601000407. PMID: 997775.

209: Bollinger A, Butti P. Primäres und sekundäres Raynaud-Syndrom [Primary and secondary Raynaud's syndrome]. *Schweiz Med Wochenschr*. 1976 Mar 20;106(12):415-21. German. PMID: 1265455.

210: Laroche GP, Bernatz PE, Joyce JW, MacCarty CS. Chronic arterial insufficiency of the upper extremity. *Mayo Clin Proc*. 1976 Mar;51(3):180-6. PMID: 1256071.

211: Natali J, Firouzabadie H. Traitement chirurgical des artériopathies des membres inférieurs au stade II [Surgical treatment of stage II arteriopathies of the lower limbs]. *J Chir (Paris)*. 1976 Mar;111(3):267-70. French. PMID: 956286.

212: Holm J, Häggendal E, Lundberg D, Scherstén T, Stenberg K, Wetterqvist H. Effect of lumbar sympathetic blockade and chlorpromazine-induced adrenergic alpha-receptor blockade on skin temperature in peripheral arterial diseases. *J Cardiovasc Surg (Torino)*. 1976 Jan-Feb;17(1):69-71. PMID: 1398.

213: Wright CJ. Effect of sympathetic inhibition on maximal muscle blood flow in the normal and atherosclerotic human leg. *Can J Surg*. 1975 Sep;18(5):431-5. PMID: 1175111.

214: Berardi RS, Siroospour D. Lumbar sympathectomy in the treatment of peripheral vascular occlusive disease. Ten year study. *Am J Surg*. 1975 Sep;130(3):309-14. doi: 10.1016/0002-9610(75)90391-8. PMID: 1166917.

215: Wiklund L. Postoperative hepatic blood flow and its relation to systemic circulation and blood gases during splanchnic blockade and fentanyl analgesia. *Acta Anaesthesiol Scand Suppl*. 1975;58:5-28. doi: 10.1111/j.1399-6576.1975.tb05419.x. PMID: 1058622.

216: Köhler M. Klinische Bedeutung der induzierten Hypertension im Stadium 3 und IV (Spätstadien) der peripheren chronischen Arteriopathie [Induced hypertension (stages 3 and IV) in patients with chronic peripheral arteriopathy (author's transl)]. *Med Klin*. 1974 May 24;69(21):953-6. German. PMID: 4367723.

217: Kappey F, Brach KD, Nicolescu RF. Der Einfluss der lumbalen Grenzstrangresektion auf die Durchblutung der gegenseitigen Gliedmasse bei arterieller Verschlusskrankheit vom peripheren Typ [Effect of lumbal sympathectomy on blood circulation in the contralateral extremities in arterial occlusive disease of peripheral type]. *Verh Dtsch Ges Kreislaufforsch*. 1974;40:246-9. German. PMID: 4450661.

218: Moore WS, Blaisdell FW. Diagnosis and management of peripheral arterial occlusive disease. *Curr Probl Surg*. 1973 Nov;3-63. PMID: 4592909.

- 219: Bagliani A, Borri P, Taborelli R. Trattamento delle alterazioni funzionali delle arteriopatie obliteranti croniche periferiche (A.O.C.P.) arteriosclerotiche, e tipo Buerger e del morbo di Raynaud mediante simpaticolisi farmacologica, associata o non a terapia chirurgica indiretta [Treatment of functional changes in arteriosclerotic chronic obliterating peripheral arterial diseases (COPA) and Buerger's and Raynaud's diseases with pharmacological sympathectomy, with or without indirect surgical treatment]. *Minerva Cardioangiol.* 1973 Jun;21(6):439-52. Italian. PMID: 4720185.
- 220: Marks C. Perspectives in the management of peripheral vascular disease. *J La State Med Soc.* 1973 May;125(5):155-64. PMID: 4793764.
- 221: Liszewska D, Lukasik E. Periphere arterielle Durchblutungsstörungen bei Kranken bis zum 40. Lebensjahr [Peripheral arterial circulation disorders in patients up to 40 years of age]. *Z Gesamte Inn Med.* 1972 Nov 1;27(21):930-3. German. PMID: 4662917.
- 222: Gillespie JA. Advances in the treatment of peripheral vascular disease. *Practitioner.* 1972 Oct;209(252):519-27. PMID: 4562346.
- 223: Lee BY, Castillo HT, Madden JL. Quantification of the arterial pulsatile blood flow waveform in peripheral vascular disease. *Angiology.* 1970 Oct;21(9):595-605. PMID: 5457222.
- 224: al-Naaman YD, Ghani AR. A critical analysis of peripheral vascular insufficiency in obliterative and fibro-sclerotic arterial disease. *J Cardiovasc Surg (Torino).* 1970 Jul-Aug;11(4):269-73. PMID: 5487137.
- 225: Dormandy JA, Bullough J. Effects of intravenous methohexitone on peripheral blood flow in patients with and without arterial disease. *Br J Anaesth.* 1969 Aug;41(8):656-63. doi: 10.1093/bja/41.8.656. PMID: 5810124.
- 226: Brown L, LiCalzi NC, Rodier B. A functional classification of peripheral arterial occlusive disease. *Arch Surg.* 1969 Mar;98(3):329-31. doi: 10.1001/archsurg.1969.01340090105018. PMID: 5766280.
- 227: Strand L. Lumbar sympathectomy in the treatment of peripheral obliterative arterial disease. An analysis of 167 patients. *Acta Chir Scand.* 1969;135(7):597-600. PMID: 5372844.
- 228: Haeger K, Lundskog O. Lumbar chemical sympathectomy in the treatment of peripheral arterial disease of the legs. *Vasc Surg.* 1967 Sep;1(3):162-70. doi: 10.1177/153857446700100304. PMID: 6080946.
- 229: Barker WF. Peripheral arterial disease. *Major Probl Clin Surg.* 1966;4:1-224. PMID: 6015461.
- 230: ANFOSSI F, GUARRAGGI A, VERONESI G. LA TERMOMETRIA CUTANEA. POSSIBILIT'A DIAGNOSTICHE IN CORSO DI ARTERIOPATIE PERIFERICHE [CUTANEOUS THERMOMETRY. DIAGNOSTIC POSSIBILITIES IN THE COURSE OF PERIPHERAL ARTERY DISEASES]. *Minerva Med.* 1965 Jan 13;56:118-22. Italian. PMID: 14248681.
- 231: PALOSCHI G, LYNN RB. THE ROLE OF SYMPATHECTOMY IN THE TREATMENT OF OBLITERATIVE PERIPHERAL VASCULAR DISEASE. *Can Med Assoc J.* 1964 May 16;90(20):1147-51. PMID: 14145467; PMCID: PMC1922783.
- 232: COLELLA C, CARIOLI G, MOGAVERO N. SULLE PRINCIPALI CAUSE DI PEGGIORAMENTO DOPO INTERVENTO SUL SIMPATICO LOMBARE NELLE ARTERIOPATIE CRONICHE OSTRUTTIVE PERIFERICHE [ON THE PRINCIPAL CAUSES OF DETERIORATION OF CHRONIC PERIPHERAL OBSTRUCTIVE ARTERIOPATHY AFTER LUMBAR SYMPATHETIC OPERATIONS]. *Gazz Int Med Chir.* 1963 Dec

31;67:SUPPL:3185+. Italian. PMID: 14177564.

233: MARTIN P. ADVANCES IN THE TREATMENT OF PERIPHERAL ARTERIAL DISEASE. Practitioner. 1963 Oct;191:453-9. PMID: 14069131.

234: GWATHMEY O, WALKER T, BYRD CW. Continuous epidural sympathetic block as a diagnostic and therapeutic aid for peripheral arterial diseases. Ann Surg. 1963 Jun;157(6):989-1000. doi: 10.1097/00000658-196306000-00018. PMID: 13951540; PMCID: PMC1466454.

235: COLELLA C. [The role of lumbar sympathectomy, associated with grafts, in the treatment of peripheral obstructive arterial diseases]. Rass Int Clin Ter. 1963 Mar 15;43:231-40. Italian. PMID: 14022230.

236: FABI M, MALAGU I, VITA F, FABBRI LF, RANERI D. [Remote results of lumbar gangliectomy in chronic peripheral obliterating arterial diseases]. Arcisp S Anna Ferrara. 1962;15:363-95. Italian. PMID: 13891188.

237: FABI M, MALAGU I, FUSAROLIP, RANERID. [Photoplethysmographic changes after lumbar gangliectomy in chronic peripheral obliterating arterial diseases]. Arcisp S Anna Ferrara. 1962;15:409-24. Italian. PMID: 13891187.

238: BASSI M, RINALDI G. [Blood coagulation in chronic peripheral arteriopathies in relation to surgical interventions on the sympathetic nervous system]. Riforma Med. 1959 Sep 26;73:1099-105. Italian. PMID: 13797420.

239: FABI M, MALAGU I. [Changes of the rheogram after lumbar gangliectomy in peripheral obliterating arteriopathy. (Preliminary note)]. Arcisp S Anna Ferrara. 1959;12:873-82. Italian. PMID: 13821183.

240: DE TAKATS G. Place of sympathectomy in the treatment of occlusive arterial disease. AMA Arch Surg. 1958 Nov;77(5):655-76. doi: 10.1001/archsurg.1958.01290040003001. PMID: 13582425.

241: FARACO P, CONDORELLI A. Il tasso ematico distrettuale di acido lattico, a riposo e dopo sforzo, nei pazienti portatori di arteriopatie periferiche ostruttive; sue variazioni in rapporto all'intervento di simpaticectomia lombare e splancnicectomia [Regional blood levels of lactic acid, at rest and after exercise, in patients of obstructive peripheral arteriopathy; its variations in relation to lumbar sympathectomy and splanchnicectomy]. G Ital Chir. 1958 Jul;14(7):567-84. Italian. PMID: 13598116.

242: SALZ N. [Present state of lumbar sympathectomy in peripheral arterial diseases]. Harefuah. 1958 Mar 2;54(5):120-1. Hebrew. PMID: 13538370.

243: GALLO G. Il problema del trattamento chirurgico del dolore nelle arteriopatie obliterative croniche periferiche; la neurotomia del nervo tibiale posteriore [The problem of surgery of pain in peripheral chronic obliterative arteriopathy; neurotomy of posterior tibial nerve]. Minerva Cardioangiol. 1958 Jan;6(1):5-11. Italian. PMID: 13516569.

244: CORTESI N, MISELLI L. La gangliectomia lombare nella terapia chirurgica delle arteriopatie obliteranti croniche degli arti inferiori; risultati clinici e rilievi semeiologici strumentali a distanza da 2 a 10 anni dall'intervento [Lumbar ganglionectomy in the surgical treatment of chronic obliterating arterial disease of the leg; clinical results & instrumental symptomatic relief 2-10 years after surgery]. Omnia Med Suppl. 1957 Apr-Jun;8(3):281-99. Italian. PMID: 13517784.

245: ASCHIERI F, BOUNOUS G. Osservazioni sulle oscillazioni respiratorie di volume digitale nelle arteriopatie periferiche ed in relazione ad interventi sul simpatico [Respiratory oscillations of the

digital volume in peripheral arterial diseases and in relation to sympathetic interventions]. *Minerva Cardioangiol.* 1957 Apr;5(4):113-8. Italian. PMID: 13451238.

246: BELLUCCI G, CRISI L. Comportamento della temperatura cutanea e muscolare in pazienti affetti da arteriopatie periferiche prima, durante e dopo l'intervento di ganglionectomia lombare [Behavior of skin & muscle temperature in peripheral arterial disease patients, before, during & after lumbar ganglionectomy operations]. *Atti Accad Fisiocrit Siena Med Fis.* 1957;4:818-28. Italian. PMID: 13535485.

247: SINGLETON AO Jr, ADAM M, DUNTON F. Surgical treatment of peripheral arterial disease in geriatric patients. *Tex Rep Biol Med.* 1957;15(2):338-46. PMID: 13433638.

248: CASTEN DF, FREUNDLICH B. An evaluation of sympathectomy in the treatment of peripheral arterial occlusive disease and reflex sympathetic dystrophy: anatomic, physiologic and clinical observations. *Bull Hosp Joint Dis.* 1956 Oct;17(2):251-70. PMID: 13413398.

249: VAS G, LENCZ L, SZITA I. A keringési idő változása hyperaemisáló műtétek után peripheriás verőérbetegségekben [Changes of circulation rate after surgical hyperemization in peripheral arterial diseases]. *Orv Hetil.* 1956 May 13;97(20):546-8. Hungarian. PMID: 13349171.

250: CASTBERG T. Sympatectomi ved lidelser i de perifere arterier på underextremiteterne [Sympathectomy in peripheral arterial disease of the lower extremities]. *Nord Med.* 1955 Oct 27;54(43):1638-9. Danish. PMID: 13280133.

251: EJRUP B. Tonoscillography after exercise used as an attempt to test objectively the results of lumbar sympathectomy in peripheral arterial diseases. *Minerva Cardioangiol Eur.* 1955 Sep;1(4):258-64. PMID: 13287923.

252: PRATT GH. Sympathectomy for occlusive arterial disease. *J Am Geriatr Soc.* 1955 Aug;3(8):580-8. doi: 10.1111/j.1532-5415.1955.tb00868.x. PMID: 13251827.

253: MACMAHON CE. Follow-up observation and evaluation of sympathectomies in obliterative arterial disease. *Am J Surg.* 1955 Aug;90(2):306-16. doi: 10.1016/0002-9610(55)90762-5. PMID: 13238685.

254: SCHNEEWIND JH, MANSOUR CN, GROVE MJ. The walking venous pressure test in relation to occlusive arterial disease in the lower extremities. *Surg Gynecol Obstet.* 1955 Jun;100(6):697-702. PMID: 14373379.

255: TRAPANI A, JACONO A, JULIANI G, DE VINCENTIIS E, NIGRO G. Il significato di alcune ricerche funzionali nella valutazione dei risultati ottenuti con la simpaticectomia nel trattamento delle arteriopatie croniche periferiche [Significance of various function tests in the evaluation of the results of sympathectomy in the treatment of chronic peripheral arterial diseases]. *Minerva Cardioangiol.* 1955 Jun;3(6):282-3. Italian. PMID: 13253303.

256: SERRA P. Della controindicazione alla simpaticectomia nelle arteriopatie periferiche con tono vasomotore basso [Contraindications for sympathectomy in peripheral arteriopathies with low vasomotor tonus]. *Arch Ital Chir.* 1955;80(4):299-310. Italian. PMID: 13328384.

257: BARNETT AJ. Lumbar sympathectomy for occlusive arterial disease. *Australas Ann Med.* 1954 Nov;3(4):295-8. doi: 10.1111/imj.1954.3.4.295. PMID: 13229834.

258: GILFILLAN RS, STEINFELD JL, LEEDS FH. The syndrome of peripheral arterial insufficiency with partial occlusion of the iliac artery; a study of nine cases. *Surgery.* 1954 Apr;35(4):598-611. PMID:

13156871.

259: CRAIG WM. Sympathectomy for occlusive arterial disease. Proc Staff Meet Mayo Clin. 1954 Mar 10;29(5):143-5. PMID: 13145637.

260: WYLIE EJ, GARDNER RE. Peripheral arteriosclerosis; present concepts of management. Calif Med. 1953 Nov;79(5):346-52. PMID: 13106709; PMCID: PMC1521902.

261: SLESSOR AJ. Sympathectomy and the palliative operations for occlusive arterial disease. Postgrad Med J. 1953 Sep;29(335):459-61. doi: 10.1136/pgmj.29.335.459. PMID: 13088513; PMCID: PMC2500459.

262: CRANLEY JJ, LEISECA SA, BUCHANAN JL, MENENDEZ CV, TODD DP, LINTON RR. Prediction of the effect of lumbar sympathectomy on the skin temperature of the lower extremity in patients with obliterative arterial disease. Surgery. 1953 Jun;33(6):799-809. PMID: 13113480.

263: POPKIN RJ. The arteriolar circulation as a factor in the results obtained in sympathectomy for peripheral arterial occlusive disease. Angiology. 1953 Jun;4(3):210-3. doi: 10.1177/000331975300400304. PMID: 13058175.

264: TRENCH NF, MONFORT J. Use of hexamethonium as test for indication for sympathectomy in peripheral arteriopathy of the lower extremities. Rev Paul Med. 1953 Apr;42(4):253-71. English. PMID: 13101060.

265: JENNINGS C. Sympathectomy in peripheral arterial disease and injury. J Med Assoc Ga. 1947 Nov;36(11):440-7. PMID: 20271175.

From:

<https://neurosurgerywiki.com/wiki/> - **Neurosurgery Wiki**

Permanent link:

https://neurosurgerywiki.com/wiki/doku.php?id=peripheral_arterial_disease

Last update: **2024/06/07 02:53**

