

Retrosigmoid approach indications

- [Perspectives on Minimum Neurotology Fellowship Case Numbers: A Survey of American Neurotology Society Members](#)
- [Outcomes in Vestibular Schwannoma Surgery: insights from our last 100 cases](#)
- [Retrosigmoid Intradural Suprameatal Approach: 2-Dimensional Operative Video](#)
- [Two-Stage Surgical Management for Acutely Presented Large Vestibular Schwannomas: Report of Two Cases](#)
- [Approaches to the Middle Cerebellar Peduncle for Resection of Pontine Cavernomas](#)
- [Schwannomas of Brain and Spinal Cord](#)
- [Endoscope-Assisted Microvascular Decompression in Hemifacial Spasm: 2-Dimensional Operative Video](#)
- [The Semisitting Retrosigmoid Technique for Removal of Large Vestibular Schwannoma: 2-Dimensional Operative Video](#)

The retromastoid [approach](#) has remained a versatile and simple route to access the [cerebellopontine angle](#):

see [Retrosigmoid transmeatal approach for vestibular schwannoma](#)

see [Retrosigmoid approach for cerebellopontine angle meningioma](#)

[Hypoglossal schwannoma](#) ¹⁾

¹⁾

Suri A, Bansal S, Sharma BS, Mahapatra AK, Kale SS, Chandra PS, Singh M, Kumar R, Sharma MS. Management of hypoglossal schwannomas: single institutional experience of 14 cases. J Neurol Surg B Skull Base. 2014 Jun;75(3):159-64. doi: 10.1055/s-0033-1356924. Epub 2014 Mar 12. PubMed PMID: 25072009; PubMed Central PMCID: PMC4078147.

From:

<https://neurosurgerywiki.com/wiki/> - **Neurosurgery Wiki**

Permanent link:

https://neurosurgerywiki.com/wiki/doku.php?id=retrosigmoid_approach_indications

Last update: **2024/06/07 02:59**

