

- 1: Zimmermann M, Rössler K, Kaltenhäuser M, Grummich P, Brandner N, Buchfelder M, Dörfler A, Kölbl K, Stadlbauer A. Comparative fMRI and MEG localization of cortical sensorimotor function: Bimodal mapping supports motor area reorganization in glioma patients. *PLoS One*. 2019 Mar 7;14(3):e0213371. doi: 10.1371/journal.pone.0213371. eCollection 2019. PubMed PMID: 30845241.
- 2: Ilyas A, Pizarro D, Romeo AK, Riley KO, Pati S. The centromedian nucleus: Anatomy, physiology, and clinical implications. *J Clin Neurosci*. 2019 Feb 28. pii: S0967-5868(19)30016-5. doi: 10.1016/j.jocn.2019.01.050. [Epub ahead of print] Review. PubMed PMID: 30827880.
- 3: Skop NB, Singh S, Antikainen H, Saqcena C, Calderon F, Rothbard DE, Cho CH, Gandhi CD, Levison SW, Dobrowolski R. Subacute Transplantation of Native and Genetically Engineered Neural Progenitors Seeded on Microsphere Scaffolds Promote Repair and Functional Recovery After Traumatic Brain Injury. *ASN Neuro*. 2019 Jan-Dec;11:1759091419830186. doi: 10.1177/1759091419830186. PubMed PMID: 30818968.
- 4: Luyt K, Jary S, Lea C, Young GJ, Odd D, Miller H, Kmita G, Williams C, Blair PS, Fernández AM, Hollingworth W, Morgan M, Smith-Collins A, Thai NJ, Walker-Cox S, Aquilina K, Pople I, Whitelaw A. Ten-year follow-up of a randomised trial of drainage, irrigation and fibrinolytic therapy (DRIFT) in infants with post-haemorrhagic ventricular dilatation. *Health Technol Assess*. 2019 Feb;23(4):1-116. doi: 10.3310/hta23040. PubMed PMID: 30774069; PubMed Central PMCID: PMC6398084.
- 5: Sagberg LM, Iversen DH, Fyllingen EH, Jakola AS, Reinertsen I, Solheim O. Brain atlas for assessing the impact of tumor location on perioperative quality of life in patients with high-grade glioma: A prospective population-based cohort study. *Neuroimage Clin*. 2019;21:101658. doi: 10.1016/j.nicl.2019.101658. Epub 2019 Jan 8. PubMed PMID: 30655192.
- 6: Shokur S, Donati ARC, Campos DSF, Gitti C, Bao G, Fischer D, Almeida S, Braga VAS, Augusto P, Petty C, Alho EJJ, Lebedev M, Song AW, Nicolelis MAL. Training with brain-machine interfaces, visuo-tactile feedback and assisted locomotion improves sensorimotor, visceral, and psychological signs in chronic paraplegic patients. *PLoS One*. 2018 Nov 29;13(11):e0206464. doi: 10.1371/journal.pone.0206464. eCollection 2018. PubMed PMID: 30496189; PubMed Central PMCID: PMC6264837.
- 7: Ravina K, Briggs DI, Kislal S, Warraich Z, Nguyen T, Lam RK, Zarembinski TI, Shamloo M. Intracerebral Delivery of Brain-Derived Neurotrophic Factor Using HyStem(®)-C Hydrogel Implants Improves Functional Recovery and Reduces Neuroinflammation in a Rat Model of Ischemic Stroke. *Int J Mol Sci*. 2018 Nov 28;19(12). pii: E3782. doi: 10.3390/ijms19123782. PubMed PMID: 30486515; PubMed Central PMCID: PMC6321015.
- 8: Beldick SR, Hong J, Altamentova S, Khazaei M, Hundal A, Zavvarian MM, Rumajogee P, Chio J, Fehlings MG. Severe-combined immunodeficient rats can be used to generate a model of perinatal hypoxic-ischemic brain injury to facilitate studies of engrafted human neural stem cells. *PLoS One*. 2018 Nov 28;13(11):e0208105. doi: 10.1371/journal.pone.0208105. eCollection 2018. PubMed PMID: 30485360; PubMed Central PMCID: PMC6261629.
- 9: Buch VP, Richardson AG, Brandon C, Stiso J, Khatkhat MN, Bassett DS, Lucas TH. Network Brain-Computer Interface (nBCI): An Alternative Approach for Cognitive Prosthetics. *Front Neurosci*. 2018 Nov 1;12:790. doi: 10.3389/fnins.2018.00790. eCollection 2018. PubMed PMID: 30443203; PubMed Central PMCID: PMC6221897.
- 10: Hartmann CJ, Hirschmann J, Vesper J, Wojtecki L, Butz M, Schnitzler A. Distinct cortical responses evoked by electrical stimulation of the thalamic ventral intermediate nucleus and of the subthalamic

- nucleus. *Neuroimage Clin.* 2018;20:1246-1254. doi: 10.1016/j.nicl.2018.11.001. Epub 2018 Nov 3. PubMed PMID: 30420259; PubMed Central PMCID: PMC6308824.
- 11: Mo J, Huang L, Peng J, Ocak U, Zhang J, Zhang JH. Autonomic Disturbances in Acute Cerebrovascular Disease. *Neurosci Bull.* 2019 Feb;35(1):133-144. doi: 10.1007/s12264-018-0299-2. Epub 2018 Oct 11. Review. PubMed PMID: 30311072; PubMed Central PMCID: PMC6357277.
- 12: van der Salm SMA, van der Meer JN, Cath DC, Groot PFC, van der Werf YD, Brouwers E, de Wit SJ, Coppens JC, Nederveen AJ, van Rootselaar AF, Tijssen MAJ. Distinctive tics suppression network in Gilles de la Tourette syndrome distinguished from suppression of natural urges using multimodal imaging. *Neuroimage Clin.* 2018;20:783-792. doi: 10.1016/j.nicl.2018.09.014. Epub 2018 Sep 19. PubMed PMID: 30268027; PubMed Central PMCID: PMC6169325.
- 13: Grewal SS, Holanda VM, Middlebrooks EH. Corticopallidal Connectome of the Globus Pallidus Externus in Humans: An Exploratory Study of Structural Connectivity Using Probabilistic Diffusion Tractography. *AJNR Am J Neuroradiol.* 2018 Nov;39(11):2120-2125. doi: 10.3174/ajnr.A5816. Epub 2018 Sep 27. PubMed PMID: 30262639.
- 14: Kuo CH, Feroze AH, Poliachik SL, Hauptman JS, Novotny EJ Jr, Ojemann JG. Laser Ablation Therapy for Pediatric Patients with Intracranial Lesions in Eloquent Areas. *World Neurosurg.* 2019 Jan;121:e191-e199. doi: 10.1016/j.wneu.2018.09.074. Epub 2018 Sep 25. PubMed PMID: 30261370.
- 15: Gill ML, Grahn PJ, Calvert JS, Linde MB, Lavrov IA, Strommen JA, Beck LA, Sayenko DG, Van Straaten MG, Drubach DI, Veith DD, Thoreson AR, Lopez C, Gerasimenko YP, Edgerton VR, Lee KH, Zhao KD. Neuromodulation of lumbosacral spinal networks enables independent stepping after complete paraplegia. *Nat Med.* 2018 Nov;24(11):1677-1682. doi: 10.1038/s41591-018-0175-7. Epub 2018 Sep 24. Erratum in: *Nat Med.* 2018 Oct 23;:. PubMed PMID: 30250140.
- 16: Maesawa S, Nakatsubo D, Fujii M, Iijima K, Kato S, Ishizaki T, Shibata M, Wakabayashi T. Application of Awake Surgery for Epilepsy in Clinical Practice. *Neurol Med Chir (Tokyo).* 2018 Oct 15;58(10):442-452. doi: 10.2176/nmc.oa.2018-0122. Epub 2018 Sep 21. PubMed PMID: 30249918; PubMed Central PMCID: PMC6186762.
- 17: Jiang X, Suenaga J, Pu H, Wei Z, Smith AD, Hu X, Shi Y, Chen J. Post-stroke administration of omega-3 polyunsaturated fatty acids promotes neurovascular restoration after ischemic stroke in mice: Efficacy declines with aging. *Neurobiol Dis.* 2018 Sep 12. pii: S0969-9961(18)30573-4. doi: 10.1016/j.nbd.2018.09.012. [Epub ahead of print] Review. PubMed PMID: 30218758.
- 18: Miocinovic S, de Hemptinne C, Chen W, Isbaine F, Willie JT, Ostrem JL, Starr PA. Cortical Potentials Evoked by Subthalamic Stimulation Demonstrate a Short Latency Hyperdirect Pathway in Humans. *J Neurosci.* 2018 Oct 24;38(43):9129-9141. doi: 10.1523/JNEUROSCI.1327-18.2018. Epub 2018 Sep 10. PubMed PMID: 30201770; PubMed Central PMCID: PMC6199405.
- 19: Xia Y, Pu H, Leak RK, Shi Y, Mu H, Hu X, Lu Z, Foley LM, Hitchens TK, Dixon CE, Bennett MVL, Chen J. Tissue plasminogen activator promotes white matter integrity and functional recovery in a murine model of traumatic brain injury. *Proc Natl Acad Sci U S A.* 2018 Sep 25;115(39):E9230-E9238. doi: 10.1073/pnas.1810693115. Epub 2018 Sep 10. PubMed PMID: 30201709; PubMed Central PMCID: PMC6166834.
- 20: Maruta J, Spielman LA, Rajashekar U, Ghajar J. Association of Visual Tracking Metrics With Post-concussion Symptomatology. *Front Neurol.* 2018 Jul 26;9:611. doi: 10.3389/fneur.2018.00611. eCollection 2018. PubMed PMID: 30093880; PubMed Central PMCID: PMC6070608.

- 21: Woodworth DC, Holly LT, Salamon N, Ellingson BM. Resting-State Functional Magnetic Resonance Imaging Connectivity of the Brain Is Associated with Altered Sensorimotor Function in Patients with Cervical Spondylosis. *World Neurosurg.* 2018 Nov;119:e740-e749. doi: 10.1016/j.wneu.2018.07.257. Epub 2018 Aug 6. PubMed PMID: 30092474; PubMed Central PMCID: PMC6200587.
- 22: Chao ZC, Sawada M, Isa T, Nishimura Y. Dynamic Reorganization of Motor Networks During Recovery from Partial Spinal Cord Injury in Monkeys. *Cereb Cortex.* 2018 Jul 27. doi: 10.1093/cercor/bhy172. [Epub ahead of print] PubMed PMID: 30060105.
- 23: Zhang Y, Chopp M, Rex CS, Simmon VF, Sarraf ST, Zhang ZG, Mahmood A, Xiong Y. A Small Molecule Spinogenic Compound Enhances Functional Outcome and Dendritic Spine Plasticity in a Rat Model of Traumatic Brain Injury. *J Neurotrauma.* 2019 Feb 15;36(4):589-600. doi: 10.1089/neu.2018.5790. Epub 2018 Sep 6. PubMed PMID: 30014757; PubMed Central PMCID: PMC6354611.
- 24: Liu H, He J, Zhong J, Zhang H, Zhang Z, Liu L, Huang Z, Wu Y, Jiang L, Guo Z, Xu R, Chai W, Huo G, Sun X, Cheng C. Clinical and Basic Evaluation of the Prognostic Value of [Uric Acid](#) in Traumatic Brain Injury. *Int J Med Sci.* 2018 Jun 23;15(10):1072-1082. doi: 10.7150/ijms.25799. eCollection 2018. PubMed PMID: 30013449; PubMed Central PMCID: PMC6036155.
- 25: Woodcock IR, Menezes MP, Coleman L, Yapllito-Lee J, Peters H, White SM, Stapleton R, Phelan DG, Chong B, Lunke S, Stark Z, Pitt J, Ryan MM, Robertson C, Yiu EM. Genetic, Radiologic, and Clinical Variability in Brown-Vialetto-van Laere Syndrome. *Semin Pediatr Neurol.* 2018 Jul;26:2-9. doi: 10.1016/j.spen.2017.03.001. Epub 2017 Apr 5. PubMed PMID: 29961509.
- 26: Larivière S, Ward NS, Boudrias MH. Disrupted functional network integrity and flexibility after stroke: Relation to motor impairments. *Neuroimage Clin.* 2018 Jun 9;19:883-891. doi: 10.1016/j.nicl.2018.06.010. eCollection 2018. PubMed PMID: 29946512; PubMed Central PMCID: PMC6008503.
- 27: Ramanathan DS, Guo L, Gulati T, Davidson G, Hishinuma AK, Won SJ, Knight RT, Chang EF, Swanson RA, Ganguly K. Low-frequency cortical activity is a neuromodulatory target that tracks recovery after stroke. *Nat Med.* 2018 Aug;24(8):1257-1267. doi: 10.1038/s41591-018-0058-y. Epub 2018 Jun 18. PubMed PMID: 29915259; PubMed Central PMCID: PMC6093781.
- 28: Porcari GS, Beslow LA, Ichord RN, Licht DJ, Kleinman JT, Jordan LC. Neurologic Outcome Predictors in Pediatric Intracerebral Hemorrhage: A Prospective Study. *Stroke.* 2018 Jul;49(7):1755-1758. doi: 10.1161/STROKEAHA.118.021845. Epub 2018 Jun 12. PubMed PMID: 29895534; PubMed Central PMCID: PMC6019624.
- 29: He J, Liu H, Zhong J, Guo Z, Wu J, Zhang H, Huang Z, Jiang L, Li H, Zhang Z, Liu L, Wu Y, Qi L, Sun X, Cheng C. Bexarotene protects against neurotoxicity partially through a PPAR γ -dependent mechanism in mice following traumatic brain injury. *Neurobiol Dis.* 2018 Sep;117:114-124. doi: 10.1016/j.nbd.2018.06.003. Epub 2018 Jun 7. PubMed PMID: 29886067.
- 30: Athanasiou A, Terzopoulos N, Pandria N, Xygonakis I, Foroglou N, Polyzoidis K, Bamidis PD. Functional Brain Connectivity during Multiple Motor Imagery Tasks in Spinal Cord Injury. *Neural Plast.* 2018 May 2;2018:9354207. doi: 10.1155/2018/9354207. eCollection 2018. PubMed PMID: 29853852; PubMed Central PMCID: PMC5954936.
- 31: Biloshytskyi VV, Pachevska AV, Biloshytska AV, Istoshyn VM, Biloshytska MV, Shevnia OB. [Experimental evaluation of the therapeutic potential of liposome-mediated apoe3 gene transfection for cerebral atherosclerosis]. *Wiad Lek.* 2018;71(3 pt 1):460-469. Ukrainian. PubMed PMID: 29783206.

- 32: Bichsel O, Gassert R, Stieglitz L, Uhl M, Baumann-Vogel H, Waldvogel D, Baumann CR, Imbach LL. Functionally separated networks for self-paced and externally-cued motor execution in Parkinson's disease: Evidence from deep brain recordings in humans. *Neuroimage*. 2018 Aug 15;177:20-29. doi: 10.1016/j.neuroimage.2018.05.012. Epub 2018 May 5. PubMed PMID: 29738912.
- 33: Dietrich C, Nehrdich S, Zimmer A, Ritter A, Hofmann GO, Miltner WHR, Weiss T. Referred cramping phantom hand pain elicited in the face and eliminated by peripheral nerve block. *Exp Brain Res*. 2018 Jun;236(6):1815-1824. doi: 10.1007/s00221-018-5262-y. Epub 2018 Apr 17. PubMed PMID: 29666885.
- 34: Kelley KW, Ben Haim L, Schirmer L, Tyzack GE, Tolman M, Miller JG, Tsai HH, Chang SM, Molofsky AV, Yang Y, Patani R, Lakatos A, Ullian EM, Rowitch DH. Kir4.1-Dependent Astrocyte-Fast Motor Neuron Interactions Are Required for Peak Strength. *Neuron*. 2018 Apr 18;98(2):306-319.e7. doi: 10.1016/j.neuron.2018.03.010. Epub 2018 Apr 5. PubMed PMID: 29606582; PubMed Central PMCID: PMC5919779.
- 35: Abbasi O, Hirschmann J, Storzer L, Özkurt TE, Elben S, Vesper J, Wojtecki L, Schmitz G, Schnitzler A, Butz M. Unilateral deep brain stimulation suppresses alpha and [beta oscillations](#) in sensorimotor cortices. *Neuroimage*. 2018 Jul 1;174:201-207. doi: 10.1016/j.neuroimage.2018.03.026. Epub 2018 Mar 16. PubMed PMID: 29551459.
- 36: Woodworth DC, Holly LT, Mayer EA, Salamon N, Ellingson BM. Alterations in Cortical Thickness and Subcortical Volume are Associated With Neurological Symptoms and Neck Pain in Patients With Cervical Spondylosis. *Neurosurgery*. 2019 Mar 1;84(3):588-598. doi: 10.1093/neuros/nyy066. PubMed PMID: 29548020.
- 37: Jiang T, Liu S, Pellizzer G, Aydoseli A, Karamursel S, Sabanci PA, Sencer A, Gurses C, Ince NF. Characterization of Hand Clenching in Human Sensorimotor Cortex Using High-, and Ultra-High Frequency Band Modulations of Electrocorticogram. *Front Neurosci*. 2018 Feb 27;12:110. doi: 10.3389/fnins.2018.00110. eCollection 2018. PubMed PMID: 29535603; PubMed Central PMCID: PMC5835101.
- 38: Singh K, Loreth D, Pöttker B, Hefti K, Innos J, Schwald K, Hengstler H, Menzel L, Sommer CJ, Radyushkin K, Kretz O, Philips MA, Haas CA, Frauenknecht K, Lilleväli K, Heimrich B, Vasar E, Schäfer MKE. Neuronal Growth and Behavioral Alterations in Mice Deficient for the Psychiatric Disease-Associated *Negr1* Gene. *Front Mol Neurosci*. 2018 Feb 9;11:30. doi: 10.3389/fnmol.2018.00030. eCollection 2018. PubMed PMID: 29479305; PubMed Central PMCID: PMC5811522.
- 39: Yang H, Zhang C, Liu C, Yu T, Zhang G, Chen N, Li K. Brain network alteration in patients with temporal lobe epilepsy with cognitive impairment. *Epilepsy Behav*. 2018 Apr;81:41-48. doi: 10.1016/j.yebeh.2018.01.024. Epub 2018 Feb 22. PubMed PMID: 29475172.
- 40: Arya R, Wilson JA, Fujiwara H, Vannest J, Byars AW, Rozhkov L, Leach JL, Greiner HM, Buroker J, Scholle C, Horn PS, Crone NE, Rose DF, Mangano FT, Holland KD. Electrocorticographic high-gamma modulation with passive listening paradigm for pediatric extraoperative language mapping. *Epilepsia*. 2018 Apr;59(4):792-801. doi: 10.1111/epi.14029. Epub 2018 Feb 20. Erratum in: *Epilepsia*. 2018 Jul;59(7):1473. PubMed PMID: 29460482.
- 41: Domin H, Przykaza Ł, Kozniewska E, Boguszewski PM, Śmiałowska M. Neuroprotective effect of the group III mGlu receptor agonist ACPT-I after ischemic stroke in rats with essential hypertension. *Prog Neuropsychopharmacol Biol Psychiatry*. 2018 Jun 8;84(Pt A):93-101. doi: 10.1016/j.pnpbp.2018.02.006. Epub 2018 Feb 10. PubMed PMID: 29438731.
- 42: Zhang M, Zhang Y, Bian Y, Fu H, Xu Y, Guo Y. Effect of long-term electroacupuncture stimulation

on recovery of sensorimotor function after peripheral nerve anastomosis. *Acupunct Med.* 2018 Jun;36(3):170-175. doi: 10.1136/acupmed-2017-011367. Epub 2018 Feb 7. PubMed PMID: 29436383; PubMed Central PMCID: PMC6029640.

43: Malekmohammadi M, AuYong N, Ricks-Oddie J, Bordelon Y, Pouratian N. Pallidal deep brain stimulation modulates excessive cortical high β phase amplitude coupling in Parkinson disease. *Brain Stimul.* 2018 May - Jun;11(3):607-617. doi: 10.1016/j.brs.2018.01.028. Epub 2018 Jan 31. PubMed PMID: 29422442; PubMed Central PMCID: PMC5930048.

44: Hendriks EJ, Habets EJJ, Taphoorn MJB, Douw L, Zwinderman AH, Vandertop WP, Barkhof F, Klein M, De Witt Hamer PC. Linking late cognitive outcome with glioma surgery location using resection cavity maps. *Hum Brain Mapp.* 2018 May;39(5):2064-2074. doi: 10.1002/hbm.23986. Epub 2018 Jan 29. PubMed PMID: 29380489; PubMed Central PMCID: PMC5947547.

45: Sawada M, Nakae T, Munemitsu T, Hojo M. Cortical Reorganizations for Recovery from Depressive State After Spinal Decompression Surgery. *World Neurosurg.* 2018 Apr;112:e632-e639. doi: 10.1016/j.wneu.2018.01.108. Epub 2018 Jan 31. PubMed PMID: 29374546.

46: Quattromani MJ, Hakon J, Rauch U, Bauer AQ, Wieloch T. Changes in resting-state functional connectivity after stroke in a mouse brain lacking extracellular matrix components. *Neurobiol Dis.* 2018 Apr;112:91-105. doi: 10.1016/j.nbd.2018.01.011. Epub 2018 Jan 31. PubMed PMID: 29367009; PubMed Central PMCID: PMC5851486.

47: Hiura M, Nariai T, Sakata M, Muta A, Ishibashi K, Wagatsuma K, Tago T, Toyohara J, Ishii K, Maehara T. Response of Cerebral Blood Flow and Blood Pressure to Dynamic Exercise: A Study Using PET. *Int J Sports Med.* 2018 Feb;39(3):181-188. doi: 10.1055/s-0043-123647. Epub 2018 Jan 22. PubMed PMID: 29359277.

48: McBride DW, Wu G, Nowrangi D, Flores JJ, Hui L, Krafft PR, Zhang JH. Delayed Recanalization Promotes Functional Recovery in Rats Following Permanent Middle Cerebral Artery Occlusion. *Transl Stroke Res.* 2018 Apr;9(2):185-198. doi: 10.1007/s12975-018-0610-6. Epub 2018 Jan 21. PubMed PMID: 29354887.

49: Gallent EA, Steward O. Neuronal PTEN deletion in adult cortical neurons triggers progressive growth of cell bodies, dendrites, and axons. *Exp Neurol.* 2018 May;303:12-28. doi: 10.1016/j.expneurol.2018.01.005. Epub 2018 Jan 11. PubMed PMID: 29337147; PubMed Central PMCID: PMC5864555.

50: Kraus D, Naros G, Guggenberger R, Leão MT, Ziemann U, Gharabaghi A. Recruitment of Additional Corticospinal Pathways in the Human Brain with State-Dependent Paired Associative Stimulation. *J Neurosci.* 2018 Feb 7;38(6):1396-1407. doi: 10.1523/JNEUROSCI.2893-17.2017. Epub 2018 Jan 15. PubMed PMID: 29335359.

51: Wagle Shukla A, Ostrem JL, Vaillancourt DE, Chen R, Foote KD, Okun MS. Physiological effects of subthalamic nucleus deep brain stimulation surgery in cervical dystonia. *J Neurol Neurosurg Psychiatry.* 2018 Dec;89(12):1296-1300. doi: 10.1136/jnnp-2017-317098. Epub 2018 Jan 11. PubMed PMID: 29326293.

52: Wakabayashi M, Koketsu D, Kondo H, Sato S, Ohara K, Polyakova Z, Chiken S, Hatanaka N, Nambu A. Development of stereotaxic recording system for awake marmosets (*Callithrix jacchus*). *Neurosci Res.* 2018 Oct;135:37-45. doi: 10.1016/j.neures.2018.01.001. Epub 2018 Jan 6. PubMed PMID: 29317247.

- 53: Casimo K, Levinson LH, Zanos S, Gkogkidis CA, Ball T, Fetz E, Weaver KE, Ojemann JG. An interspecies comparative study of invasive electrophysiological functional connectivity. *Brain Behav.* 2017 Nov 22;7(12):e00863. doi: 10.1002/brb3.863. eCollection 2017 Dec. PubMed PMID: 29299382; PubMed Central PMCID: PMC5745242.
- 54: Webb RL, Kaiser EE, Scoville SL, Thompson TA, Fatima S, Pandya C, Sriram K, Swetenburg RL, Vaibhav K, Arbab AS, Baban B, Dhandapani KM, Hess DC, Hoda MN, Stice SL. Human Neural Stem Cell Extracellular Vesicles Improve Tissue and Functional Recovery in the Murine Thromboembolic Stroke Model. *Transl Stroke Res.* 2018 Oct;9(5):530-539. doi: 10.1007/s12975-017-0599-2. Epub 2017 Dec 28. PubMed PMID: 29285679; PubMed Central PMCID: PMC6132936.
- 55: Hakon J, Quattromani MJ, Sjölund C, Tomasevic G, Carey L, Lee JM, Ruscher K, Wieloch T, Bauer AQ. Multisensory stimulation improves functional recovery and resting-state functional connectivity in the mouse brain after stroke. *Neuroimage Clin.* 2017 Dec 2;17:717-730. doi: 10.1016/j.nicl.2017.11.022. eCollection 2018. PubMed PMID: 29264113; PubMed Central PMCID: PMC5726755.
- 56: Saito T, Tamura M, Chernov MF, Ikuta S, Muragaki Y, Maruyama T. Neurophysiological Monitoring and Awake Craniotomy for Resection of Intracranial Gliomas. *Prog Neurol Surg.* 2018;30:117-158. doi: 10.1159/000464387. Epub 2017 Dec 14. Review. PubMed PMID: 29241172.
- 57: Haegens S, Vergara J, Rossi-Pool R, Lemus L, Romo R. Beta oscillations reflect supramodal information during perceptual judgment. *Proc Natl Acad Sci U S A.* 2017 Dec 26;114(52):13810-13815. doi: 10.1073/pnas.1714633115. Epub 2017 Dec 11. PubMed PMID: 29229820; PubMed Central PMCID: PMC5748206.
- 58: Kelm-Nelson CA, Brauer AFL, Barth KJ, Lake JM, Sinnen MLK, Stehula FJ, Muslu C, Marongiu R, Kaplitt MG, Ciucci MR. Characterization of early-onset motor deficits in the Pink1^{-/-} mouse model of Parkinson disease. *Brain Res.* 2018 Feb 1;1680:1-12. doi: 10.1016/j.brainres.2017.12.002. Epub 2017 Dec 8. PubMed PMID: 29229503; PubMed Central PMCID: PMC5767140.
- 59: Ghinda DC, Wu JS, Duncan NW, Northoff G. How much is enough-Can resting state fMRI provide a demarcation for neurosurgical resection in glioma? *Neurosci Biobehav Rev.* 2018 Jan;84:245-261. doi: 10.1016/j.neubiorev.2017.11.019. Epub 2017 Dec 2. Review. PubMed PMID: 29198588.
- 60: Athanasiou A, Klados MA, Pandria N, Foroglou N, Kavazidi KR, Polyzoidis K, Bamidis PD. A Systematic Review of Investigations into Functional Brain Connectivity Following Spinal Cord Injury. *Front Hum Neurosci.* 2017 Oct 25;11:517. doi: 10.3389/fnhum.2017.00517. eCollection 2017. PubMed PMID: 29163098; PubMed Central PMCID: PMC5669283.
- 61: Zhang Y, Chopp M, Emanuele M, Zhang L, Zhang ZG, Lu M, Zhang T, Mahmood A, Xiong Y. Treatment of Traumatic Brain Injury with Vepoloxamer (Purified Poloxamer 188). *J Neurotrauma.* 2018 Feb 15;35(4):661-670. doi: 10.1089/neu.2017.5284. Epub 2018 Jan 11. PubMed PMID: 29121826.
- 62: Li Y, Zhang S, Jin Y, Cai B, Controzzi M, Zhu J, Zhang J, Zheng X. Gesture Decoding Using ECoG Signals from Human Sensorimotor Cortex: A Pilot Study. *Behav Neurol.* 2017;2017:3435686. doi: 10.1155/2017/3435686. Epub 2017 Sep 5. PubMed PMID: 29104374; PubMed Central PMCID: PMC5605870.
- 63: Wang AC, Ibrahim GM, Poliakov AV, Wang PI, Fallah A, Mathern GW, Buckley RT, Collins K, Weil AG, Shurtleff HA, Warner MH, Perez FA, Shaw DW, Wright JN, Saneto RP, Novotny EJ, Lee A, Browd SR, Ojemann JG. Corticospinal tract atrophy and motor fMRI predict motor preservation after functional cerebral hemispherectomy. *J Neurosurg Pediatr.* 2018 Jan;21(1):81-89. doi:

10.3171/2017.7.PEDS17137. Epub 2017 Nov 3. PubMed PMID: 29099351.

64: Bruurmijn MLCM, Pereboom IPL, Vansteensel MJ, Raemaekers MAH, Ramsey NF. Preservation of hand movement representation in the sensorimotor areas of amputees. *Brain*. 2017 Dec 1;140(12):3166-3178. doi: 10.1093/brain/awx274. PubMed PMID: 29088322.

65: Greene C, Kealy J, Humphries MM, Gong Y, Hou J, Hudson N, Cassidy LM, Martiniano R, Shashi V, Hooper SR, Grant GA, Kenna PF, Norris K, Callaghan CK, Islam MD, O'Mara SM, Najda Z, Campbell SG, Pachter JS, Thomas J, Williams NM, Humphries P, Murphy KC, Campbell M. Dose-dependent expression of claudin-5 is a modifying factor in schizophrenia. *Mol Psychiatry*. 2018 Nov;23(11):2156-2166. doi: 10.1038/mp.2017.156. Epub 2017 Oct 10. PubMed PMID: 28993710; PubMed Central PMCID: PMC6298981.

66: Ramsey NF, Salari E, Aarnoutse EJ, Vansteensel MJ, Bleichner MG, Freudenburg ZV. Decoding spoken phonemes from sensorimotor cortex with high-density ECoG grids. *Neuroimage*. 2018 Oct 15;180(Pt A):301-311. doi: 10.1016/j.neuroimage.2017.10.011. Epub 2017 Oct 7. PubMed PMID: 28993231.

67: Athanasiou A, Xygonakis I, Pandria N, Kartsidis P, Arfaras G, Kavazidi KR, Foroglou N, Astaras A, Bamidis PD. Towards Rehabilitation Robotics: Off-the-Shelf BCI Control of Anthropomorphic Robotic Arms. *Biomed Res Int*. 2017;2017:5708937. doi: 10.1155/2017/5708937. Epub 2017 Aug 29. PubMed PMID: 28948168; PubMed Central PMCID: PMC5602625.

68: Gentil BJ, O'Ferrall E, Chalk C, Santana LF, Durham HD, Massie R. A New Mutation in FIG4 Causes a Severe Form of CMT4J Involving TRPV4 in the Pathogenic Cascade. *J Neuropathol Exp Neurol*. 2017 Sep 1;76(9):789-799. doi: 10.1093/jnen/nlx062. PubMed PMID: 28859335; PubMed Central PMCID: PMC6251583.

69: Wang W, Shi W, Qian H, Deng X, Wang T, Li W. Stellate ganglion block attenuates chronic stress induced depression in rats. *PLoS One*. 2017 Aug 31;12(8):e0183995. doi: 10.1371/journal.pone.0183995. eCollection 2017. PubMed PMID: 28859148; PubMed Central PMCID: PMC5578491.

70: van Lieshout ECC, Visser-Meily JMA, Neggers SFW, van der Worp HB, Dijkhuizen RM. Brain stimulation for arm recovery after stroke (B-STARS): protocol for a randomised controlled trial in subacute stroke patients. *BMJ Open*. 2017 Aug 28;7(8):e016566. doi: 10.1136/bmjopen-2017-016566. PubMed PMID: 28851789; PubMed Central PMCID: PMC5629737.

71: Tan LA, Riew KD, Traynelis VC. Cervical Spine Deformity-Part 1: Biomechanics, Radiographic Parameters, and Classification. *Neurosurgery*. 2017 Aug 1;81(2):197-203. doi: 10.1093/neuros/nyx249. Review. PubMed PMID: 28838143.

72: Raco V, Bauer R, Norim S, Gharabaghi A. Cumulative effects of single TMS pulses during beta-tACS are stimulation intensity-dependent. *Brain Stimul*. 2017 Nov - Dec;10(6):1055-1060. doi: 10.1016/j.brs.2017.07.009. Epub 2017 Jul 27. PubMed PMID: 28779945.

73: Ryun S, Kim JS, Jeon E, Chung CK. Movement-Related Sensorimotor High-Gamma Activity Mainly Represents Somatosensory Feedback. *Front Neurosci*. 2017 Jul 14;11:408. doi: 10.3389/fnins.2017.00408. eCollection 2017. PubMed PMID: 28769747; PubMed Central PMCID: PMC5509940.

74: Chen CC, Lu J, Yang R, Ding JB, Zuo Y. Selective activation of parvalbumin interneurons prevents stress-induced synapse loss and perceptual defects. *Mol Psychiatry*. 2018 Jul;23(7):1614-1625. doi:

10.1038/mp.2017.159. Epub 2017 Aug 1. PubMed PMID: 28761082; PubMed Central PMCID: PMC5794672.

75: Cui D, Sun D, Wang X, Yi L, Kulikowicz E, Reyes M, Zhu J, Yang ZJ, Jiang W, Koehler RC. Impaired autophagosome clearance contributes to neuronal death in a piglet model of neonatal hypoxic-ischemic encephalopathy. *Cell Death Dis.* 2017 Jul 13;8(7):e2919. doi: 10.1038/cddis.2017.318. PubMed PMID: 28703794; PubMed Central PMCID: PMC5550864.

76: Sharifi S, Luft F, Verhagen R, Heida T, Speelman JD, Bour LJ, van Rootselaar AF. Intermittent cortical involvement in the preservation of tremor in essential tremor. *J Neurophysiol.* 2017 Nov 1;118(5):2628-2635. doi: 10.1152/jn.00848.2016. Epub 2017 Jul 12. PubMed PMID: 28701548; PubMed Central PMCID: PMC5672541.

77: Krucoff MO, Zhuang K, MacLeod D, Yin A, Byun YW, Manson RJ, Turner DA, Oliveira L, Lebedev MA. A novel paraplegia model in awake behaving macaques. *J Neurophysiol.* 2017 Sep 1;118(3):1800-1808. doi: 10.1152/jn.00327.2017. Epub 2017 Jul 12. PubMed PMID: 28701540; PubMed Central PMCID: PMC5596146.

78: Nagano-Saito A, Lissemore JI, Gravel P, Leyton M, Carbonell F, Benkelfat C. Posterior dopamine D2/3 receptors and brain network functional connectivity. *Synapse.* 2017 Nov;71(11). doi: 10.1002/syn.21993. Epub 2017 Aug 7. PubMed PMID: 28700819.

79: Weber G, Liao S, Burns MA. Sciatic (Popliteal Fossa) Catheter for Pediatric Pain Management of Sick Cell Crisis: A Case Report. *A A Case Rep.* 2017 Nov 15;9(10):297-299. doi: 10.1213/XAA.0000000000000598. PubMed PMID: 28697028.

80: Reichert JL, Chocholous M, Leiss U, Pletschko T, Kasprian G, Furtner J, Kollndorfer K, Krajnik J, Slavc I, Prayer D, Czech T, Schöpf V, Dorfer C. Neuronal correlates of cognitive function in patients with childhood cerebellar tumor lesions. *PLoS One.* 2017 Jul 10;12(7):e0180200. doi: 10.1371/journal.pone.0180200. eCollection 2017. PubMed PMID: 28692686; PubMed Central PMCID: PMC5503240.

81: Wen J, Yu T, Li Y, Li X. Using electrocorticography for presurgical language mapping in epilepsy patients. *J Clin Neurosci.* 2017 Oct;44:320-322. doi: 10.1016/j.jocn.2017.06.015. Epub 2017 Jul 1. PubMed PMID: 28676308.

82: Schwabe K, Krauss JK. What rodent models of deep brain stimulation can teach us about the neural circuit regulation of prepulse inhibition in neuropsychiatric disorders. *Schizophr Res.* 2018 Aug;198:45-51. doi: 10.1016/j.schres.2017.06.033. Epub 2017 Jun 27. Review. PubMed PMID: 28663025.

83: Agarwal S, Lu H, Pillai JJ. Value of Frequency Domain Resting-State Functional Magnetic Resonance Imaging Metrics Amplitude of Low-Frequency Fluctuation and Fractional Amplitude of Low-Frequency Fluctuation in the Assessment of Brain Tumor-Induced Neurovascular Uncoupling. *Brain Connect.* 2017 Aug;7(6):382-389. doi: 10.1089/brain.2016.0480. Erratum in: *Brain Connect.* 2017 Sep;7(7):464. PubMed PMID: 28657344; PubMed Central PMCID: PMC5567607.

84: Hu J, Ferguson L, Adler K, Farah CA, Hastings MH, Sossin WS, Schacher S. Selective Erasure of Distinct Forms of Long-Term Synaptic Plasticity Underlying Different Forms of Memory in the Same Postsynaptic Neuron. *Curr Biol.* 2017 Jul 10;27(13):1888-1899.e4. doi: 10.1016/j.cub.2017.05.081. Epub 2017 Jun 22. PubMed PMID: 28648820; PubMed Central PMCID: PMC5546621.

85: Bowerman M, Salsac C, Bernard V, Soulard C, Dionne A, Coque E, Benlefki S, Hince P, Dion PA,

Butler-Browne G, Camu W, Bouchard JP, Delpire E, Rouleau GA, Raoul C, Scamps F. KCC3 loss-of-function contributes to Andermann syndrome by inducing activity-dependent neuromuscular junction defects. *Neurobiol Dis*. 2017 Oct;106:35-48. doi: 10.1016/j.nbd.2017.06.013. Epub 2017 Jun 21. PubMed PMID: 28647557.

86: Parreira RB, Grecco LAC, Oliveira CS. Postural control in blind individuals: A systematic review. *Gait Posture*. 2017 Sep;57:161-167. doi: 10.1016/j.gaitpost.2017.06.008. Epub 2017 Jun 12. Review. PubMed PMID: 28641161.

87: Stavisky SD, Kao JC, Ryu SI, Shenoy KV. Motor Cortical Visuomotor Feedback Activity Is Initially Isolated from Downstream Targets in Output-Null Neural State Space Dimensions. *Neuron*. 2017 Jul 5;95(1):195-208.e9. doi: 10.1016/j.neuron.2017.05.023. Epub 2017 Jun 15. PubMed PMID: 28625485; PubMed Central PMCID: PMC5547570.

88: Williams GW, Shankar B, Klier EM, Chuang AZ, El Marjiya-Villarreal S, Nwokolo OO, Sharma A, Sereno AB. Sensorimotor and executive function slowing in anesthesiology residents after overnight shifts. *J Clin Anesth*. 2017 Aug;40:110-116. doi: 10.1016/j.jclinane.2017.04.002. PubMed PMID: 28625430.

89: Hedrich T, Pellegrino G, Kobayashi E, Lina JM, Grova C. Comparison of the spatial resolution of source imaging techniques in high-density EEG and MEG. *Neuroimage*. 2017 Aug 15;157:531-544. doi: 10.1016/j.neuroimage.2017.06.022. Epub 2017 Jun 13. PubMed PMID: 28619655.

90: Leonard G, Lapierre Y, Chen JK, Wardini R, Crane J, Ptito A. Noninvasive tongue stimulation combined with intensive cognitive and physical rehabilitation induces neuroplastic changes in patients with multiple sclerosis: A multimodal neuroimaging study. *Mult Scler J Exp Transl Clin*. 2017 Feb 1;3(1):2055217317690561. doi: 10.1177/2055217317690561. eCollection 2017 Jan-Mar. PubMed PMID: 28607750; PubMed Central PMCID: PMC5466147.

91: Akram H, Wu C, Hyam J, Foltynie T, Limousin P, De Vita E, Yousry T, Jahanshahi M, Hariz M, Behrens T, Ashburner J, Zrinzo L. L-Dopa responsiveness is associated with distinctive connectivity patterns in advanced Parkinson's disease. *Mov Disord*. 2017 Jun;32(6):874-883. doi: 10.1002/mds.27017. Epub 2017 May 8. PubMed PMID: 28597560.

92: Burciu RG, Hess CW, Coombes SA, Ofori E, Shukla P, Chung JW, McFarland NR, Wagle Shukla A, Okun MS, Vaillancourt DE. Functional activity of the sensorimotor cortex and cerebellum relates to cervical dystonia symptoms. *Hum Brain Mapp*. 2017 Sep;38(9):4563-4573. doi: 10.1002/hbm.23684. Epub 2017 Jun 8. PubMed PMID: 28594097; PubMed Central PMCID: PMC5547035.

93: Zhang J, Pu H, Zhang H, Wei Z, Jiang X, Xu M, Zhang L, Zhang W, Liu J, Meng H, Stetler RA, Sun D, Chen J, Gao Y, Chen L. Inhibition of Na(+)-K(+)-2Cl(-) cotransporter attenuates blood-brain-barrier disruption in a mouse model of traumatic brain injury. *Neurochem Int*. 2017 Dec;111:23-31. doi: 10.1016/j.neuint.2017.05.020. Epub 2017 May 31. PubMed PMID: 28577991.

94: Mao L, Li P, Zhu W, Cai W, Liu Z, Wang Y, Luo W, Stetler RA, Leak RK, Yu W, Gao Y, Chen J, Chen G, Hu X. Regulatory T cells ameliorate tissue plasminogen activator-induced brain haemorrhage after stroke. *Brain*. 2017 Jul 1;140(7):1914-1931. doi: 10.1093/brain/awx111. PubMed PMID: 28535201; PubMed Central PMCID: PMC6059175.

95: Krafft PR, McBride D, Rolland WB, Lekic T, Flores JJ, Zhang JH. $\alpha 7$ Nicotinic Acetylcholine Receptor Stimulation Attenuates Neuroinflammation through JAK2-STAT3 Activation in Murine Models of Intracerebral Hemorrhage. *Biomed Res Int*. 2017;2017:8134653. doi: 10.1155/2017/8134653. Epub 2017 Apr 26. PubMed PMID: 28529954; PubMed Central PMCID: PMC5424197.

- 96: Thornburgh CL, Narayana S, Rezaie R, Bydlinski BN, Tylavsky FA, Papanicolaou AC, Choudhri AF, Völgyi E. Concordance of the Resting State Networks in Typically Developing, 6-to 7-Year-Old Children and Healthy Adults. *Front Hum Neurosci*. 2017 Apr 25;11:199. doi: 10.3389/fnhum.2017.00199. eCollection 2017. PubMed PMID: 28487641; PubMed Central PMCID: PMC5403936.
- 97: Alam M, Rumpel R, Jin X, von Wrangel C, Tschirner SK, Krauss JK, Grothe C, Ratzka A, Schwabe K. Altered somatosensory cortex neuronal activity in a rat model of Parkinson's disease and levodopa-induced dyskinesias. *Exp Neurol*. 2017 Aug;294:19-31. doi: 10.1016/j.expneurol.2017.04.011. Epub 2017 Apr 23. PubMed PMID: 28445715.
- 98: Duffau H. The error of Broca: From the traditional localizationist concept to a connectomal anatomy of human brain. *J Chem Neuroanat*. 2018 Apr;89:73-81. doi: 10.1016/j.jchemneu.2017.04.003. Epub 2017 Apr 14. Review. PubMed PMID: 28416459.
- 99: Sebastianelli L, Versace V, Taylor A, Brigo F, Nothdurfter W, Saltuari L, Trinka E, Nardone R. Functional reorganization after hemispherectomy in humans and animal models: What can we learn about the brain's resilience to extensive unilateral lesions? *Brain Res Bull*. 2017 May;131:156-167. doi: 10.1016/j.brainresbull.2017.04.005. Epub 2017 Apr 13. Review. PubMed PMID: 28414105.
- 100: Belardinelli P, Laer L, Ortiz E, Braun C, Gharabaghi A. Plasticity of premotor cortico-muscular coherence in severely impaired stroke patients with hand paralysis. *Neuroimage Clin*. 2017 Mar 16;14:726-733. doi: 10.1016/j.nicl.2017.03.005. eCollection 2017. PubMed PMID: 28409112; PubMed Central PMCID: PMC5379882.
- 101: Gerasimenko Y, Sayenko D, Gad P, Liu CT, Tillakaratne NJK, Roy RR, Kozlovskaya I, Edgerton VR. Feed-Forwardness of Spinal Networks in Posture and Locomotion. *Neuroscientist*. 2017 Oct;23(5):441-453. doi: 10.1177/1073858416683681. Epub 2016 Dec 30. PubMed PMID: 28403746; PubMed Central PMCID: PMC5495622.
- 102: Sugata H, Hirata M, Tamura Y, Onishi H, Goto T, Araki T, Yorifuji S. Frequency-dependent oscillatory neural profiles during imitation. *Sci Rep*. 2017 Apr 10;7:45806. doi: 10.1038/srep45806. PubMed PMID: 28393878; PubMed Central PMCID: PMC5385530.
- 103: Hadar R, Bikovski L, Soto-Montenegro ML, Schimke J, Maier P, Ewing S, Voget M, Wieske F, Götz T, Desco M, Hamani C, Pascau J, Weiner I, Winter C. Early neuromodulation prevents the development of brain and behavioral abnormalities in a rodent model of schizophrenia. *Mol Psychiatry*. 2018 Apr;23(4):943-951. doi: 10.1038/mp.2017.52. Epub 2017 Apr 4. PubMed PMID: 28373685; PubMed Central PMCID: PMC5552352.
- 104: Nakanishi Y, Yanagisawa T, Shin D, Kambara H, Yoshimura N, Tanaka M, Fukuma R, Kishima H, Hirata M, Koike Y. Mapping ECoG channel contributions to trajectory and muscle activity prediction in human sensorimotor cortex. *Sci Rep*. 2017 Mar 31;7:45486. doi: 10.1038/srep45486. PubMed PMID: 28361947; PubMed Central PMCID: PMC5374467.
- 105: Bauer R, Gharabaghi A. Constraints and Adaptation of Closed-Loop Neuroprosthetics for Functional Restoration. *Front Neurosci*. 2017 Mar 13;11:111. doi: 10.3389/fnins.2017.00111. eCollection 2017. PubMed PMID: 28348511; PubMed Central PMCID: PMC5346545.
- 106: Craciunas SC, Gorgan MR, Ianosi B, Lee P, Burris J, Cirstea CM. Remote motor system metabolic profile and surgery outcome in cervical spondylotic myelopathy. *J Neurosurg Spine*. 2017 Jun;26(6):668-678. doi: 10.3171/2016.10.SPINE16479. Epub 2017 Mar 17. PubMed PMID: 28304238.
- 107: Katlowitz KA, Oya H, Howard MA 3rd, Greenlee JDW, Long MA. Paradoxical vocal changes in a

trained singer by focally cooling the right superior temporal gyrus. *Cortex*. 2017 Apr;89:111-119. doi: 10.1016/j.cortex.2017.01.024. Epub 2017 Feb 20. PubMed PMID: 28282570; PubMed Central PMCID: PMC5421518.

108: Cai G, Wang J, Mei X, Zhang W, Luan G, Liu X. Electroclinical semiology of the bilateral asymmetric tonic seizures observed in patients with supplementary sensorimotor area epilepsy confirmed by pre- and post-operative MRI. *J Xray Sci Technol*. 2017;25(2):247-259. doi: 10.3233/XST-17257. PubMed PMID: 28269815.

109: Silverman ER, Vydyanathan A, Gritsenko K, Shaparin N, Singh N, Downie SA, Kosharskyy B. The Anatomic Relationship of the Tibial Nerve to the Common Peroneal Nerve in the Popliteal Fossa: Implications for Selective Tibial Nerve Block in Total Knee Arthroplasty. *Pain Res Manag*. 2017;2017:7250181. doi: 10.1155/2017/7250181. Epub 2017 Feb 2. PubMed PMID: 28260964; PubMed Central PMCID: PMC5312044.

110: Zhang Y, Zhang ZG, Chopp M, Meng Y, Zhang L, Mahmood A, Xiong Y. Treatment of traumatic brain injury in rats with N-acetyl-seryl-aspartyl-lysyl-proline. *J Neurosurg*. 2017 Mar;126(3):782-795. doi: 10.3171/2016.3.JNS152699. Epub 2016 May 20. PubMed PMID: 28245754; PubMed Central PMCID: PMC5116431.

111: Bhat DI, Indira Devi B, Bharti K, Panda R. Cortical plasticity after brachial plexus injury and repair: a resting-state functional MRI study. *Neurosurg Focus*. 2017 Mar;42(3):E14. doi: 10.3171/2016.12.FOCUS16430. PubMed PMID: 28245732.

112: Burkhardt BW, Brielmaier M, Schwerdtfeger K, Sharif S, Oertel JM. Smith-Robinson procedure with and without Caspar plating as a treatment for cervical spondylotic myelopathy: A 26-year follow-up of 23 patients. *Eur Spine J*. 2017 Apr;26(4):1246-1253. doi: 10.1007/s00586-017-4988-8. Epub 2017 Feb 9. PubMed PMID: 28185064.

113: Hu J, Adler K, Farah CA, Hastings MH, Sossin WS, Schacher S. Cell-Specific PKM Isoforms Contribute to the Maintenance of Different Forms of Persistent Long-Term Synaptic Plasticity. *J Neurosci*. 2017 Mar 8;37(10):2746-2763. doi: 10.1523/JNEUROSCI.2805-16.2017. Epub 2017 Feb 8. PubMed PMID: 28179558; PubMed Central PMCID: PMC5354326.

114: Hacker CD, Snyder AZ, Pahwa M, Corbetta M, Leuthardt EC. Frequency-specific electrophysiologic correlates of resting state fMRI networks. *Neuroimage*. 2017 Apr 1;149:446-457. doi: 10.1016/j.neuroimage.2017.01.054. Epub 2017 Jan 31. PubMed PMID: 28159686; PubMed Central PMCID: PMC5745814.

115: Sankarasubramanian V, Cunningham DA, Potter-Baker KA, Beall EB, Roelle SM, Varnerin NM, Machado AG, Jones SE, Lowe MJ, Plow EB. Transcranial Direct Current Stimulation Targeting Primary Motor Versus Dorsolateral Prefrontal Cortices: Proof-of-Concept Study Investigating Functional Connectivity of Thalamocortical Networks Specific to Sensory-Affective Information Processing. *Brain Connect*. 2017 Apr;7(3):182-196. doi: 10.1089/brain.2016.0440. PubMed PMID: 28142257; PubMed Central PMCID: PMC5399740.

116: Nantes JC, Proulx S, Zhong J, Holmes SA, Narayanan S, Brown RA, Hoge RD, Koski L. GABA and glutamate levels correlate with MTR and clinical disability: Insights from multiple sclerosis. *Neuroimage*. 2017 Aug 15;157:705-715. doi: 10.1016/j.neuroimage.2017.01.033. Epub 2017 Jan 25. PubMed PMID: 28131894.

117: Saita K, Morishita T, Hyakutake K, Fukuda H, Shiota E, Sankai Y, Inoue T. Combined therapy using botulinum toxin A and single-joint hybrid assistive limb for upper-limb disability due to spastic

hemiplegia. *J Neurol Sci.* 2017 Feb 15;373:182-187. doi: 10.1016/j.jns.2016.12.056. Epub 2016 Dec 28. PubMed PMID: 28131185.

118: Moloney EB, Hobo B, De Winter F, Verhaagen J. Expression of a Mutant SEMA3A Protein with Diminished Signalling Capacity Does Not Alter ALS-Related Motor Decline, or Confer Changes in NMJ Plasticity after BotoxA-Induced Paralysis of Male Gastrocnemius Muscle. *PLoS One.* 2017 Jan 19;12(1):e0170314. doi: 10.1371/journal.pone.0170314. eCollection 2017. PubMed PMID: 28103314; PubMed Central PMCID: PMC5245795.

119: Strigo IA, Craig AD. Interoception, homeostatic emotions and sympathovagal balance. *Philos Trans R Soc Lond B Biol Sci.* 2016 Nov 19;371(1708). pii: 20160010. doi: 10.1098/rstb.2016.0010. Epub 2016 Oct 10. PubMed PMID: 28080968; PubMed Central PMCID: PMC5062099.

120: Iwatsuki K, Tajima F, Sankai Y, Ohnishi YI, Nakamura T, Ishihara M, Hosomi K, Ninomiya K, Moriwaki T, Yoshimine T. Motor evoked potential and voluntary EMG activity after olfactory mucosal autograft transplantation in a case of chronic, complete spinal cord injury: case report. *Spinal Cord Ser Cases.* 2016 Jan 7;2:15018. doi: 10.1038/scsandc.2015.18. eCollection 2016. PubMed PMID: 28053727; PubMed Central PMCID: PMC5125064.

121: Bentea E, Van Liefferinge J, Verbruggen L, Martens K, Kobayashi S, Deneyer L, Demuyser T, Albertini G, Maes K, Sato H, Smolders I, Lewerenz J, Massie A. Zonisamide attenuates lactacystin-induced parkinsonism in mice without affecting system x^c-. *Exp Neurol.* 2017 Apr;290:15-28. doi: 10.1016/j.expneurol.2016.12.009. Epub 2016 Dec 24. PubMed PMID: 28024798.

122: Canessa A, Pozzi NG, Arnulfo G, Brumberg J, Reich MM, Pezzoli G, Ghilardi MF, Matthies C, Steigerwald F, Volkmann J, Isaias IU. Striatal Dopaminergic Innervation Regulates Subthalamic Beta-Oscillations and Cortical-Subcortical Coupling during Movements: Preliminary Evidence in Subjects with Parkinson's Disease. *Front Hum Neurosci.* 2016 Dec 6;10:611. doi: 10.3389/fnhum.2016.00611. eCollection 2016. PubMed PMID: 27999534; PubMed Central PMCID: PMC5138226.

123: Duffau H. Stimulation Mapping of Myelinated Tracts in Awake Patients. *Brain Plast.* 2016 Dec 21;2(1):99-113. doi: 10.3233/BPL-160027. Review. PubMed PMID: 29765851; PubMed Central PMCID: PMC5928548.

124: Siller S, Szelényi A, Herlitz L, Tonn JC, Zausinger S. Spinal cord hemangioblastomas: significance of intraoperative neurophysiological monitoring for resection and long-term outcome. *J Neurosurg Spine.* 2017 Apr;26(4):483-493. doi: 10.3171/2016.8.SPINE16595. Epub 2016 Dec 16. PubMed PMID: 27982764.

125: Naros G, Gharabaghi A. Physiological and behavioral effects of β -tACS on brain self-regulation in chronic stroke. *Brain Stimul.* 2017 Mar - Apr;10(2):251-259. doi: 10.1016/j.brs.2016.11.003. Epub 2016 Nov 9. PubMed PMID: 27965067.

126: Kaushal M, Oni-Orisan A, Chen G, Li W, Leschke J, Ward BD, Kalinosky B, Budde MD, Schmit BD, Li SJ, Muqet V, Kurpad SN. Evaluation of Whole-Brain Resting-State Functional Connectivity in Spinal Cord Injury: A Large-Scale Network Analysis Using Network-Based Statistic. *J Neurotrauma.* 2017 Mar 15;34(6):1278-1282. doi: 10.1089/neu.2016.4649. Epub 2017 Jan 27. PubMed PMID: 27937140.

127: Zhao S, Yu Z, Liu Y, Bai Y, Jiang Y, van Leyen K, Yang YG, Lok JM, Whalen MJ, Lo EH, Wang X. CD47 deficiency improves neurological outcomes of traumatic brain injury in mice. *Neurosci Lett.* 2017 Mar 16;643:125-130. doi: 10.1016/j.neulet.2016.12.006. Epub 2016 Dec 5. PubMed PMID: 27931776.

- 128: Branco MP, Freudenburg ZV, Aarnoutse EJ, Bleichner MG, Vansteensel MJ, Ramsey NF. Decoding hand gestures from primary somatosensory cortex using high-density ECoG. *Neuroimage*. 2017 Feb 15;147:130-142. doi: 10.1016/j.neuroimage.2016.12.004. Epub 2016 Dec 5. PubMed PMID: 27926827; PubMed Central PMCID: PMC5322832.
- 129: Fujiwara Y, Matsumoto R, Nakae T, Usami K, Matsushashi M, Kikuchi T, Yoshida K, Kunieda T, Miyamoto S, Mima T, Ikeda A, Osu R. Neural pattern similarity between contra- and ipsilateral movements in high-frequency band of human electrocorticograms. *Neuroimage*. 2017 Feb 15;147:302-313. doi: 10.1016/j.neuroimage.2016.11.058. Epub 2016 Nov 24. PubMed PMID: 27890491.
- 130: Thura D, Guberman G, Cisek P. Trial-to-trial adjustments of speed-accuracy trade-offs in premotor and primary motor cortex. *J Neurophysiol*. 2017 Feb 1;117(2):665-683. doi: 10.1152/jn.00726.2016. Epub 2016 Nov 16. PubMed PMID: 27852735; PubMed Central PMCID: PMC5288471.
- 131: Guo JN, Kim R, Chen Y, Negishi M, Jhun S, Weiss S, Ryu JH, Bai X, Xiao W, Feeney E, Rodriguez-Fernandez J, Mistry H, Crunelli V, Crowley MJ, Mayes LC, Constable RT, Blumenfeld H. Impaired consciousness in patients with absence seizures investigated by functional MRI, EEG, and behavioural measures: a cross-sectional study. *Lancet Neurol*. 2016 Dec;15(13):1336-1345. doi: 10.1016/S1474-4422(16)30295-2. PubMed PMID: 27839650; PubMed Central PMCID: PMC5504428.
- 132: Yanagisawa T, Fukuma R, Seymour B, Hosomi K, Kishima H, Shimizu T, Yokoi H, Hirata M, Yoshimine T, Kamitani Y, Saitoh Y. Induced sensorimotor brain plasticity controls pain in phantom limb patients. *Nat Commun*. 2016 Oct 27;7:13209. doi: 10.1038/ncomms13209. PubMed PMID: 27807349; PubMed Central PMCID: PMC5095287.
- 133: Chen KH, Chen CH, Wallace CG, Yuen CM, Kao GS, Chen YL, Shao PL, Chen YL, Chai HT, Lin KC, Liu CF, Chang HW, Lee MS, Yip HK. Intravenous administration of xenogenic adipose-derived mesenchymal stem cells (ADMSC) and ADMSC-derived exosomes markedly reduced brain infarct volume and preserved neurological function in rat after acute ischemic stroke. *Oncotarget*. 2016 Nov 15;7(46):74537-74556. doi: 10.18632/oncotarget.12902. PubMed PMID: 27793019; PubMed Central PMCID: PMC5342685.
- 134: Pozzi NG, Arnulfo G, Canessa A, Steigerwald F, Nickl R, Homola GA, Fato MM, Matthies C, Pacchetti C, Volkmann J, Isaias IU. Distinctive neuronal firing patterns in subterritories of the subthalamic nucleus. *Clin Neurophysiol*. 2016 Nov;127(11):3387-3393. doi: 10.1016/j.clinph.2016.09.004. Epub 2016 Sep 10. PubMed PMID: 27669486.
- 135: Gad PN, Roy RR, Zhong H, Gerasimenko YP, Taccola G, Edgerton VR. Neuromodulation of the neural circuits controlling the lower urinary tract. *Exp Neurol*. 2016 Nov;285(Pt B):182-189. doi: 10.1016/j.expneurol.2016.06.034. Epub 2016 Jul 2. PubMed PMID: 27381425; PubMed Central PMCID: PMC5559194.
- 136: Li D, Liu F, Yang T, Jin T, Zhang H, Luo X, Wang M. Rapamycin protects against neuronal death and improves neurological function with modulation of microglia after experimental intracerebral hemorrhage in rats. *Cell Mol Biol (Noisy-le-grand)*. 2016 Sep 30;62(11):67-75. PubMed PMID: 27755955.
- 137: Trager MH, Koop MM, Velisar A, Blumenfeld Z, Nikolau JS, Quinn EJ, Martin T, Bronte-Stewart H. Subthalamic beta oscillations are attenuated after withdrawal of chronic high frequency neurostimulation in Parkinson's disease. *Neurobiol Dis*. 2016 Dec;96:22-30. doi:

10.1016/j.nbd.2016.08.003. Epub 2016 Aug 21. PubMed PMID: 27553876.

138: Lake EMR, Bazzigaluppi P, Mester J, Thomason LAM, Janik R, Brown M, McLaurin J, Carlen PL, Corbett D, Stanis GJ, Stefanovic B. Neurovascular unit remodelling in the subacute stage of stroke recovery. *Neuroimage*. 2017 Feb 1;146:869-882. doi: 10.1016/j.neuroimage.2016.09.016. Epub 2016 Sep 21. PubMed PMID: 27664828.

139: Kraus D, Gharabaghi A. Neuromuscular Plasticity: Disentangling Stable and Variable Motor Maps in the Human Sensorimotor Cortex. *Neural Plast*. 2016;2016:7365609. doi: 10.1155/2016/7365609. Epub 2016 Aug 16. PubMed PMID: 27610248; PubMed Central PMCID: PMC5004060.

140: Hart MG, Price SJ, Suckling J. Functional connectivity networks for preoperative brain mapping in neurosurgery. *J Neurosurg*. 2017 Jun;126(6):1941-1950. doi: 10.3171/2016.6.JNS1662. Epub 2016 Aug 26. PubMed PMID: 27564466.

141: Grimm F, Walter A, Spüler M, Naros G, Rosenstiel W, Gharabaghi A. Hybrid Neuroprosthesis for the Upper Limb: Combining Brain-Controlled Neuromuscular Stimulation with a Multi-Joint Arm Exoskeleton. *Front Neurosci*. 2016 Aug 9;10:367. doi: 10.3389/fnins.2016.00367. eCollection 2016. PubMed PMID: 27555805; PubMed Central PMCID: PMC4977295.

142: Zhang Y, Chopp M, Zhang ZG, Katakowski M, Xin H, Qu C, Ali M, Mahmood A, Xiong Y. Systemic administration of cell-free exosomes generated by human bone marrow derived mesenchymal stem cells cultured under 2D and 3D conditions improves functional recovery in rats after traumatic brain injury. *Neurochem Int*. 2017 Dec;111:69-81. doi: 10.1016/j.neuint.2016.08.003. Epub 2016 Aug 15. PubMed PMID: 27539657; PubMed Central PMCID: PMC5311054.

143: Kalladka D, Sinden J, Pollock K, Haig C, McLean J, Smith W, McConnachie A, Santosh C, Bath PM, Dunn L, Muir KW. Human neural stem cells in patients with chronic ischaemic stroke (PISCES): a phase 1, first-in-man study. *Lancet*. 2016 Aug 20;388(10046):787-96. doi: 10.1016/S0140-6736(16)30513-X. Epub 2016 Aug 3. PubMed PMID: 27497862.

144: Lu F, Nakamura T, Okabe N, Himi N, Nakamura-Maruyama E, Shiromoto T, Narita K, Tsukamoto I, Xi G, Keep RF, Miyamoto O. COA-Cl, a Novel Synthesized Nucleoside Analog, Exerts Neuroprotective Effects in the Acute Phase of Intracerebral Hemorrhage. *J Stroke Cerebrovasc Dis*. 2016 Nov;25(11):2637-2643. doi: 10.1016/j.jstrokecerebrovasdis.2016.07.006. Epub 2016 Aug 2. PubMed PMID: 27495832.

145: Stenner MP, Dürschmid S, Rutledge RB, Zaehle T, Schmitt FC, Kaufmann J, Voges J, Heinze HJ, Dolan RJ, Schoenfeld MA. Perimovement decrease of alpha/beta oscillations in the human nucleus accumbens. *J Neurophysiol*. 2016 Oct 1;116(4):1663-1672. doi: 10.1152/jn.00142.2016. Epub 2016 Jul 13. PubMed PMID: 27486103; PubMed Central PMCID: PMC5144692.

146: Menezes MP, Rahman S, Bhattacharya K, Clark D, Christodoulou J, Ellaway C, Farrar M, Pitt M, Sampaio H, Ware TL, Wedatilake Y, Thorburn DR, Ryan MM, Ouvrier R. Neurophysiological profile of peripheral neuropathy associated with childhood [mitochondrial disease](#). *Mitochondrion*. 2016 Sep;30:162-7. doi: 10.1016/j.mito.2016.07.014. Epub 2016 Jul 27. PubMed PMID: 27475922.

147: Zuo YC, Xiong NX, Zhao HY. Stereotactic injection of shRNA GSK-3 β -AAV promotes Axon regeneration after spinal cord injury. *J Huazhong Univ Sci Technolog Med Sci*. 2016 Aug;36(4):548-553. doi: 10.1007/s11596-016-1623-6. Epub 2016 Jul 28. PubMed PMID: 27465331.

148: Thompson JA, Costabile JD, Felsen G. Mesencephalic representations of recent experience influence decision making. *Elife*. 2016 Jul 25;5. pii: e16572. doi: 10.7554/eLife.16572. PubMed PMID:

27454033; PubMed Central PMCID: PMC4987136.

149: Leonard MK, Cai R, Babiak MC, Ren A, Chang EF. The peri-Sylvian cortical network underlying single word repetition revealed by electrocortical stimulation and direct neural recordings. *Brain Lang.* 2016 Jul 19. pii: S0093-934X(15)30194-2. doi: 10.1016/j.bandl.2016.06.001. [Epub ahead of print] PubMed PMID: 27450996; PubMed Central PMCID: PMC5790638.

150: Badoud S, Borgognon S, Cottet J, Chatagny P, Moret V, Fregosi M, Kaeser M, Fortis E, Schmidlin E, Bloch J, Brunet JF, Rouiller EM. Effects of dorsolateral prefrontal cortex lesion on motor habit and performance assessed with manual grasping and control of force in macaque monkeys. *Brain Struct Funct.* 2017 Apr;222(3):1193-1206. doi: 10.1007/s00429-016-1268-z. Epub 2016 Jul 9. PubMed PMID: 27394722; PubMed Central PMCID: PMC5368204.

151: Zhang L, Chopp M, Zhang Y, Xiong Y, Li C, Sadry N, Rhaleb I, Lu M, Zhang ZG. Diabetes Mellitus Impairs Cognitive Function in Middle-Aged Rats and Neurological Recovery in Middle-Aged Rats After Stroke. *Stroke.* 2016 Aug;47(8):2112-8. doi: 10.1161/STROKEAHA.115.012578. Epub 2016 Jul 7. PubMed PMID: 27387991; PubMed Central PMCID: PMC4961558.

152: Zhong J, Nantes JC, Holmes SA, Gallant S, Narayanan S, Koski L. Abnormal functional connectivity and cortical integrity influence dominant hand motor disability in multiple sclerosis: a multimodal analysis. *Hum Brain Mapp.* 2016 Dec;37(12):4262-4275. doi: 10.1002/hbm.23307. Epub 2016 Jul 6. Erratum in: *Hum Brain Mapp.* 2017 Mar;38(3):1716. PubMed PMID: 27381089.

153: Steward O, Willenberg R. Rodent spinal cord injury models for studies of axon regeneration. *Exp Neurol.* 2017 Jan;287(Pt 3):374-383. doi: 10.1016/j.expneurol.2016.06.029. Epub 2016 Jun 29. Review. PubMed PMID: 27374113.

154: Vassal M, Charroud C, Deverdun J, Le Bars E, Molino F, Bonnetblanc F, Boyer A, Dutta A, Herbet G, Moritz-Gasser S, Bonafé A, Duffau H, de Champfleury NM. Recovery of functional connectivity of the sensorimotor network after surgery for diffuse low-grade gliomas involving the supplementary motor area. *J Neurosurg.* 2017 Apr;126(4):1181-1190. doi: 10.3171/2016.4.JNS152484. Epub 2016 Jun 17. PubMed PMID: 27315027.

155: Bikovsky L, Hadar R, Soto-Montenegro ML, Klein J, Weiner I, Desco M, Pascau J, Winter C, Hamani C. Deep brain stimulation improves behavior and modulates neural circuits in a rodent model of schizophrenia. *Exp Neurol.* 2016 Sep;283(Pt A):142-50. doi: 10.1016/j.expneurol.2016.06.012. Epub 2016 Jun 11. PubMed PMID: 27302677; PubMed Central PMCID: PMC5319857.

156: Vidal-Dourado M, Nunes KF, Guaranha MS, Giuliano LM, Yacubian EM, Manzano GM. Expression of praxis induction on cortical excitability in juvenile myoclonic epilepsy. *Clin Neurophysiol.* 2016 Jul;127(7):2551-60. doi: 10.1016/j.clinph.2016.03.028. Epub 2016 Apr 12. PubMed PMID: 27291873.

157: Cochereau J, Deverdun J, Herbet G, Charroud C, Boyer A, Moritz-Gasser S, Le Bars E, Molino F, Bonafé A, Menjot de Champfleury N, Duffau H. Comparison between resting state fMRI networks and responsive cortical stimulations in glioma patients. *Hum Brain Mapp.* 2016 Nov;37(11):3721-3732. doi: 10.1002/hbm.23270. PubMed PMID: 27246771.

158: Bhagavatula ID, Shukla D, Sadashiva N, Saligoudar P, Prasad C, Bhat DI. Functional cortical reorganization in cases of cervical spondylotic myelopathy and changes associated with surgery. *Neurosurg Focus.* 2016 Jun;40(6):E2. doi: 10.3171/2016.3.FOCUS1635. PubMed PMID: 27246485.

159: Athanasiou A, Klados MA, Styliadis C, Foroglou N, Polyzoidis K, Bamidis PD. Investigating the Role of Alpha and Beta Rhythms in Functional Motor Networks. *Neuroscience.* 2018 May 15;378:54-70. doi:

10.1016/j.neuroscience.2016.05.044. Epub 2016 May 27. PubMed PMID: 27241945.

160: Huang H, Ding Z, Mao D, Yuan J, Zhu F, Chen S, Xu Y, Lou L, Feng X, Qi L, Qiu W, Zhang H, Zang YF. PreSurgMapp: a MATLAB Toolbox for Presurgical Mapping of Eloquent Functional Areas Based on Task-Related and Resting-State Functional MRI. *Neuroinformatics*. 2016 Oct;14(4):421-38. doi: 10.1007/s12021-016-9304-y. PubMed PMID: 27221107.

161: Soberón JR Jr, Sisco-Wise LE, Dunbar RM. Compartment syndrome in a patient treated with perineural liposomal bupivacaine (Exparel). *J Clin Anesth*. 2016 Jun;31:1-4. doi: 10.1016/j.jclinane.2015.11.001. Epub 2016 Mar 16. PubMed PMID: 27185666.

162: Nonoda Y, Miyakoshi M, Ojeda A, Makeig S, Juhász C, Sood S, Asano E. [Interictal high-frequency oscillations](#) generated by seizure onset and eloquent areas may be differentially coupled with different slow waves. *Clin Neurophysiol*. 2016 Jun;127(6):2489-99. doi: 10.1016/j.clinph.2016.03.022. Epub 2016 Apr 6. PubMed PMID: 27178869; PubMed Central PMCID: PMC4867192.

163: Young WR, Shreve L, Quinn EJ, Craig C, Bronte-Stewart H. Auditory cueing in Parkinson's patients with freezing of gait. What matters most: Action-relevance or cue-continuity? *Neuropsychologia*. 2016 Jul 1;87:54-62. doi: 10.1016/j.neuropsychologia.2016.04.034. Epub 2016 May 6. PubMed PMID: 27163397.

164: Gibson WS, Ross EK, Han SR, Van Gompel JJ, Min HK, Lee KH. Anterior Thalamic Deep Brain Stimulation: Functional Activation Patterns in a Large Animal Model. *Brain Stimul*. 2016 Sep-Oct;9(5):770-773. doi: 10.1016/j.brs.2016.04.012. Epub 2016 Apr 15. PubMed PMID: 27160467; PubMed Central PMCID: PMC5007150.

165: Kurabe S, Itoh K, Nakada T, Fujii Y. Evidence for cerebellar motor functional reorganization in brain tumor patients: An fMRI study. *Neurosci Lett*. 2016 May 27;622:45-8. doi: 10.1016/j.neulet.2016.04.036. Epub 2016 Apr 19. PubMed PMID: 27102144.

166: Schroeder KE, Irwin ZT, Gaidica M, Nicole Bentley J, Patil PG, Mashour GA, Chestek CA. Disruption of corticocortical information transfer during ketamine anesthesia in the primate brain. *Neuroimage*. 2016 Jul 1;134:459-465. doi: 10.1016/j.neuroimage.2016.04.039. Epub 2016 Apr 16. PubMed PMID: 27095309; PubMed Central PMCID: PMC4912854.

167: Wang Y, Liu G, Hong D, Chen F, Ji X, Cao G. White matter injury in ischemic stroke. *Prog Neurobiol*. 2016 Jun;141:45-60. doi: 10.1016/j.pneurobio.2016.04.005. Epub 2016 Apr 14. Review. PubMed PMID: 27090751; PubMed Central PMCID: PMC5677601.

168: Gandolla M, Ward NS, Molteni F, Guanziroli E, Ferrigno G, Pedrocchi A. The Neural Correlates of Long-Term Carryover following Functional Electrical Stimulation for Stroke. *Neural Plast*. 2016;2016:4192718. doi: 10.1155/2016/4192718. Epub 2016 Mar 17. PubMed PMID: 27073701; PubMed Central PMCID: PMC4814690.

169: Naros G, Naros I, Grimm F, Ziemann U, Gharabaghi A. Reinforcement learning of self-regulated sensorimotor β -oscillations improves motor performance. *Neuroimage*. 2016 Jul 1;134:142-152. doi: 10.1016/j.neuroimage.2016.03.016. Epub 2016 Apr 2. PubMed PMID: 27046109.

170: Williams ZM. Transgenerational influence of sensorimotor training on offspring behavior and its neural basis in *Drosophila*. *Neurobiol Learn Mem*. 2016 May;131:166-75. doi: 10.1016/j.nlm.2016.03.023. Epub 2016 Apr 1. PubMed PMID: 27044678.

171: Li L, Chopp M, Ding G, Qu C, Nejad-Davarani SP, Davoodi-Bojd E, Li Q, Mahmood A, Jiang Q.

Diffusion-Derived Magnetic Resonance Imaging Measures of Longitudinal Microstructural Remodeling Induced by Marrow Stromal Cell Therapy after Traumatic Brain Injury. *J Neurotrauma*. 2017 Jan 1;34(1):182-191. doi: 10.1089/neu.2015.4315. Epub 2016 May 13. PubMed PMID: 26993214; PubMed Central PMCID: PMC5198107.

172: He F, Sarrigiannis PG, Billings SA, Wei H, Rowe J, Romanowski C, Hoggard N, Hadjivassiliou M, Rao DG, Grünwald R, Khan A, Yianni J. Nonlinear interactions in the thalamocortical loop in essential tremor: A model-based frequency domain analysis. *Neuroscience*. 2016 Jun 2;324:377-89. doi: 10.1016/j.neuroscience.2016.03.028. Epub 2016 Mar 14. PubMed PMID: 26987955.

173: Buma FE, van Kordelaar J, Raemaekers M, van Wegen EEH, Ramsey NF, Kwakkel G. [Brain activation](#) is related to smoothness of upper limb movements after stroke. *Exp Brain Res*. 2016 Jul;234(7):2077-2089. doi: 10.1007/s00221-015-4538-8. Epub 2016 Mar 15. PubMed PMID: 26979435; PubMed Central PMCID: PMC4893073.

174: Yu YW, Hsieh TH, Chen KY, Wu JC, Hoffer BJ, Greig NH, Li Y, Lai JH, Chang CF, Lin JW, Chen YH, Yang LY, Chiang YH. Glucose-Dependent Insulinotropic Polypeptide Ameliorates Mild Traumatic Brain Injury-Induced Cognitive and Sensorimotor Deficits and Neuroinflammation in Rats. *J Neurotrauma*. 2016 Nov 15;33(22):2044-2054. Epub 2016 May 9. PubMed PMID: 26972789; PubMed Central PMCID: PMC5116684.

175: Church JA, Bunge SA, Petersen SE, Schlaggar BL. Preparatory Engagement of Cognitive Control Networks Increases Late in Childhood. *Cereb Cortex*. 2017 Mar 1;27(3):2139-2153. doi: 10.1093/cercor/bhw046. PubMed PMID: 26972753; PubMed Central PMCID: PMC6317491.

176: Kraus D, Naros G, Bauer R, Khademi F, Leão MT, Ziemann U, Gharabaghi A. Brain State-Dependent Transcranial Magnetic Closed-Loop Stimulation Controlled by Sensorimotor Desynchronization Induces Robust Increase of Corticospinal Excitability. *Brain Stimul*. 2016 May-Jun;9(3):415-424. doi: 10.1016/j.brs.2016.02.007. Epub 2016 Feb 16. PubMed PMID: 26970878.

177: Brown SH, Wernimont CW, Phillips L, Kern KL, Nelson VS, Yang LJ. Hand Sensorimotor Function in Older Children With Neonatal Brachial Plexus Palsy. *Pediatr Neurol*. 2016 Mar;56:42-47. doi: 10.1016/j.pediatrneurol.2015.12.012. Epub 2015 Dec 24. PubMed PMID: 26969239.

178: McEntire CR, Choudhury GR, Torres A, Steinberg GK, Redmond DE Jr, Daadi MM. Impaired Arm Function and Finger Dexterity in a Nonhuman Primate Model of Stroke: Motor and Cognitive Assessments. *Stroke*. 2016 Apr;47(4):1109-16. doi: 10.1161/STROKEAHA.115.012506. Epub 2016 Mar 8. PubMed PMID: 26956259.

179: Oni-Orisan A, Kaushal M, Li W, Leschke J, Ward BD, Vedantam A, Kalinosky B, Budde MD, Schmit BD, Li SJ, Muqet V, Kurpad SN. Alterations in Cortical Sensorimotor Connectivity following Complete Cervical Spinal Cord Injury: A Prospective Resting-State fMRI Study. *PLoS One*. 2016 Mar 8;11(3):e0150351. doi: 10.1371/journal.pone.0150351. eCollection 2016. PubMed PMID: 26954693; PubMed Central PMCID: PMC4783046.

180: Agarwal S, Sair HI, Airan R, Hua J, Jones CK, Heo HY, Olivi A, Lindquist MA, Pekar JJ, Pillai JJ. Demonstration of Brain Tumor-Induced Neurovascular Uncoupling in Resting-State fMRI at Ultrahigh Field. *Brain Connect*. 2016 May;6(4):267-72. doi: 10.1089/brain.2015.0402. Epub 2016 Feb 26. PubMed PMID: 26918887; PubMed Central PMCID: PMC4876542.

181: Richardson AG, Weigand PK, Sritharan SY, Lucas TH. A chronic neural interface to the macaque dorsal column nuclei. *J Neurophysiol*. 2016 May 1;115(5):2255-64. doi: 10.1152/jn.01083.2015. Epub 2016 Feb 24. PubMed PMID: 26912601; PubMed Central PMCID: PMC4922451.

- 182: Fukuma R, Yanagisawa T, Saitoh Y, Hosomi K, Kishima H, Shimizu T, Sugata H, Yokoi H, Hirata M, Kamitani Y, Yoshimine T. Real-Time Control of a Neuroprosthetic Hand by Magnetoencephalographic Signals from Paralysed Patients. *Sci Rep*. 2016 Feb 24;6:21781. doi: 10.1038/srep21781. Erratum in: *Sci Rep*. 2016 Oct 19;6:34970. PubMed PMID: 26904967; PubMed Central PMCID: PMC4764841.
- 183: Gutilla EA, Buyukozturk MM, Steward O. Long-term consequences of conditional genetic deletion of PTEN in the sensorimotor cortex of neonatal mice. *Exp Neurol*. 2016 May;279:27-39. doi: 10.1016/j.expneurol.2016.02.013. Epub 2016 Feb 16. PubMed PMID: 26896833; PubMed Central PMCID: PMC4957975.
- 184: Paglioli E, Martins WA, Cruz Wde L, Andrade V, Silva VD, Nunes RM, Palmmini A. Epilepsia partialis continua triggered by traumatic hand injury: a peripheral tuning of brain excitability? *Epileptic Disord*. 2016 Mar;18(1):13-8. doi: 10.1684/epd.2016.0798. PubMed PMID: 26891988.
- 185: Li D, Ma S, Guo D, Cheng T, Li H, Tian Y, Li J, Guan F, Yang B, Wang J. Environmental Circadian Disruption Worsens Neurologic Impairment and Inhibits Hippocampal Neurogenesis in Adult Rats After Traumatic Brain Injury. *Cell Mol Neurobiol*. 2016 Oct;36(7):1045-55. doi: 10.1007/s10571-015-0295-2. Epub 2016 Feb 17. PubMed PMID: 26886755; PubMed Central PMCID: PMC4967018.
- 186: Willenberg R, Zukor K, Liu K, He Z, Steward O. Variable laterality of corticospinal tract axons that regenerate after spinal cord injury as a result of PTEN deletion or knock-down. *J Comp Neurol*. 2016 Sep 1;524(13):2654-76. doi: 10.1002/cne.23987. Epub 2016 Mar 9. PubMed PMID: 26878190; PubMed Central PMCID: PMC4935643.
- 187: Hotson G, McMullen DP, Fifer MS, Johannes MS, Katyal KD, Para MP, Armiger R, Anderson WS, Thakor NV, Wester BA, Crone NE. Individual finger control of a modular prosthetic limb using high-density electrocorticography in a human subject. *J Neural Eng*. 2016 Apr;13(2):026017-26017. doi: 10.1088/1741-2560/13/2/026017. Epub 2016 Feb 10. PubMed PMID: 26863276; PubMed Central PMCID: PMC4875758.
- 188: Meier TB, Bellgowan PSF, Mayer AR. Longitudinal assessment of local and global functional connectivity following sports-related concussion. *Brain Imaging Behav*. 2017 Feb;11(1):129-140. doi: 10.1007/s11682-016-9520-y. PubMed PMID: 26821253.
- 189: Miller KJ, Schalk G, Hermes D, Ojemann JG, Rao RP. Spontaneous Decoding of the Timing and Content of Human Object Perception from Cortical Surface Recordings Reveals Complementary Information in the Event-Related Potential and Broadband Spectral Change. *PLoS Comput Biol*. 2016 Jan 28;12(1):e1004660. doi: 10.1371/journal.pcbi.1004660. eCollection 2016 Jan. PubMed PMID: 26820899; PubMed Central PMCID: PMC4731148.
- 190: Whaley ML, Kadipasaoglu CM, Cox SJ, Tandon N. Modulation of Orthographic Decoding by Frontal Cortex. *J Neurosci*. 2016 Jan 27;36(4):1173-84. doi: 10.1523/JNEUROSCI.2985-15.2016. PubMed PMID: 26818506; PubMed Central PMCID: PMC4728723.
- 191: Wang T, Zhu M, He ZZ. Low-Molecular-Weight Fucoidan Attenuates Mitochondrial Dysfunction and Improves Neurological Outcome After Traumatic Brain Injury in Aged Mice: Involvement of Sirt3. *Cell Mol Neurobiol*. 2016 Nov;36(8):1257-1268. Epub 2016 Jan 7. PubMed PMID: 26743530.
- 192: Harris NG, Verley DR, Gutman BA, Thompson PM, Yeh HJ, Brown JA. Disconnection and hyper-connectivity underlie reorganization after TBI: A rodent functional connectomic analysis. *Exp Neurol*. 2016 Mar;277:124-138. doi: 10.1016/j.expneurol.2015.12.020. Epub 2015 Dec 28. PubMed PMID: 26730520; PubMed Central PMCID: PMC4761291.

- 193: Amrom D, Andermann F, Andermann E. Action Myoclonus – Renal Failure Syndrome. 2015 Dec 17. In: Adam MP, Ardinger HH, Pagon RA, Wallace SE, Bean LJH, Stephens K, Amemiya A, editors. GeneReviews® [Internet]. Seattle (WA): University of Washington, Seattle; 1993-2019. Available from <http://www.ncbi.nlm.nih.gov/books/NBK333437/> PubMed PMID: 26677510.
- 194: Kim RG, Cho J, Ree J, Kim HS, Rosa-Neto P, Kim JM, Lee MC, Kim HI. Sensory-parietal cortical stimulation improves motor recovery in severe capsular infarct. *J Cereb Blood Flow Metab.* 2016 Dec;36(12):2211-2222. Epub 2015 Nov 4. PubMed PMID: 26661148; PubMed Central PMCID: PMC5363658.
- 195: Sitthinamsuwan B, Usui N, Tottori T, Terada K, Kondo A, Matsuda K, Baba K, Inoue Y. Seizures with tonic posturing: Semiologic difference between supplementary sensorimotor area (SSMA) origin and extra-SSMA origin. *Epilepsia.* 2016 Feb;57(2):e39-44. doi: 10.1111/epi.13283. Epub 2015 Dec 13. PubMed PMID: 26660199.
- 196: Thiele S, Spehl TS, Frings L, Braun F, Ferch M, Rezvani AH, Furlanetti LL, Meyer PT, Coenen VA, Döbrössy MD. Long-term characterization of the Flinders Sensitive Line rodent model of human depression: Behavioral and PET evidence of a dysfunctional entorhinal cortex. *Behav Brain Res.* 2016 Mar 1;300:11-24. doi: 10.1016/j.bbr.2015.11.026. Epub 2015 Nov 30. PubMed PMID: 26658515.
- 197: Liu J, Lee HJ, Weitz AJ, Fang Z, Lin P, Choy M, Fisher R, Pinskiy V, Tolpygo A, Mitra P, Schiff N, Lee JH. Frequency-selective control of cortical and subcortical networks by central thalamus. *Elife.* 2015 Dec 10;4:e09215. doi: 10.7554/eLife.09215. PubMed PMID: 26652162; PubMed Central PMCID: PMC4721962.
- 198: Green A, Cheong PW, Fook-Chong S, Tiruchelvarayan R, Guo CM, Yue WM, Chen J, Lo YL. Cortical Reorganization Is Associated with Surgical Decompression of Cervical Spondylotic Myelopathy. *Neural Plast.* 2015;2015:389531. doi: 10.1155/2015/389531. Epub 2015 Nov 2. PubMed PMID: 26609437; PubMed Central PMCID: PMC4644848.
- 199: Alabdulwahab SS, Ahmad F, Singh H. Effects of Functional Limb Overloading on Symmetrical Weight Bearing, Walking Speed, Perceived Mobility, and Community Participation among Patients with Chronic Stroke. *Rehabil Res Pract.* 2015;2015:241519. doi: 10.1155/2015/241519. Epub 2015 Oct 27. PubMed PMID: 26600952; PubMed Central PMCID: PMC4639661.
- 200: Bot M, Bour L, de Bie RM, Contarino MF, Schuurman PR, van den Munckhof P. Can We Rely on Susceptibility-Weighted Imaging for Subthalamic Nucleus Identification in Deep Brain Stimulation Surgery? *Neurosurgery.* 2016 Mar;78(3):353-60. doi: 10.1227/NEU.0000000000001130. PubMed PMID: 26600278.
- 201: Gulberti A, Moll CK, Hamel W, Buhmann C, Koeppen JA, Boelmans K, Zittel S, Gerloff C, Westphal M, Schneider TR, Engel AK. Predictive timing functions of cortical beta oscillations are impaired in Parkinson's disease and influenced by L-DOPA and deep brain stimulation of the subthalamic nucleus. *Neuroimage Clin.* 2015 Sep 25;9:436-49. doi: 10.1016/j.nicl.2015.09.013. eCollection 2015. PubMed PMID: 26594626; PubMed Central PMCID: PMC4596926.
- 202: Shin JC, Kim KN, Yoo J, Kim IS, Yun S, Lee H, Jung K, Hwang K, Kim M, Lee IS, Shin JE, Park KI. Clinical Trial of Human Fetal Brain-Derived Neural Stem/Progenitor Cell Transplantation in Patients with Traumatic Cervical Spinal Cord Injury. *Neural Plast.* 2015;2015:630932. doi: 10.1155/2015/630932. Epub 2015 Oct 11. PubMed PMID: 26568892; PubMed Central PMCID: PMC4619963.
- 203: Kohl S, Gruendler TO, Huys D, Sildatke E, Dembek TA, Hellmich M, Vorderwulbecke M,

Timmermann L, Ahmari SE, Klosterkoetter J, Jessen F, Sturm V, Visser-Vandewalle V, Kuhn J. Effects of deep brain stimulation on prepulse inhibition in obsessive-compulsive disorder. *Transl Psychiatry*. 2015 Nov 10;5:e675. doi: 10.1038/tp.2015.171. PubMed PMID: 26556284; PubMed Central PMCID: PMC5068764.

204: Brauchle D, Vukelić M, Bauer R, Gharabaghi A. Brain state-dependent robotic reaching movement with a multi-joint arm exoskeleton: combining brain-machine interfacing and robotic rehabilitation. *Front Hum Neurosci*. 2015 Oct 16;9:564. doi: 10.3389/fnhum.2015.00564. eCollection 2015. PubMed PMID: 26528168; PubMed Central PMCID: PMC4607784.

205: Xiao FL, Gao PY, Sui BB, Wan H, Lin Y, Xue J, Zhou J, Qian TY, Wang S, Li D, Liu S. Time-course of Changes in Activation Among Facial Nerve Injury: A Functional Imaging Study. *Medicine (Baltimore)*. 2015 Oct;94(43):e1582. doi: 10.1097/MD.0000000000001582. PubMed PMID: 26512554; PubMed Central PMCID: PMC4985368.

206: Moore BD 4th, Bartoli E, Karunakaran S, Kim K. Multisensory Integration Reveals Temporal Coding across a Human Sensorimotor Network. *J Neurosci*. 2015 Oct 28;35(43):14423-5. doi: 10.1523/JNEUROSCI.2922-15.2015. PubMed PMID: 26511234; PubMed Central PMCID: PMC4623222.

207: Kraus D, Naros G, Bauer R, Leão MT, Ziemann U, Gharabaghi A. Brain-robot interface driven plasticity: Distributed modulation of corticospinal excitability. *Neuroimage*. 2016 Jan 15;125:522-532. doi: 10.1016/j.neuroimage.2015.09.074. Epub 2015 Oct 24. PubMed PMID: 26505298.

208: Meng L, Han SJ, Rollins MD, Gelb AW, Chang EF. Awake brain tumor resection during pregnancy: Decision making and technical nuances. *J Clin Neurosci*. 2016 Feb;24:160-2. doi: 10.1016/j.jocn.2015.08.021. Epub 2015 Oct 23. PubMed PMID: 26498092.

209: Wang CC, Chang CT, Lin CL, Huang BR, Kao CH. Spinal cord injury is associated with an increased risk of atrial fibrillation: A population-based cohort study. *Heart Rhythm*. 2016 Feb;13(2):416-23. doi: 10.1016/j.hrthm.2015.10.021. Epub 2015 Oct 23. PubMed PMID: 26477711.

210: John N, Theilmann W, Frieling H, Krauss JK, Alam M, Schwabe K, Brandt C. Cortical electroconvulsive stimulation alleviates breeding-induced prepulse inhibition deficit in rats. *Exp Neurol*. 2016 Jan;275 Pt 1:99-103. doi: 10.1016/j.expneurol.2015.10.003. Epub 2015 Oct 22. PubMed PMID: 26476178.

211: McBride DW, Wang Y, Adam L, Oudin G, Louis JS, Tang J, Zhang JH. Correlation Between Subacute Sensorimotor Deficits and Brain Edema in Rats after Surgical Brain Injury. *Acta Neurochir Suppl*. 2016;121:317-21. doi: 10.1007/978-3-319-18497-5_55. PubMed PMID: 26463968.

212: Lekic T, Klebe D, Flores J, Peters R, Rolland WB, Tang J, Zhang JH. Remote Ischemic Postconditioning (RIPC) After GMH in Rodents. *Acta Neurochir Suppl*. 2016;121:63-7. doi: 10.1007/978-3-319-18497-5_11. PubMed PMID: 26463924.

213: Sawada M, Kato K, Kunieda T, Mikuni N, Miyamoto S, Onoe H, Isa T, Nishimura Y. Function of the nucleus accumbens in motor control during recovery after spinal cord injury. *Science*. 2015 Oct 2;350(6256):98-101. doi: 10.1126/science.aab3825. Epub 2015 Oct 1. PubMed PMID: 26430122.

214: Johnson AM, Grant LM, Schallert T, Ciucci MR. Changes in Rat 50-kHz Ultrasonic Vocalizations During Dopamine Denervation and Aging: Relevance to Neurodegeneration. *Curr Neuropharmacol*. 2015;13(2):211-9. Review. PubMed PMID: 26411763; PubMed Central PMCID: PMC4598432.

215: Kuppaswamy A, Rothwell J, Ward N. A model of poststroke fatigue based on sensorimotor

deficits. *Curr Opin Neurol*. 2015 Dec;28(6):582-6. doi: 10.1097/WCO.0000000000000260. Review. PubMed PMID: 26397231.

216: Schneider FC, Pailler M, Faillenot I, Vassal F, Guyotat J, Barral FG, Boutet C. Presurgical Assessment of the Sensorimotor Cortex Using Resting-State fMRI. *AJNR Am J Neuroradiol*. 2016 Jan;37(1):101-7. doi: 10.3174/ajnr.A4472. Epub 2015 Sep 17. PubMed PMID: 26381564.

217: Chen YL, Tsai TH, Wallace CG, Chen YL, Huang TH, Sung PH, Yuen CM, Sun CK, Lin KC, Chai HT, Sheu JJ, Lee FY, Yip HK. Intra-carotid arterial administration of autologous peripheral blood-derived endothelial progenitor cells improves acute ischemic stroke neurological outcomes in rats. *Int J Cardiol*. 2015 Dec 15;201:668-83. doi: 10.1016/j.ijcard.2015.03.137. Epub 2015 Mar 11. PubMed PMID: 26363631.

218: Yuen CM, Chung SY, Tsai TH, Sung PH, Huang TH, Chen YL, Chen YL, Chai HT, Zhen YY, Chang MW, Wang CJ, Chang HW, Sun CK, Yip HK. Extracorporeal shock wave effectively attenuates brain infarct volume and improves neurological function in rat after acute ischemic stroke. *Am J Transl Res*. 2015 Jun 15;7(6):976-94. eCollection 2015. PubMed PMID: 26279744; PubMed Central PMCID: PMC4532733.

219: Carr AS, Pelayo-Negro AL, Evans MR, Laurà M, Blake J, Stancanelli C, Iodice V, Wechalekar AD, Whelan CJ, Gillmore JD, Hawkins PN, Reilly MM. A study of the neuropathy associated with transthyretin amyloidosis (ATTR) in the UK. *J Neurol Neurosurg Psychiatry*. 2016 Jun;87(6):620-7. doi: 10.1136/jnnp-2015-310907. Epub 2015 Aug 4. PubMed PMID: 26243339.

220: Vukelić M, Gharabaghi A. Self-regulation of circumscribed brain activity modulates spatially selective and frequency specific connectivity of distributed resting state networks. *Front Behav Neurosci*. 2015 Jul 14;9:181. doi: 10.3389/fnbeh.2015.00181. eCollection 2015. PubMed PMID: 26236207; PubMed Central PMCID: PMC4500921.

221: Ropper AE, Zeng X, Anderson JE, Yu D, Han I, Haragopal H, Teng YD. An efficient device to experimentally model compression injury of mammalian spinal cord. *Exp Neurol*. 2015 Sep;271:515-23. doi: 10.1016/j.expneurol.2015.07.012. Epub 2015 Jul 22. PubMed PMID: 26210871.

222: Tarantini S, Hertelendy P, Tucsek Z, Valcarcel-Ares MN, Smith N, Menyhart A, Farkas E, Hodges EL, Towner R, Deak F, Sonntag WE, Csiszar A, Ungvari Z, Toth P. Pharmacologically-induced neurovascular uncoupling is associated with cognitive impairment in mice. *J Cereb Blood Flow Metab*. 2015 Nov;35(11):1871-81. doi: 10.1038/jcbfm.2015.162. Epub 2015 Jul 15. PubMed PMID: 26174328; PubMed Central PMCID: PMC4635246.

223: Trimble G, McStravick C, Farling P, Megaw K, McKinstry S, Smyth G, Law G, Courtney H, Quigley G, Flannery T. Awake craniotomy for glioma resection: Technical aspects and initial results in a single institution. *Br J Neurosurg*. 2015;29(6):836-42. doi: 10.3109/02688697.2015.1054354. Epub 2015 Aug 27. PubMed PMID: 26168299.

224: Yao S, Song J, Gao L, Yan Y, Huang C, Ding H, Huang H, He Y, Sun R, Xu G. Thalamocortical Sensorimotor Circuit Damage Associated with Disorders of Consciousness for Diffuse Axonal Injury Patients. *J Neurol Sci*. 2015 Sep 15;356(1-2):168-74. doi: 10.1016/j.jns.2015.06.044. Epub 2015 Jun 24. PubMed PMID: 26165776.

225: Kellis S, Sorensen L, Darvas F, Sayres C, O'Neill K 3rd, Brown RB, House P, Ojemann J, Greger B. Multi-scale analysis of neural activity in humans: Implications for micro-scale electrocorticography. *Clin Neurophysiol*. 2016 Jan;127(1):591-601. doi: 10.1016/j.clinph.2015.06.002. Epub 2015 Jun 11. PubMed PMID: 26138146.

- 226: Fukuma R, Yanagisawa T, Yorifuji S, Kato R, Yokoi H, Hirata M, Saitoh Y, Kishima H, Kamitani Y, Yoshimine T. Closed-Loop Control of a Neuroprosthetic Hand by Magnetoencephalographic Signals. *PLoS One*. 2015 Jul 2;10(7):e0131547. doi: 10.1371/journal.pone.0131547. eCollection 2015. PubMed PMID: 26134845; PubMed Central PMCID: PMC4489903.
- 227: Daadi MM, Klausner JQ, Bajar B, Goshen I, Lee-Messer C, Lee SY, Winge MC, Ramakrishnan C, Lo M, Sun G, Deisseroth K, Steinberg GK. Optogenetic Stimulation of Neural Grafts Enhances Neurotransmission and Downregulates the Inflammatory Response in Experimental Stroke Model. *Cell Transplant*. 2016;25(7):1371-80. doi: 10.3727/096368915x688533. Epub 2015 Jun 30. PubMed PMID: 26132738; PubMed Central PMCID: PMC5823260.
- 228: Zhang K, Zhang J, Zhou Y, Chen C, Li W, Ma L, Zhang L, Zhao J, Gan W, Zhang L, Tang P. Remodeling the Dendritic Spines in the Hindlimb Representation of the Sensory Cortex after Spinal Cord Hemisection in Mice. *PLoS One*. 2015 Jul 1;10(7):e0132077. doi: 10.1371/journal.pone.0132077. eCollection 2015. PubMed PMID: 26132157; PubMed Central PMCID: PMC4489092.
- 229: Struzyna LA, Harris JP, Katiyar KS, Chen HI, Cullen DK. Restoring nervous system structure and function using tissue engineered living scaffolds. *Neural Regen Res*. 2015 May;10(5):679-85. doi: 10.4103/1673-5374.156943. PubMed PMID: 26109930; PubMed Central PMCID: PMC4468747.
- 230: Verhagen R, Zwartjes DG, Heida T, Wiegers EC, Contarino MF, de Bie RM, van den Munckhof P, Schuurman PR, Veltink PH, Bour LJ. Advanced target identification in STN-DBS with beta power of combined local field potentials and spiking activity. *J Neurosci Methods*. 2015 Sep 30;253:116-25. doi: 10.1016/j.jneumeth.2015.06.006. Epub 2015 Jun 12. PubMed PMID: 26079495.
- 231: Cartier C, Diniz C, Di Girolgio L, Bittencourt J, Gongora M, Ken Tanaka G, Teixeira S, Basile LF, Novis F, Angélica Silveira L, da Silva Rde A, Cagy M, Cheniaux E, Ribeiro P, Velasques B. Changes in absolute theta power in bipolar patients during a saccadic attention task. *Psychiatry Res*. 2015 Aug 30;228(3):785-90. doi: 10.1016/j.psychres.2015.05.025. Epub 2015 May 29. PubMed PMID: 26073283.
- 232: Gee L, Smith H, De La Cruz P, Campbell J, Fama C, Haller J, Ramirez-Zamora A, Durphy J, Hanspal E, Molho E, Barba A, Shin D, Pilitsis JG. The Influence of Bilateral Subthalamic Nucleus Deep Brain Stimulation on Impulsivity and Prepulse Inhibition in Parkinson's Disease Patients. *Stereotact Funct Neurosurg*. 2015;93(4):265-70. doi: 10.1159/000381558. Epub 2015 Jun 10. PubMed PMID: 26066569; PubMed Central PMCID: PMC4540608.
- 233: Kim JY, Song KS, Kim WJ, Park YH, Kang H, Woo YC, Shin HY. Analgesic efficacy of two interscalene blocks and one cervical epidural block in arthroscopic rotator cuff repair. *Knee Surg Sports Traumatol Arthrosc*. 2016 Mar;24(3):931-9. doi: 10.1007/s00167-015-3667-8. Epub 2015 Jun 11. PubMed PMID: 26063452.
- 234: Hadar R, Soto-Montenegro ML, Götz T, Wieske F, Sohr R, Desco M, Hamani C, Weiner I, Pascau J, Winter C. Using a maternal immune stimulation model of schizophrenia to study behavioral and neurobiological alterations over the developmental course. *Schizophr Res*. 2015 Aug;166(1-3):238-47. doi: 10.1016/j.schres.2015.05.010. Epub 2015 Jun 6. PubMed PMID: 26055633; PubMed Central PMCID: PMC5233455.
- 235: Tsai ST, Chuang WY, Kuo CC, Chao PC, Chen TY, Hung HY, Chen SY. Dorsolateral subthalamic neuronal activity enhanced by median nerve stimulation characterizes Parkinson's disease during deep brain stimulation with general anesthesia. *J Neurosurg*. 2015 Dec;123(6):1394-400. doi: 10.3171/2014.11.JNS141208. Epub 2015 May 29. PubMed PMID: 26024004.
- 236: Gayoso García S, Herbet G, Duffau H. Vivid Mental Imagery of Biomechanically Impossible

Movements Elicited by Cortical Electrostimulation of the Central Region in an Awake Patient.

Stereotact Funct Neurosurg. 2015;93(4):250-4. doi: 10.1159/000381987. Epub 2015 May 27. PubMed PMID: 26021673.

237: Stubblefield EA, Thompson JA, Felsen G. Optogenetic cholinergic modulation of the mouse superior colliculus in vivo. J Neurophysiol. 2015 Aug;114(2):978-88. doi: 10.1152/jn.00917.2014. Epub 2015 May 27. PubMed PMID: 26019317; PubMed Central PMCID: PMC4725101.

238: Miró J, Jaraba S, Mora J, Puig O, Castañer S, Rodriguez-Bel L, Santurino M, Plans G, Falip M. Vagus nerve stimulation therapy is effective and safe for startle-induced seizures. J Neurol Sci. 2015 Jul 15;354(1-2):124-6. doi: 10.1016/j.jns.2015.04.048. Epub 2015 May 7. PubMed PMID: 25979636.

239: Breshears JD, Molinaro AM, Chang EF. A probabilistic map of the human ventral sensorimotor cortex using electrical stimulation. J Neurosurg. 2015 Aug;123(2):340-9. doi: 10.3171/2014.11.JNS14889. Epub 2015 May 15. PubMed PMID: 25978714.

240: Willenberg R, Steward O. Nonspecific labeling limits the utility of Cre-Lox bred CST-YFP mice for studies of corticospinal tract regeneration. J Comp Neurol. 2015 Dec 15;523(18):2665-82. doi: 10.1002/cne.23809. Epub 2015 Aug 10. PubMed PMID: 25976033; PubMed Central PMCID: PMC4607560.

241: McBride DW, Wang Y, Sherchan P, Tang J, Zhang JH. Correlation between subacute sensorimotor deficits and brain water content after surgical brain injury in rats. Behav Brain Res. 2015 Sep 1;290:161-71. doi: 10.1016/j.bbr.2015.05.001. Epub 2015 May 11. PubMed PMID: 25975171; PubMed Central PMCID: PMC4447543.

242: Shirey MJ, Smith JB, Kudlik DE, Huo BX, Greene SE, Drew PJ. Brief anesthesia, but not voluntary locomotion, significantly alters cortical temperature. J Neurophysiol. 2015 Jul;114(1):309-22. doi: 10.1152/jn.00046.2015. Epub 2015 May 13. PubMed PMID: 25972579; PubMed Central PMCID: PMC4507947.

243: Lake EM, Chaudhuri J, Thomason L, Janik R, Ganguly M, Brown M, McLaurin J, Corbett D, Stanis GJ, Stefanovic B. The effects of delayed reduction of tonic inhibition on ischemic lesion and sensorimotor function. J Cereb Blood Flow Metab. 2015 Oct;35(10):1601-9. doi: 10.1038/jcbfm.2015.86. Epub 2015 May 13. PubMed PMID: 25966952; PubMed Central PMCID: PMC4640317.

244: Otte WM, van der Marel K, van Meer MP, van Rijen PC, Gosselaar PH, Braun KP, Dijkhuizen RM. Altered contralateral sensorimotor system organization after experimental hemispherectomy: a structural and functional connectivity study. J Cereb Blood Flow Metab. 2015 Aug;35(8):1358-67. doi: 10.1038/jcbfm.2015.101. Epub 2015 May 13. PubMed PMID: 25966942; PubMed Central PMCID: PMC4527994.

245: Potgieser AR, van der Hoorn A, de Jong BM. Cerebral activations related to writing and drawing with each hand. PLoS One. 2015 May 8;10(5):e0126723. doi: 10.1371/journal.pone.0126723. eCollection 2015. PubMed PMID: 25955655; PubMed Central PMCID: PMC4425548.

246: Wang Z, Wang J, Zhang H, Mchugh R, Sun X, Li K, Yang QX. Interhemispheric Functional and Structural Disconnection in Alzheimer's Disease: A Combined Resting-State fMRI and DTI Study. PLoS One. 2015 May 4;10(5):e0126310. doi: 10.1371/journal.pone.0126310. eCollection 2015. PubMed PMID: 25938561; PubMed Central PMCID: PMC4418835.

247: Neumann WJ, Jha A, Bock A, Huebl J, Horn A, Schneider GH, Sander TH, Litvak V, Kühn AA.

Cortico-pallidal oscillatory connectivity in patients with dystonia. *Brain*. 2015 Jul;138(Pt 7):1894-906. doi: 10.1093/brain/awv109. Epub 2015 May 1. PubMed PMID: 25935723.

248: Sedley W, Gander PE, Kumar S, Oya H, Kovach CK, Nourski KV, Kawasaki H, Howard MA 3rd, Griffiths TD. Intracranial Mapping of a Cortical Tinnitus System using Residual Inhibition. *Curr Biol*. 2015 May 4;25(9):1208-14. doi: 10.1016/j.cub.2015.02.075. Epub 2015 Apr 23. PubMed PMID: 25913402; PubMed Central PMCID: PMC4425458.

249: Shijo K, Ghavim S, Harris NG, Hovda DA, Sutton RL. Glucose administration after traumatic brain injury exerts some benefits and no adverse effects on behavioral and histological outcomes. *Brain Res*. 2015 Jul 21;1614:94-104. doi: 10.1016/j.brainres.2015.04.022. Epub 2015 Apr 21. PubMed PMID: 25911580; PubMed Central PMCID: PMC4457685.

250: Olson JD, Wander JD, Johnson L, Sarma D, Weaver K, Novotny EJ, Ojemann JG, Darvas F. Comparison of subdural and subgaleal recordings of cortical high-gamma activity in humans. *Clin Neurophysiol*. 2016 Jan;127(1):277-284. doi: 10.1016/j.clinph.2015.03.014. Epub 2015 Apr 9. PubMed PMID: 25907415; PubMed Central PMCID: PMC4600028.

251: Gad P, Roy RR, Choe J, Zhong H, Nandra MS, Tai YC, Gerasimenko Y, Edgerton VR. Electrophysiological mapping of rat sensorimotor lumbosacral spinal networks after complete paralysis. *Prog Brain Res*. 2015;218:199-212. doi: 10.1016/bs.pbr.2015.01.005. Epub 2015 Mar 19. PubMed PMID: 25890138; PubMed Central PMCID: PMC4512743.

252: Patel YA, Butera RJ. Differential fiber-specific block of nerve conduction in mammalian peripheral nerves using kilohertz electrical stimulation. *J Neurophysiol*. 2015 Jun 1;113(10):3923-9. doi: 10.1152/jn.00529.2014. Epub 2015 Apr 15. PubMed PMID: 25878155; PubMed Central PMCID: PMC4480619.

253: Wang J, Xia J, Zhang F, Shi Y, Wu Y, Pu H, Liou AK, Leak RK, Yu X, Chen L, Chen J. Galectin-1-secreting neural stem cells elicit long-term neuroprotection against ischemic brain injury. *Sci Rep*. 2015 Apr 10;5:9621. doi: 10.1038/srep09621. PubMed PMID: 25858671; PubMed Central PMCID: PMC4392363.

254: Duffau H. Stimulation mapping of white matter tracts to study brain functional connectivity. *Nat Rev Neurol*. 2015 May;11(5):255-65. doi: 10.1038/nrneurol.2015.51. Epub 2015 Apr 7. Review. PubMed PMID: 25848923.

255: Hakon J, Ruscher K, Romner B, Tomasevic G. Preservation of the blood brain barrier and cortical neuronal tissue by liraglutide, a long acting glucagon-like-1 analogue, after experimental traumatic brain injury. *PLoS One*. 2015 Mar 30;10(3):e0120074. doi: 10.1371/journal.pone.0120074. eCollection 2015. PubMed PMID: 25822252; PubMed Central PMCID: PMC4379006.

256: Meng L, Berger MS, Gelb AW. The Potential Benefits of Awake Craniotomy for Brain Tumor Resection: An Anesthesiologist's Perspective. *J Neurosurg Anesthesiol*. 2015 Oct;27(4):310-7. doi: 10.1097/ANA.0000000000000179. Review. PubMed PMID: 25811363.

257: Modroño C, Plata-Bello J, Zelaya F, García S, Galván I, Marcano F, Navarrete G, Casanova Ó, Mas M, González-Mora JL. Enhancing sensorimotor activity by controlling virtual objects with gaze. *PLoS One*. 2015 Mar 23;10(3):e0121562. doi: 10.1371/journal.pone.0121562. eCollection 2015. PubMed PMID: 25799431; PubMed Central PMCID: PMC4370397.

258: Scholten M, Klotz R, Plewnia C, Wächter T, Mielke C, Bloem BR, Braun C, Ziemann U, Govindan RB, Gharabaghi A, Krüger R, Weiss D. Neuromuscular correlates of subthalamic stimulation and upper

limb freezing in Parkinson's disease. *Clin Neurophysiol.* 2016 Jan;127(1):610-620. doi: 10.1016/j.clinph.2015.02.012. Epub 2015 Feb 28. PubMed PMID: 25792072.

259: Kojovic M, Kassavetis P, Bologna M, Pareés I, Rubio-Agusti I, Berardelli A, Edwards MJ, Rothwell JC, Bhatia KP. Transcranial magnetic stimulation follow-up study in early Parkinson's disease: A decline in compensation with disease progression? *Mov Disord.* 2015 Jul;30(8):1098-106. doi: 10.1002/mds.26167. Epub 2015 Mar 5. Erratum in: *Mov Disord.* 2015 Dec;30(14):1997. Berardelli, Alfredo [Corrected to Berardelli, Alfredo]. PubMed PMID: 25753906.

260: Bourque PR, Chardon JW, Massie R. Autoimmune peripheral neuropathies. *Clin Chim Acta.* 2015 Sep 20;449:37-42. doi: 10.1016/j.cca.2015.02.039. Epub 2015 Mar 4. Review. PubMed PMID: 25748038.

261: Danilov CA, Steward O. Conditional genetic deletion of PTEN after a spinal cord injury enhances regenerative growth of CST axons and motor function recovery in mice. *Exp Neurol.* 2015 Apr;266:147-60. doi: 10.1016/j.expneurol.2015.02.012. Epub 2015 Feb 20. PubMed PMID: 25704959; PubMed Central PMCID: PMC4382431.

262: Tomasino B, Marin D, Maieron M, D'Agostini S, Medeossi I, Fabbro F, Skrap M, Luzzatti C. A multimodal mapping study of conduction aphasia with impaired repetition and spared reading aloud. *Neuropsychologia.* 2015 Apr;70:214-26. doi: 10.1016/j.neuropsychologia.2015.02.023. Epub 2015 Feb 18. PubMed PMID: 25701795.

263: Vukelić M, Gharabaghi A. Oscillatory entrainment of the motor cortical network during motor imagery is modulated by the feedback modality. *Neuroimage.* 2015 May 1;111:1-11. doi: 10.1016/j.neuroimage.2015.01.058. Epub 2015 Feb 7. PubMed PMID: 25665968.

264: Rinalduzzi S, Trompetto C, Marinelli L, Alibardi A, Missori P, Fattapposta F, Pierelli F, Currà A. Balance dysfunction in Parkinson's disease. *Biomed Res Int.* 2015;2015:434683. doi: 10.1155/2015/434683. Epub 2015 Jan 14. Review. PubMed PMID: 25654100; PubMed Central PMCID: PMC4310258.

265: Lim M, Roosink M, Kim JS, Kim DJ, Kim HW, Lee EB, Kim HA, Chung CK. Disinhibition of the primary somatosensory cortex in patients with fibromyalgia. *Pain.* 2015 Apr;156(4):666-74. doi: 10.1097/j.pain.0000000000000096. PubMed PMID: 25630027.

266: Behroozmand R, Shebek R, Hansen DR, Oya H, Robin DA, Howard MA 3rd, Greenlee JD. Sensory-motor networks involved in speech production and motor control: an fMRI study. *Neuroimage.* 2015 Apr 1;109:418-28. doi: 10.1016/j.neuroimage.2015.01.040. Epub 2015 Jan 24. PubMed PMID: 25623499; PubMed Central PMCID: PMC4339397.

267: Blakely TM, Olson JD, Miller KJ, Rao RP, Ojemann JG. Neural correlates of learning in an electrocorticographic motor-imagery brain-computer interface. *Brain Comput Interfaces (Abingdon).* 2014 Jul 1;1(3-4):147-157. PubMed PMID: 25599079; PubMed Central PMCID: PMC4295512.

268: Chen Q, Garcea FE, Mahon BZ. The Representation of Object-Directed Action and Function Knowledge in the Human Brain. *Cereb Cortex.* 2016 Apr;26(4):1609-18. doi: 10.1093/cercor/bhu328. Epub 2015 Jan 16. PubMed PMID: 25595179; PubMed Central PMCID: PMC4785951.

269: Zhang Y, Chopp M, Meng Y, Katakowski M, Xin H, Mahmood A, Xiong Y. Effect of exosomes derived from multipotential mesenchymal stromal cells on functional recovery and neurovascular plasticity in rats after traumatic brain injury. *J Neurosurg.* 2015 Apr;122(4):856-67. doi: 10.3171/2014.11.JNS14770. Epub 2015 Jan 16. PubMed PMID: 25594326; PubMed Central PMCID:

PMC4382456.

270: Kato K, Yokochi F, Taniguchi M, Okiyama R, Kawasaki T, Kimura K, Ushiba J. Bilateral coherence between motor cortices and subthalamic nuclei in patients with Parkinson's disease. *Clin Neurophysiol*. 2015 Oct;126(10):1941-50. doi: 10.1016/j.clinph.2014.12.007. Epub 2014 Dec 19. PubMed PMID: 25591829.

271: Gentil BJ, Tibshirani M, Durham HD. Neurofilament dynamics and involvement in neurological disorders. *Cell Tissue Res*. 2015 Jun;360(3):609-20. doi: 10.1007/s00441-014-2082-7. Epub 2015 Jan 8. Review. PubMed PMID: 25567110.

272: Weiss D, Klotz R, Govindan RB, Scholten M, Naros G, Ramos-Murguialday A, Bunjes F, Meisner C, Plewnia C, Krüger R, Gharabaghi A. Subthalamic stimulation modulates cortical motor network activity and synchronization in Parkinson's disease. *Brain*. 2015 Mar;138(Pt 3):679-93. doi: 10.1093/brain/awu380. Epub 2015 Jan 2. PubMed PMID: 25558877; PubMed Central PMCID: PMC4408429.

273: Frigeri T, Paglioli E, de Oliveira E, Rhoton AL Jr. Microsurgical anatomy of the central lobe. *J Neurosurg*. 2015 Mar;122(3):483-98. doi: 10.3171/2014.11.JNS14315. Epub 2015 Jan 2. PubMed PMID: 25555079.

274: Hua XY, Qiu YQ, Li T, Zheng MX, Shen YD, Jiang S, Xu JG, Gu YD, Xu WD. Contralateral peripheral neurotization for hemiplegic upper extremity after central neurologic injury. *Neurosurgery*. 2015 Feb;76(2):187-95; discussion 195. doi: 10.1227/NEU.0000000000000590. PubMed PMID: 25549193.

275: Hotson G, Fifer MS, Acharya S, Benz HL, Anderson WS, Thakor NV, Crone NE. Coarse electrocorticographic decoding of ipsilateral reach in patients with brain lesions. *PLoS One*. 2014 Dec 29;9(12):e115236. doi: 10.1371/journal.pone.0115236. eCollection 2014. PubMed PMID: 25545500; PubMed Central PMCID: PMC4278860.

276: Gharabaghi A, Naros G, Khademi F, Jesser J, Spüler M, Walter A, Bogdan M, Rosenstiel W, Birbaumer N. Learned self-regulation of the lesioned brain with epidural electrocorticography. *Front Behav Neurosci*. 2014 Dec 9;8:429. doi: 10.3389/fnbeh.2014.00429. eCollection 2014. PubMed PMID: 25538591; PubMed Central PMCID: PMC4260503.

277: Tan H, Zavala B, Pogosyan A, Ashkan K, Zrinzo L, Foltynie T, Limousin P, Brown P. Human subthalamic nucleus in movement error detection and its evaluation during visuomotor adaptation. *J Neurosci*. 2014 Dec 10;34(50):16744-54. doi: 10.1523/JNEUROSCI.3414-14.2014. PubMed PMID: 25505327; PubMed Central PMCID: PMC4261099.

278: Bondi CO, Semple BD, Noble-Haeusslein LJ, Osier ND, Carlson SW, Dixon CE, Giza CC, Kline AE. Found in translation: Understanding the biology and behavior of experimental traumatic brain injury. *Neurosci Biobehav Rev*. 2015 Nov;58:123-46. doi: 10.1016/j.neubiorev.2014.12.004. Epub 2014 Dec 10. Review. PubMed PMID: 25496906; PubMed Central PMCID: PMC4465064.

279: Narayana S, Rezaie R, McAfee SS, Choudhri AF, Babajani-Feremi A, Fulton S, Boop FA, Wheless JW, Papanicolaou AC. Assessing motor function in young children with transcranial magnetic stimulation. *Pediatr Neurol*. 2015 Jan;52(1):94-103. doi: 10.1016/j.pediatrneurol.2014.08.031. Epub 2014 Sep 18. PubMed PMID: 25439485.

280: Hrabálek L, Hlušík P, Hok P, Wanek T, Otruba P, Cecháková E, Vaverka M, Kaňovský P. [Effects of spinal cord decompression in patients with cervical spondylotic myelopathy on cortical brain activations]. *Rozhl Chir*. 2014 Nov;93(11):530-5. Czech. PubMed PMID: 25418940.

- 281: Freyschlag CF, Duffau H. Awake brain mapping of cortex and subcortical pathways in brain tumor surgery. *J Neurosurg Sci.* 2014 Dec;58(4):199-213. Review. PubMed PMID: 25418274.
- 282: Della Puppa A, De Pellegrin S, Lazzarini A, Gioffrè G, Rustemi O, Cagnin A, Scienza R, Semenza C. Subcortical mapping of calculation processing in the right parietal lobe. *J Neurosurg.* 2015 May;122(5):1038-41. doi: 10.3171/2014.10.JNS14261. Epub 2014 Nov 21. PubMed PMID: 25415072.
- 283: Gerasimenko Y, Gorodnichev R, Puhov A, Moshonkina T, Savochin A, Selionov V, Roy RR, Lu DC, Edgerton VR. Initiation and modulation of locomotor circuitry output with multisite transcutaneous electrical stimulation of the spinal cord in noninjured humans. *J Neurophysiol.* 2015 Feb 1;113(3):834-42. doi: 10.1152/jn.00609.2014. Epub 2014 Nov 5. PubMed PMID: 25376784.
- 284: Vadivelu S, Wolf VL, Bollo RJ, Wilfong A, Curry DJ. Resting-state functional MRI in pediatric epilepsy surgery. *Pediatr Neurosurg.* 2013;49(5):261-73. doi: 10.1159/000363605. Epub 2014 Sep 24. Review. PubMed PMID: 25277135.
- 285: Iamaroon A, Tangwiwat S, Sirivanasandha B, Halilamien P, Lertpenmetha Y, Sirimaneewattana S, Surachetpong S, Puangchan S. Femoral nerve block using 0.25% or 0.5% bupivacaine for analgesia after arthroscopic anterior cruciate ligament reconstruction. *J Med Assoc Thai.* 2014 Jul;97(7):717-23. PubMed PMID: 25265770.
- 286: Miri S, Shahidi GA, Parvaresh M, Rohani M. Pallidal deep brain stimulation for the treatment of DYT6 dystonia: a case report and review of literature. *Med J Islam Repub Iran.* 2014 Jun 1;28:39. eCollection 2014. PubMed PMID: 25250280; PubMed Central PMCID: PMC4153521.
- 287: Stude P, Enax-Krumova EK, Lenz M, Lissek S, Nicolas V, Peters S, Westermann A, Tegenthoff M, Maier C. Local anesthetic sympathectomy restores fMRI cortical maps in CRPS I after upper extremity stellate blockade: a prospective case study. *Pain Physician.* 2014 Sep-Oct;17(5):E637-44. PubMed PMID: 25247914.
- 288: Li M, Wan L, Mei W, Tian Y. Update on the clinical utility and practical use of ropivacaine in Chinese patients. *Drug Des Devel Ther.* 2014 Sep 9;8:1269-76. doi: 10.2147/DDDT.S57258. eCollection 2014. Review. PubMed PMID: 25246768; PubMed Central PMCID: PMC4166907.
- 289: Alam M, Angelov S, Stemmler M, von Wrangel C, Krauss JK, Schwabe K. Neuronal activity of the prefrontal cortex is reduced in rats selectively bred for deficient sensorimotor gating. *Prog Neuropsychopharmacol Biol Psychiatry.* 2015 Jan 2;56:174-84. doi: 10.1016/j.pnpbp.2014.08.017. Epub 2014 Sep 16. PubMed PMID: 25220677.
- 290: Earley CJ, Connor J, Garcia-Borreguero D, Jenner P, Winkelman J, Zee PC, Allen R. Altered brain iron homeostasis and dopaminergic function in Restless Legs Syndrome (Willis-Ekbom Disease). *Sleep Med.* 2014 Nov;15(11):1288-301. doi: 10.1016/j.sleep.2014.05.009. Epub 2014 Jun 16. Review. PubMed PMID: 25201131.
- 291: Meng Y, Chopp M, Zhang Y, Liu Z, An A, Mahmood A, Xiong Y. Subacute intranasal administration of tissue plasminogen activator promotes neuroplasticity and improves functional recovery following traumatic brain injury in rats. *PLoS One.* 2014 Sep 3;9(9):e106238. doi: 10.1371/journal.pone.0106238. eCollection 2014. PubMed PMID: 25184365; PubMed Central PMCID: PMC4153585.
- 292: Moloney EB, de Winter F, Verhaagen J. ALS as a distal axonopathy: molecular mechanisms affecting neuromuscular junction stability in the presymptomatic stages of the disease. *Front Neurosci.* 2014 Aug 14;8:252. doi: 10.3389/fnins.2014.00252. eCollection 2014. Review. PubMed

PMID: 25177267; PubMed Central PMCID: PMC4132373.

293: Ryun S, Kim JS, Lee SH, Jeong S, Kim SP, Chung CK. Movement type prediction before its onset using signals from prefrontal area: an electrocorticography study. *Biomed Res Int.* 2014;2014:783203. doi: 10.1155/2014/783203. Epub 2014 Jul 14. PubMed PMID: 25126578; PubMed Central PMCID: PMC4122137.

294: Kurani AS, Seidler RD, Burciu RG, Comella CL, Corcos DM, Okun MS, MacKinnon CD, Vaillancourt DE. Subthalamic nucleus-sensorimotor cortex functional connectivity in de novo and moderate Parkinson's disease. *Neurobiol Aging.* 2015 Jan;36(1):462-9. doi: 10.1016/j.neurobiolaging.2014.07.004. Epub 2014 Jul 11. PubMed PMID: 25095723; PubMed Central PMCID: PMC4268125.

295: Bhanpuri NH, Bertuccio M, Ferman D, Young SJ, Liker MA, Krieger MD, Sanger TD. Deep brain stimulation evoked potentials may relate to clinical benefit in childhood dystonia. *Brain Stimul.* 2014 Sep-Oct;7(5):718-26. doi: 10.1016/j.brs.2014.06.003. Epub 2014 Jun 25. PubMed PMID: 25088460.

296: Alam M, Schwabe K, Lütjens G, Capelle HH, Manu M, von Wrangel C, Müller-Vahl K, Schrader C, Scheinichen D, Blahak C, Heissler HE, Krauss JK. Comparative characterization of single cell activity in the globus pallidus internus of patients with dystonia or Tourette syndrome. *J Neural Transm (Vienna).* 2015 May;122(5):687-99. doi: 10.1007/s00702-014-1277-0. Epub 2014 Aug 1. PubMed PMID: 25081018.

297: Lewandowski G, Steward O. AAVshRNA-mediated suppression of PTEN in adult rats in combination with salmon fibrin administration enables regenerative growth of corticospinal axons and enhances recovery of voluntary motor function after cervical spinal cord injury. *J Neurosci.* 2014 Jul 23;34(30):9951-62. doi: 10.1523/JNEUROSCI.1996-14.2014. PubMed PMID: 25057197; PubMed Central PMCID: PMC4107411.

298: Cui ZQ, Ling ZP, Song HF, Hu S, Sun GC, Chen XL, Pan LS, Li C, Xu BN. Combining pyramidal tract mapping, microscopic-based neuronavigation, and intraoperative magnetic resonance imaging improves outcome of epilepsy foci resection in the sensorimotor cortex. *Turk Neurosurg.* 2014;24(4):538-45. doi: 10.5137/1019-5149.JTN.9517-13.0. PubMed PMID: 25050679.

299: Siero JC, Hermes D, Hoogduin H, Luijten PR, Ramsey NF, Petridou N. BOLD matches neuronal activity at the mm scale: a combined 7T fMRI and ECoG study in human sensorimotor cortex. *Neuroimage.* 2014 Nov 1;101:177-84. doi: 10.1016/j.neuroimage.2014.07.002. Epub 2014 Jul 12. PubMed PMID: 25026157.

300: Mottolese C, Szathmari A, Beuriat PA, Sirigu A, Desmurget M. Sensorimotor mapping of the human cerebellum during pineal region surgery. *Neurochirurgie.* 2015 Apr-Jun;61(2-3):101-5. doi: 10.1016/j.neuchi.2013.05.004. Epub 2014 Jun 26. PubMed PMID: 24975204.

301: Wang H, Liao Z, Sun X, Shi Q, Huo G, Xie Y, Tang X, Zhi X, Tang Z. Intravenous administration of Honokiol provides neuroprotection and improves functional recovery after traumatic brain injury through cell cycle inhibition. *Neuropharmacology.* 2014 Nov;86:9-21. doi: 10.1016/j.neuropharm.2014.06.018. Epub 2014 Jun 25. PubMed PMID: 24973706.

302: Tate MC, Herbet G, Moritz-Gasser S, Tate JE, Duffau H. Probabilistic map of critical functional regions of the human cerebral cortex: Broca's area revisited. *Brain.* 2014 Oct;137(Pt 10):2773-82. doi: 10.1093/brain/awu168. Epub 2014 Jun 25. PubMed PMID: 24970097.

303: Capozzo A, Vitale F, Mattei C, Mazzone P, Scarnati E. Continuous stimulation of the

pedunculo pontine tegmental nucleus at 40 Hz affects preparative and executive control in a delayed sensorimotor task and reduces rotational movements induced by apomorphine in the 6-OHDA parkinsonian rat. *Behav Brain Res.* 2014 Sep 1;271:333-42. doi: 10.1016/j.bbr.2014.06.033. Epub 2014 Jun 21. PubMed PMID: 24959863.

304: Mole TB, MacIver K, Sluming V, Ridgway GR, Nurmikko TJ. Specific brain morphometric changes in spinal cord injury with and without neuropathic pain. *Neuroimage Clin.* 2014 Jun 2;5:28-35. doi: 10.1016/j.nicl.2014.05.014. eCollection 2014. PubMed PMID: 24936434; PubMed Central PMCID: PMC4055864.

305: Min HK, Ross EK, Lee KH, Dennis K, Han SR, Jeong JH, Marsh MP, Striemer B, Felmlee JP, Lujan JL, Goerss S, Duffy PS, Blaha C, Chang SY, Bennet KE. Subthalamic nucleus deep brain stimulation induces motor network BOLD activation: use of a high precision MRI guided stereotactic system for nonhuman primates. *Brain Stimul.* 2014 Jul-Aug;7(4):603-607. doi: 10.1016/j.brs.2014.04.007. Epub 2014 May 2. PubMed PMID: 24933029; PubMed Central PMCID: PMC4108508.

306: Rosazza C, Aquino D, D'Incerti L, Cordella R, Andronache A, Zacà D, Bruzzone MG, Tringali G, Minati L. Preoperative mapping of the sensorimotor cortex: comparative assessment of task-based and resting-state fMRI. *PLoS One.* 2014 Jun 10;9(6):e98860. doi: 10.1371/journal.pone.0098860. eCollection 2014. PubMed PMID: 24914775; PubMed Central PMCID: PMC4051640.

307: Zhao L, He LX, Huang SN, Gong LJ, Li L, Lv YY, Qian ZM. Protection of dopamine neurons by vibration training and up-regulation of brain-derived neurotrophic factor in a MPTP mouse model of Parkinson's disease. *Physiol Res.* 2014;63(5):649-57. Epub 2014 Jun 5. PubMed PMID: 24908088.

308: Job AS, De Palma L, Principe A, Hoffmann D, Minotti L, Chabardès S, David O, Kahane P. The pivotal role of the supplementary motor area in startle epilepsy as demonstrated by SEEG epileptogenicity maps. *Epilepsia.* 2014 Aug;55(8):e85-8. doi: 10.1111/epi.12659. Epub 2014 Jun 5. PubMed PMID: 24902865.

309: Nakanishi Y, Yanagisawa T, Shin D, Chen C, Kambara H, Yoshimura N, Fukuma R, Kishima H, Hirata M, Koike Y. Decoding fingertip trajectory from electrocorticographic signals in humans. *Neurosci Res.* 2014 Aug;85:20-7. doi: 10.1016/j.neures.2014.05.005. Epub 2014 May 29. PubMed PMID: 24880133.

310: Ghodsi M, Mortazavi A, Shahjouei S, Hanaei S, Esmaeili A, Nejat F, El Khashab M. Exophytic glioma of the medulla: presentation, management and outcome. *Pediatr Neurosurg.* 2013;49(4):195-201. doi: 10.1159/000362621. Epub 2014 May 22. PubMed PMID: 24861884.

311: Kraitsy K, Uecal M, Grossauer S, Bruckmann L, Pfleger F, Ropele S, Fazekas F, Gruenbacher G, Patz S, Absenger M, Porubsky C, Smolle-Juettner F, Tezer I, Molcanyi M, Fasching U, Schaefer U. Repetitive long-term hyperbaric oxygen treatment (HBOT) administered after experimental traumatic brain injury in rats induces significant remyelination and a recovery of sensorimotor function. *PLoS One.* 2014 May 21;9(5):e97750. doi: 10.1371/journal.pone.0097750. eCollection 2014. PubMed PMID: 24848795; PubMed Central PMCID: PMC4029808.

312: Moriwaki T, Iwatsuki K, Mochizuki-Oda N, Ohnishi Y, Ishihara M, Umegaki M, Ninomiya K, Yoshimine T. Presence of trans-synaptic neurons derived from olfactory mucosa transplanted after spinal cord injury. *Spine (Phila Pa 1976).* 2014 Jul 15;39(16):1267-73. doi: 10.1097/BRS.0000000000000386. PubMed PMID: 24827516.

313: Longhi L, Orsini F, De Blasio D, Fumagalli S, Ortolano F, Locatelli M, Stocchetti N, De Simoni MG. Mannose-binding lectin is expressed after clinical and experimental traumatic brain injury and its

deletion is protective. Crit Care Med. 2014 Aug;42(8):1910-8. doi: 10.1097/CCM.0000000000000399. PubMed PMID: 24810526.

314: Christensen A, Giese MA, Sultan F, Mueller OM, Goericke SL, Ilg W, Timmann D. An intact action-perception coupling depends on the integrity of the cerebellum. J Neurosci. 2014 May 7;34(19):6707-16. doi: 10.1523/JNEUROSCI.3276-13.2014. PubMed PMID: 24806697.

315: Milella MS, Marengo L, Larcher K, Fotros A, Dagher A, Rosa-Neto P, Benkelfat C, Leyton M. Limbic system mGluR5 availability in cocaine dependent subjects: a high-resolution PET [(11)C]ABP688 study. Neuroimage. 2014 Sep;98:195-202. doi: 10.1016/j.neuroimage.2014.04.061. Epub 2014 May 2. PubMed PMID: 24795154.

316: Angelov SD, Dietrich C, Krauss JK, Schwabe K. Effect of deep brain stimulation in rats selectively bred for reduced prepulse inhibition. Brain Stimul. 2014 Jul-Aug;7(4):595-602. doi: 10.1016/j.brs.2014.03.013. Epub 2014 Apr 4. PubMed PMID: 24794286.

317: Molofsky AV, Kelley KW, Tsai HH, Redmond SA, Chang SM, Madireddy L, Chan JR, Baranzini SE, Ullian EM, Rowitch DH. Astrocyte-encoded positional cues maintain sensorimotor circuit integrity. Nature. 2014 May 8;509(7499):189-94. doi: 10.1038/nature13161. Epub 2014 Apr 28. PubMed PMID: 24776795; PubMed Central PMCID: PMC4057936.

318: Bonetti LV, Schneider AP, Barbosa S, Ilha J, Faccioni-Heuser MC. Balance and coordination training and endurance training after nerve injury. Muscle Nerve. 2015 Jan;51(1):83-91. doi: 10.1002/mus.24268. Epub 2014 Nov 19. PubMed PMID: 24752648.

319: Sulejczak D, Andrychowski J, Kowalczyk T, Nakielski P, Frontczak-Baniewicz M, Kowalewski T. Electrospun nanofiber mat as a protector against the consequences of brain injury. Folia Neuropathol. 2014;52(1):56-69. PubMed PMID: 24729343.

320: Cui QJ, Wang LY, Wei ZX, Qu WS. Continual naringin treatment benefits the recovery of traumatic brain injury in rats through reducing oxidative and inflammatory alterations. Neurochem Res. 2014 Jul;39(7):1254-62. doi: 10.1007/s11064-014-1306-2. Epub 2014 Apr 13. PubMed PMID: 24728904.

321: van Klink NEC, Van't Klooster MA, Zelman R, Leijten FSS, Ferrier CH, Braun KPJ, van Rijen PC, van Putten MJAM, Huiskamp GJM, Zijlmans M. High frequency oscillations in intra-operative electrocorticography before and after epilepsy surgery. Clin Neurophysiol. 2014 Nov;125(11):2212-2219. doi: 10.1016/j.clinph.2014.03.004. Epub 2014 Mar 13. PubMed PMID: 24704141.

322: Taylor JM, Kelley B, Gregory EJ, Berman NE. Neuroglobin overexpression improves sensorimotor outcomes in a mouse model of traumatic brain injury. Neurosci Lett. 2014 Aug 8;577:125-9. doi: 10.1016/j.neulet.2014.03.012. Epub 2014 Mar 15. PubMed PMID: 24642455; PubMed Central PMCID: PMC4108532.

323: Löhr M, Lebenheim L, Berg F, Stenzel W, Hescheler J, Molcanyi M, Ernestus RI, Bosche B. Gadolinium enhancement in newly diagnosed patients with lumbar disc herniations are associated with inflammatory peridiscal tissue reactions-evidence of fragment degradation? Clin Neurol Neurosurg. 2014 Apr;119:28-34. doi: 10.1016/j.clineuro.2014.01.008. Epub 2014 Jan 18. PubMed PMID: 24635921.

324: Gharabaghi A, Kraus D, Leão MT, Spüler M, Walter A, Bogdan M, Rosenstiel W, Naros G, Ziemann U. Coupling brain-machine interfaces with cortical stimulation for brain-state dependent stimulation: enhancing motor cortex excitability for neurorehabilitation. Front Hum Neurosci. 2014 Mar 5;8:122.

doi: 10.3389/fnhum.2014.00122. eCollection 2014. PubMed PMID: 24634650; PubMed Central PMCID: PMC3942791.

325: Grieb B, Engler G, Sharott A, von Nicolai C, Streichert T, Papageorgiou I, Schulte A, Westphal M, Lamszus K, Engel AK, Moll CK, Hamel W. High-frequency stimulation of the subthalamic nucleus counteracts cortical expression of major histocompatibility complex genes in a rat model of Parkinson's disease. *PLoS One*. 2014 Mar 12;9(3):e91663. doi: 10.1371/journal.pone.0091663. eCollection 2014. Erratum in: *PLoS One*. 2014;9(12):e116365. PubMed PMID: 24621597; PubMed Central PMCID: PMC3951430.

326: Lim M, Kim JS, Kim M, Chung CK. Ascending beta oscillation from finger muscle to sensorimotor cortex contributes to enhanced steady-state isometric contraction in humans. *Clin Neurophysiol*. 2014 Oct;125(10):2036-45. doi: 10.1016/j.clinph.2014.02.006. Epub 2014 Feb 17. PubMed PMID: 24618217.

327: Begum G, Yan HQ, Li L, Singh A, Dixon CE, Sun D. Docosahexaenoic acid reduces ER stress and abnormal protein accumulation and improves neuronal function following traumatic brain injury. *J Neurosci*. 2014 Mar 5;34(10):3743-55. doi: 10.1523/JNEUROSCI.2872-13.2014. PubMed PMID: 24599472.

328: Kurabe S, Itoh K, Matsuzawa H, Nakada T, Fujii Y. Expansion of sensorimotor cortical activation for unilateral hand motion during contralateral hand deafferentation. *Neuroreport*. 2014 Apr 16;25(6):435-9. doi: 10.1097/WNR.000000000000138. PubMed PMID: 24598772.

329: Rosenblum S, Smith TN, Wang N, Chua JY, Westbroek E, Wang K, Guzman R. BDNF Pretreatment of Human Embryonic-Derived Neural Stem Cells Improves Cell Survival and Functional Recovery After Transplantation in Hypoxic-Ischemic Stroke. *Cell Transplant*. 2015;24(12):2449-61. doi: 10.3727/096368914x679354. Epub 2014 Mar 3. PubMed PMID: 24594369.

330: Wang X, Gu X, Fan J, Wang S, Zhao F, Hof PR, Liu P, Gao Z. Recovery of empathetic function following resection of insular gliomas. *J Neurooncol*. 2014 Apr;117(2):269-77. doi: 10.1007/s11060-014-1380-y. Epub 2014 Feb 19. PubMed PMID: 24549750.

331: Li J, Luo C, Chen Y, Chen Q, Huang R, Sun J, Gong Q, Wu X, Qi Z, Liang Z, Li L, Li H, Li P, Wang W, Shang HF. Parkinson's disease-related modulation of functional connectivity associated with the striatum in the resting state in a nonhuman primate model. *Brain Res*. 2014 Mar 25;1555:10-9. doi: 10.1016/j.brainres.2014.01.054. Epub 2014 Feb 13. PubMed PMID: 24530271.

332: Krafft PR, McBride DW, Lekic T, Rolland WB, Mansell CE, Ma Q, Tang J, Zhang JH. Correlation between subacute sensorimotor deficits and brain edema in two mouse models of intracerebral hemorrhage. *Behav Brain Res*. 2014 May 1;264:151-60. doi: 10.1016/j.bbr.2014.01.052. Epub 2014 Feb 8. PubMed PMID: 24518201; PubMed Central PMCID: PMC3980717.

333: Herbet G, Lafargue G, de Champfleur NM, Moritz-Gasser S, le Bars E, Bonnetblanc F, Duffau H. Disrupting posterior cingulate connectivity disconnects consciousness from the external environment. *Neuropsychologia*. 2014 Apr;56:239-44. doi: 10.1016/j.neuropsychologia.2014.01.020. Epub 2014 Feb 4. PubMed PMID: 24508051.

334: Dachir S, Shabashov D, Trembovier V, Alexandrovich AG, Benowitz LI, Shohami E. Inosine improves functional recovery after experimental traumatic brain injury. *Brain Res*. 2014 Mar 25;1555:78-88. doi: 10.1016/j.brainres.2014.01.044. Epub 2014 Feb 3. PubMed PMID: 24502983.

335: Lascano AM, Grouiller F, Genetti M, Spinelli L, Seeck M, Schaller K, Michel CM. Surgically relevant localization of the central sulcus with high-density somatosensory-evoked potentials compared with

functional magnetic resonance imaging. *Neurosurgery*. 2014 May;74(5):517-26. doi: 10.1227/NEU.0000000000000298. PubMed PMID: 24463494.

336: Turner RC, VanGilder RL, Naser ZJ, Lucke-Wold BP, Bailes JE, Matsumoto RR, Huber JD, Rosen CL. Elucidating the severity of preclinical traumatic brain injury models: a role for functional assessment? *Neurosurgery*. 2014 Apr;74(4):382-94; discussion 394. doi: 10.1227/NEU.0000000000000292. PubMed PMID: 24448183; PubMed Central PMCID: PMC4890645.

337: Ryapolova-Webb E, Afshar P, Stanslaski S, Denison T, de Hemptinne C, Bankiewicz K, Starr PA. Chronic cortical and electromyographic recordings from a fully implantable device: preclinical experience in a nonhuman primate. *J Neural Eng*. 2014 Feb;11(1):016009. doi: 10.1088/1741-2560/11/1/016009. Epub 2014 Jan 20. PubMed PMID: 24445430.

338: Guo H, Zhang H, Kuang Y, Wang C, Jing X, Gu J, Gao G. Electrical stimulation of the substantia nigra pars reticulata (SNr) suppresses chemically induced neocortical seizures in rats. *J Mol Neurosci*. 2014 Aug;53(4):546-52. doi: 10.1007/s12031-013-0220-4. Epub 2014 Jan 8. PubMed PMID: 24399411.

339: Teixeira S, Machado S, Velasques B, Sanfim A, Minc D, Peressutti C, Bittencourt J, Budde H, Cagy M, Anghinah R, Basile LF, Piedade R, Ribeiro P, Diniz C, Cartier C, Gongora M, Silva F, Manaia F, Silva JG. Integrative parietal cortex processes: neurological and psychiatric aspects. *J Neurol Sci*. 2014 Mar 15;338(1-2):12-22. doi: 10.1016/j.jns.2013.12.025. Epub 2013 Dec 23. Review. PubMed PMID: 24398346.

340: Lu F, Nakamura T, Toyoshima T, Liu Y, Shinomiya A, Hirooka K, Okabe N, Miyamoto O, Tamiya T, Keep RF, Itano T. Neuroprotection of granulocyte colony-stimulating factor during the acute phase of transient forebrain ischemia in gerbils. *Brain Res*. 2014 Feb 22;1548:49-55. doi: 10.1016/j.brainres.2013.12.010. Epub 2013 Dec 31. PubMed PMID: 24389073.

341: Gressot LV, Mohila CA, Jea A, Luerksen TG, Bollo RJ. Cervicothoracic nonterminal myelocystocele with mature teratoma. *J Neurosurg Pediatr*. 2014 Feb;13(2):204-8. doi: 10.3171/2013.12.PEDS13408. Epub 2013 Dec 20. PubMed PMID: 24359211.

342: Schneider C, Hidalgo ET, Schmitt-Mechelke T, Kothbauer KF. Quality of life after surgical treatment of primary intramedullary spinal cord tumors in children. *J Neurosurg Pediatr*. 2014 Feb;13(2):170-7. doi: 10.3171/2013.11.PEDS13346. Epub 2013 Dec 20. PubMed PMID: 24359210.

343: Hiura M, Nariai T, Ishii K, Sakata M, Oda K, Toyohara J, Ishiwata K. Changes in cerebral blood flow during steady-state cycling exercise: a study using oxygen-15-labeled water with PET. *J Cereb Blood Flow Metab*. 2014 Mar;34(3):389-96. doi: 10.1038/jcbfm.2013.220. Epub 2013 Dec 4. PubMed PMID: 24301294; PubMed Central PMCID: PMC3948124.

344: Simon MV. Intraoperative neurophysiologic sensorimotor mapping and monitoring in supratentorial surgery. *J Clin Neurophysiol*. 2013 Dec;30(6):571-90. doi: 10.1097/01.wnp.0000436897.02502.78. Review. PubMed PMID: 24300982.

345: Sibindi TM, Krasovsky T, Feldman AG, Dannenbaum E, Zeitouni A, Levin MF. Arm-trunk coordination as a measure of vestibulospinal efficiency. *J Vestib Res*. 2013;23(4-5):237-47. doi: 10.3233/VES-130485. PubMed PMID: 24284604.

346: Ferreri F, Ponzo D, Vollero L, Guerra A, Di Pino G, Petrichella S, Benvenuto A, Tombini M, Rossini L, Denaro L, Micera S, Iannello G, Guglielmelli E, Denaro V, Rossini PM. Does an intraneural interface short-term implant for robotic hand control modulate sensorimotor cortical integration? An EEG-TMS co-registration study on a human amputee. *Restor Neurol Neurosci*. 2014;32(2):281-92. doi:

10.3233/RNN-130347. PubMed PMID: 24177253.

347: Yang C, Li G, Fang J, Wu L, Yang T, Deng X, Xu Y. Intramedullary gangliogliomas: clinical features, surgical outcomes, and neuropathic scoliosis. *J Neurooncol*. 2014 Jan;116(1):135-43. doi: 10.1007/s11060-013-1267-3. Epub 2013 Oct 17. PubMed PMID: 24132615.

348: Vukelić M, Bauer R, Naros G, Naros I, Braun C, Gharabaghi A. Lateralized alpha-band cortical networks regulate volitional modulation of beta-band sensorimotor oscillations. *Neuroimage*. 2014 Feb 15;87:147-53. doi: 10.1016/j.neuroimage.2013.10.003. Epub 2013 Oct 10. PubMed PMID: 24121086.

349: Freppel S, Bisdorff A, Colnat-Coulbois S, Ceyte H, Cian C, Gauchard G, Auque J, Perrin P. Visuo-proprioceptive interactions in degenerative cervical spine diseases requiring surgery. *Neuroscience*. 2013;255:226-32. doi: 10.1016/j.neuroscience.2013.09.060. Epub 2013 Oct 10. PubMed PMID: 24120556.

350: Vilela-Filho O, Barros BA, Arruda MM, Castro TS, Souza JT, Silva DJ, Ferraz FP, Ragazzo PC. Striatal somatotopy and motor responses evoked by acute electrical stimulation of the posterior striatum in rats. *Neuromodulation*. 2014 Feb;17(2):119-25. doi: 10.1111/ner.12118. Epub 2013 Sep 24. PubMed PMID: 24112662.

351: Morgante F, Klein C. Dystonia. *Continuum (Minneapolis, Minn)*. 2013 Oct;19(5 Movement Disorders):1225-41. doi: 10.1212/01.CON.0000436154.08791.67. Review. PubMed PMID: 24092288.

352: Dashti S, Aboutaleb N, Shahbazi A. The effect of leptin on prepulse inhibition in a developmental model of schizophrenia. *Neurosci Lett*. 2013 Oct 25;555:57-61. doi: 10.1016/j.neulet.2013.09.027. Epub 2013 Sep 20. PubMed PMID: 24055608.

353: Yamamoto S, Kim P, Abe Y, Itoki K, Shingo T, Kurokawa R, Kawamoto T. Bone temperature elevation by drilling friction and neurological outcome in the cervical spino-laminoplasty. *Acta Neurochir (Wien)*. 2013 Dec;155(12):2321-5; discussion 2325. doi: 10.1007/s00701-013-1867-x. Epub 2013 Sep 17. PubMed PMID: 24043413.

354: Angelakis E, Liouta E, Andreadis N, Korfiatis S, Ktonas P, Stranjalis G, Sakas DE. Transcranial direct current stimulation effects in disorders of consciousness. *Arch Phys Med Rehabil*. 2014 Feb;95(2):283-9. doi: 10.1016/j.apmr.2013.09.002. Epub 2013 Sep 11. PubMed PMID: 24035769.

355: Umeda T, Funakoshi K. Reorganization of motor circuits after neonatal hemidecortication. *Neurosci Res*. 2014 Jan;78:30-7. doi: 10.1016/j.neures.2013.08.011. Epub 2013 Sep 4. Review. PubMed PMID: 24013096.

356: Kim JP, Min HK, Knight EJ, Duffy PS, Abulseoud OA, Marsh MP, Kelsey K, Blaha CD, Bennet KE, Frye MA, Lee KH. Centromedian-parafascicular deep brain stimulation induces differential functional inhibition of the motor, associative, and limbic circuits in large animals. *Biol Psychiatry*. 2013 Dec 15;74(12):917-926. doi: 10.1016/j.biopsych.2013.06.024. Epub 2013 Aug 30. PubMed PMID: 23993641; PubMed Central PMCID: PMC3910443.

357: Marques M, Correia-Sá I, Festas MJ, Silva S, Silva AI, Silva A, Amarante J. Six years of follow-up after bilateral hand replantation. *Chir Main*. 2013 Sep;32(4):226-34. doi: 10.1016/j.main.2013.06.005. Epub 2013 Jul 26. PubMed PMID: 23948445.

358: Della Puppa A, De Pellegrin S, d'Avella E, Giofrè G, Munari M, Saladini M, Salillas E, Scienza R, Semenza C. Right parietal cortex and calculation processing: intraoperative functional mapping of

- multiplication and addition in patients affected by a brain tumor. *J Neurosurg.* 2013 Nov;119(5):1107-11. doi: 10.3171/2013.6.JNS122445. Epub 2013 Aug 9. PubMed PMID: 23930858.
- 359: Novak CB, von der Heyde RL. Evidence and techniques in rehabilitation following nerve injuries. *Hand Clin.* 2013 Aug;29(3):383-92. doi: 10.1016/j.hcl.2013.04.012. Epub 2013 Jun 12. Review. PubMed PMID: 23895718.
- 360: Sato Y, Fukuda M, Oishi M, Shirasawa A, Fujii Y. Ictal near-infrared spectroscopy and electrocorticography study of supplementary motor area seizures. *J Biomed Opt.* 2013 Jul;18(7):76022. doi: 10.1117/1.JBO.18.7.076022. PubMed PMID: 23887481.
- 361: Fletcher L, Evans TM, Watts LT, Jimenez DF, Digicaylioglu M. Rapamycin treatment improves neuron viability in an in vitro model of stroke. *PLoS One.* 2013 Jul 4;8(7):e68281. doi: 10.1371/journal.pone.0068281. Print 2013. PubMed PMID: 23861877; PubMed Central PMCID: PMC3701663.
- 362: Liang H, Yin Y, Lin T, Guan D, Ma B, Li C, Wang Y, Zhang X. Transplantation of bone marrow stromal cells enhances nerve regeneration of the corticospinal tract and improves recovery of neurological functions in a collagenase-induced rat model of intracerebral hemorrhage. *Mol Cells.* 2013 Jul;36(1):17-24. doi: 10.1007/s10059-013-2306-9. Epub 2013 Jun 25. PubMed PMID: 23807046; PubMed Central PMCID: PMC3887925.
- 363: Chvatal SA, Macpherson JM, Torres-Oviedo G, Ting LH. Absence of postural muscle synergies for balance after spinal cord transection. *J Neurophysiol.* 2013 Sep;110(6):1301-10. doi: 10.1152/jn.00038.2013. Epub 2013 Jun 26. PubMed PMID: 23803327; PubMed Central PMCID: PMC3763149.
- 364: Siero JC, Hermes D, Hoogduin H, Luijten PR, Petridou N, Ramsey NF. BOLD consistently matches electrophysiology in human sensorimotor cortex at increasing movement rates: a combined 7T fMRI and ECoG study on neurovascular coupling. *J Cereb Blood Flow Metab.* 2013 Sep;33(9):1448-56. doi: 10.1038/jcbfm.2013.97. Epub 2013 Jun 26. PubMed PMID: 23801242; PubMed Central PMCID: PMC3764395.
- 365: Qiu TM, Chen L, Mao Y, Wu JS, Tang WJ, Hu SN, Zhou LF, Gu YD. Sensorimotor cortical changes assessed with resting-state fMRI following total brachial plexus root avulsion. *J Neurol Neurosurg Psychiatry.* 2014 Jan;85(1):99-105. doi: 10.1136/jnnp-2013-304956. Epub 2013 Jun 12. PubMed PMID: 23761913.
- 366: Pascoal T, Paglioli E, Palmini A, Menezes R, Staudt M. Immediate improvement of motor function after epilepsy surgery in congenital hemiparesis. *Epilepsia.* 2013 Aug;54(8):e109-11. doi: 10.1111/epi.12244. Epub 2013 Jun 12. PubMed PMID: 23758538.
- 367: Inamura A, Adachi Y, Inoue T, He Y, Tokuda N, Nawata T, Shirao S, Nomura S, Fujii M, Ikeda E, Owada Y, Suzuki M. Cooling treatment transiently increases the permeability of brain capillary endothelial cells through translocation of claudin-5. *Neurochem Res.* 2013 Aug;38(8):1641-7. doi: 10.1007/s11064-013-1066-4. Epub 2013 May 9. PubMed PMID: 23653089.
- 368: Groppe DM, Bickel S, Keller CJ, Jain SK, Hwang ST, Harden C, Mehta AD. Dominant frequencies of resting human brain activity as measured by the electrocorticogram. *Neuroimage.* 2013 Oct 1;79:223-33. doi: 10.1016/j.neuroimage.2013.04.044. Epub 2013 Apr 30. PubMed PMID: 23639261; PubMed Central PMCID: PMC4269223.
- 369: Wagle Shukla A, Moro E, Gunraj C, Lozano A, Hodaie M, Lang A, Chen R. Long-term subthalamic

nucleus stimulation improves sensorimotor integration and proprioception. *J Neurol Neurosurg Psychiatry*. 2013 Sep;84(9):1020-8. doi: 10.1136/jnnp-2012-304102. Epub 2013 Apr 24. PubMed PMID: 23616568.

370: Fotros A, Casey KF, Larcher K, Verhaeghe JA, Cox SM, Gravel P, Reader AJ, Dagher A, Benkelfat C, Leyton M. Cocaine cue-induced dopamine release in amygdala and hippocampus: a high-resolution PET [¹⁸F]fallypride study in cocaine dependent participants. *Neuropsychopharmacology*. 2013 Aug;38(9):1780-8. doi: 10.1038/npp.2013.77. Epub 2013 Apr 1. PubMed PMID: 23546387; PubMed Central PMCID: PMC3717549.

371: Wu C, Calvert CT, Cairns BA, Hultman CS. Lower extremity nerve decompression in burn patients. *Ann Plast Surg*. 2013 May;70(5):563-7. doi: 10.1097/SAP.0b013e31827aef9c. PubMed PMID: 23542842.

372: Yuan Q, Su H, Zhang Y, Chau WH, Ng CT, Song YQ, Huang JD, Wu W, Lin ZX. Amyloid pathology in spinal cord of the transgenic Alzheimer's disease mice is correlated to the corticospinal tract pathway. *J Alzheimers Dis*. 2013;35(4):675-85. doi: 10.3233/JAD-122323. PubMed PMID: 23478304.

373: Wang JY, Liou A, Ren ZH, Zhang L, Brown BN, Cui XT, Badylak SF, Cai YN, Guan YQ, Leak RK, Chen J, Ji X, Chen L. Neurorestorative effect of urinary bladder matrix-mediated neural stem cell transplantation following traumatic brain injury in rats. *CNS Neurol Disord Drug Targets*. 2013 May 1;12(3):413-425. PubMed PMID: 23469853; PubMed Central PMCID: PMC4049096.

374: Li K, Li ZM. Cross recurrence quantification analysis of precision grip following peripheral median nerve block. *J Neuroeng Rehabil*. 2013 Mar 2;10:28. doi: 10.1186/1743-0003-10-28. PubMed PMID: 23453041; PubMed Central PMCID: PMC3599398.

375: Luchtmann M, Jachau K, Adolf D, Baecke S, Lützkendorf R, Müller C, Tempelmann C, Bernarding J. Decreased effective connectivity in the visuomotor system after alcohol consumption. *Alcohol*. 2013 May;47(3):195-202. doi: 10.1016/j.alcohol.2013.01.002. Epub 2013 Feb 13. PubMed PMID: 23414724.

376: Xiong Y, Mahmood A, Chopp M. Animal models of traumatic brain injury. *Nat Rev Neurosci*. 2013 Feb;14(2):128-42. doi: 10.1038/nrn3407. Review. PubMed PMID: 23329160; PubMed Central PMCID: PMC3951995.

377: Harris NG, Chen SF, Pickard JD. Cortical reorganization after experimental traumatic brain injury: a functional autoradiography study. *J Neurotrauma*. 2013 Jul 1;30(13):1137-46. doi: 10.1089/neu.2012.2785. Epub 2013 Jun 28. PubMed PMID: 23305562; PubMed Central PMCID: PMC3700473.

378: Stepanenko AY, Arkhipova NA, Pronin IN, Shishkina LV, Lebedeva AV, Guekht AB. Partial disconnection procedure in a patient with bilateral lesions (case report). *Epilepsy Behav Case Rep*. 2013 Mar 29;1:45-9. doi: 10.1016/j.ebcr.2013.02.002. eCollection 2013. PubMed PMID: 25667825; PubMed Central PMCID: PMC4150654.

379: He Y, Fujii M, Inoue T, Nomura S, Maruta Y, Oka F, Shirao S, Owada Y, Kida H, Kunitsugu I, Yamakawa T, Tokiwa T, Yamakawa T, Suzuki M. Neuroprotective effects of focal brain cooling on photochemically-induced cerebral infarction in rats: analysis from a neurophysiological perspective. *Brain Res*. 2013 Feb 25;1497:53-60. doi: 10.1016/j.brainres.2012.11.041. Epub 2012 Dec 23. PubMed PMID: 23268352.

380: Sameshima T, Morita A, Yamaoka Y, Ichikawa Y. Ipsilateral sensorimotor deficits in lateral medullary infarction: a case report. *J Stroke Cerebrovasc Dis*. 2014 Jan;23(1):191-3. doi:

10.1016/j.jstrokecerebrovasdis.2012.11.009. Epub 2012 Dec 6. PubMed PMID: 23219198.

381: Mahmood A, Wu H, Qu C, Xiong Y, Chopp M. Effects of treating traumatic brain injury with collagen scaffolds and human bone marrow stromal cells on sprouting of corticospinal tract axons into the denervated side of the spinal cord. *J Neurosurg.* 2013 Feb;118(2):381-9. doi: 10.3171/2012.11.JNS12753. Epub 2012 Nov 30. PubMed PMID: 23198801.

382: Lourens MA, Meijer HG, Contarino MF, van den Munckhof P, Schuurman PR, van Gils SA, Bour LJ. Functional neuronal activity and connectivity within the subthalamic nucleus in Parkinson's disease. *Clin Neurophysiol.* 2013 May;124(5):967-81. doi: 10.1016/j.clinph.2012.10.018. Epub 2012 Nov 22. PubMed PMID: 23182834.

383: Reyns N, Derambure P, Duhamel A, Bourriez JL, Blond S, Houdayer E. Motor cortex stimulation modulates defective central beta rhythms in patients with neuropathic pain. *Clin Neurophysiol.* 2013 Apr;124(4):761-9. doi: 10.1016/j.clinph.2012.10.011. Epub 2012 Nov 11. PubMed PMID: 23151426.

384: Rottler P, Schroeder HW, Lotze M. Outcome-dependent coactivation of lip and tongue primary somatosensory representation following hypoglossal-facial transfer after peripheral facial palsy. *Hum Brain Mapp.* 2014 Feb;35(2):638-45. doi: 10.1002/hbm.22206. Epub 2012 Nov 5. PubMed PMID: 23124599.

385: Yanagisawa T, Yamashita O, Hirata M, Kishima H, Saitoh Y, Goto T, Yoshimine T, Kamitani Y. Regulation of motor representation by phase-amplitude coupling in the sensorimotor cortex. *J Neurosci.* 2012 Oct 31;32(44):15467-75. doi: 10.1523/JNEUROSCI.2929-12.2012. PubMed PMID: 23115184.

386: Weimer T, Boling W, Palade A. Neurosurgical therapy for central area status epilepticus. *W V Med J.* 2012 Sep-Oct;108(5):20-3. PubMed PMID: 23098007.

387: Floriddia EM, Rathore KI, Tedeschi A, Quadrato G, Wuttke A, Lueckmann JM, Kigerl KA, Popovich PG, Di Giovanni S. p53 Regulates the neuronal intrinsic and extrinsic responses affecting the recovery of motor function following spinal cord injury. *J Neurosci.* 2012 Oct 3;32(40):13956-70. doi: 10.1523/JNEUROSCI.1925-12.2012. PubMed PMID: 23035104.

388: Unnwongse K, Wehner T, Foldvary-Schaefer N. Mesial frontal lobe epilepsy. *J Clin Neurophysiol.* 2012 Oct;29(5):371-8. doi: 10.1097/WNP.0b013e31826b3c60. Review. PubMed PMID: 23027093.

389: Lubrano V, Filleron T, Démonet JF, Roux FE. Anatomical correlates for category-specific naming of objects and actions: a brain stimulation mapping study. *Hum Brain Mapp.* 2014 Feb;35(2):429-43. doi: 10.1002/hbm.22189. Epub 2012 Sep 27. PubMed PMID: 23015527.

390: Cohen JE, Rabinstein A, Gomori JM, Leker RR. Capsular warning syndrome and crescendo lacunar strokes after atherosclerotic stenosis of the recurrent artery of Heubner. *J Clin Neurosci.* 2012 Dec;19(12):1730-3. doi: 10.1016/j.jocn.2012.04.010. Epub 2012 Sep 19. PubMed PMID: 22999563.

391: Deras P, Moulinié G, Maldonado IL, Moritz-Gasser S, Duffau H, Bertram L. Intermittent general anesthesia with controlled ventilation for asleep-awake-asleep brain surgery: a prospective series of 140 gliomas in eloquent areas. *Neurosurgery.* 2012 Oct;71(4):764-71. PubMed PMID: 22989957.

392: Hoang NS, Sar C, Valmier J, Sieso V, Scamps F. Electro-acupuncture on functional peripheral nerve regeneration in mice: a behavioural study. *BMC Complement Altern Med.* 2012 Aug 31;12:141. doi: 10.1186/1472-6882-12-141. PubMed PMID: 22937957; PubMed Central PMCID: PMC3479081.

- 393: Sato Y, Fukuda M, Oishi M, Fujii Y. Movement-related cortical activation with voluntary pinch task: simultaneous monitoring of near-infrared spectroscopy signals and movement-related cortical potentials. *J Biomed Opt.* 2012 Jul;17(7):076011. doi: 10.1117/1.JBO.17.7.076011. PubMed PMID: 22894494.
- 394: Li J, Gu L, Feng DF, Ding F, Zhu G, Rong J. Exploring temporospatial changes in glucose metabolic disorder, learning, and memory dysfunction in a rat model of diffuse axonal injury. *J Neurotrauma.* 2012 Nov 20;29(17):2635-46. doi: 10.1089/neu.2012.2411. PubMed PMID: 22880625; PubMed Central PMCID: PMC3510449.
- 395: Azhar F, Anderson WS. Predicting single-neuron activity in locally connected networks. *Neural Comput.* 2012 Oct;24(10):2655-77. doi: 10.1162/NECO_a_00343. Epub 2012 Jul 30. PubMed PMID: 22845824; PubMed Central PMCID: PMC4009070.
- 396: Laplante F, Zhang ZW, Huppé-Gourgues F, Dufresne MM, Vaucher E, Sullivan RM. Cholinergic depletion in nucleus accumbens impairs mesocortical dopamine activation and cognitive function in rats. *Neuropharmacology.* 2012 Nov;63(6):1075-84. doi: 10.1016/j.neuropharm.2012.07.033. Epub 2012 Jul 25. PubMed PMID: 22842071.
- 397: Hermes D, Siero JC, Aarnoutse EJ, Leijten FS, Petridou N, Ramsey NF. Dissociation between neuronal activity in sensorimotor cortex and hand movement revealed as a function of movement rate. *J Neurosci.* 2012 Jul 11;32(28):9736-44. doi: 10.1523/JNEUROSCI.0357-12.2012. PubMed PMID: 22787059.
- 398: Yao N, Qiao H, Shu N, Wang Z, Chen D, Wu L, Deng X, Xu Y. Cortex mapping of ipsilateral somatosensory area following anatomical hemispherectomy: a MEG study. *Brain Dev.* 2013 Apr;35(4):331-9. doi: 10.1016/j.braindev.2012.06.004. Epub 2012 Jul 5. PubMed PMID: 22770545.
- 399: Tomberg T, Braschinsky M, Rannikmäe K, Kepler J, Kepler K, Kõrv J, Linnamägi Ü, Asser T. Functional MRI of the cortical sensorimotor system in patients with hereditary spastic paraplegia. *Spinal Cord.* 2012 Dec;50(12):885-90. doi: 10.1038/sc.2012.70. Epub 2012 Jul 3. PubMed PMID: 22751186.
- 400: Kovac S, Nachev P, Rodionov R, Scott C, McEvoy AW, Toms N, Wehner T, Duncan JS, Diehl B. Neck atonia with a focal stimulation-induced seizure arising from the SMA: pathophysiological considerations. *Epilepsy Behav.* 2012 Aug;24(4):503-6. doi: 10.1016/j.yebeh.2012.05.012. Epub 2012 Jun 30. PubMed PMID: 22749609.
- 401: Turner RC, Seminerio MJ, Naser ZJ, Ford JN, Martin SJ, Matsumoto RR, Rosen CL, Huber JD. Effects of aging on behavioral assessment performance: implications for clinically relevant models of neurological disease. *J Neurosurg.* 2012 Sep;117(3):629-37. doi: 10.3171/2012.5.JNS112224. Epub 2012 Jun 29. PubMed PMID: 22746378.
- 402: Wostrack M, Shiban E, Harmening K, Obermueller T, Ringel F, Ryang YM, Meyer B, Stoffel M. Surgical treatment of symptomatic cerebral cavernous malformations in eloquent brain regions. *Acta Neurochir (Wien).* 2012 Aug;154(8):1419-30. doi: 10.1007/s00701-012-1411-4. Epub 2012 Jun 28. PubMed PMID: 22739772.
- 403: Jaffer F, Murphy SM, Scoto M, Healy E, Rossor AM, Brandner S, Phadke R, Selcen D, Jungbluth H, Muntoni F, Reilly MM. BAG3 mutations: another cause of giant axonal neuropathy. *J Peripher Nerv Syst.* 2012 Jun;17(2):210-6. doi: 10.1111/j.1529-8027.2012.00409.x. PubMed PMID: 22734908.
- 404: Xiong Y, Zhang Y, Mahmood A, Meng Y, Qu C, Chopp M. Erythropoietin mediates neurobehavioral

recovery and neurovascular remodeling following traumatic brain injury in rats by increasing expression of vascular endothelial growth factor. *Transl Stroke Res.* 2011 Dec 1;2(4):619-32. doi: 10.1007/s12975-011-0120-2. PubMed PMID: 22707988; PubMed Central PMCID: PMC3374663.

405: Air EL, Ryapolova-Webb E, de Hemptinne C, Ostrem JL, Galifianakis NB, Larson PS, Chang EF, Starr PA. Acute effects of thalamic deep brain stimulation and thalamotomy on sensorimotor cortex local field potentials in essential tremor. *Clin Neurophysiol.* 2012 Nov;123(11):2232-8. doi: 10.1016/j.clinph.2012.04.020. Epub 2012 May 26. PubMed PMID: 22633916; PubMed Central PMCID: PMC3577937.

406: Kumar G, Juhász C, Sood S, Asano E. Olfactory hallucinations elicited by electrical stimulation via subdural electrodes: effects of direct stimulation of olfactory bulb and tract. *Epilepsy Behav.* 2012 Jun;24(2):264-8. doi: 10.1016/j.yebeh.2012.03.027. Epub 2012 May 2. PubMed PMID: 22554977; PubMed Central PMCID: PMC3361538.

407: Zhu X, Luo J, Liu Y, Chen G, Liu S, Ruan Q, Deng X, Wang D, Fan Q, Pan X. Screen-imaging guidance using a modified portable video macrocope for middle cerebral artery occlusion. *Neural Regen Res.* 2012 Apr 25;7(12):912-6. doi: 10.3969/j.issn.1673-5374.2012.12.006. PubMed PMID: 25722675; PubMed Central PMCID: PMC4341286.

408: Breshears JD, Gaona CM, Roland JL, Sharma M, Bundy DT, Shimony JS, Rashid S, Eisenman LN, Hogan RE, Snyder AZ, Leuthardt EC. Mapping sensorimotor cortex with slow cortical potential resting-state networks while awake and under anesthesia. *Neurosurgery.* 2012 Aug;71(2):305-16; discussion 316. doi: 10.1227/NEU.0b013e318258e5d1. PubMed PMID: 22517255; PubMed Central PMCID: PMC4362698.

409: Nan Z, Shekels L, Ryabinin O, Evavold C, Nelson MS, Khan SA, Deans RJ, Mays RW, Low WC, Gupta P. Intracerebroventricular transplantation of human bone marrow-derived multipotent progenitor cells in an immunodeficient mouse model of mucopolysaccharidosis type I (MPS-I). *Cell Transplant.* 2012;21(7):1577-93. PubMed PMID: 22472595.

410: Zsoter A, Pieper T, Kudernatsch M, Staudt M. Predicting hand function after hemispherotomy: TMS versus fMRI in hemispheric polymicrogyria. *Epilepsia.* 2012 Jun;53(6):e98-101. doi: 10.1111/j.1528-1167.2012.03452.x. Epub 2012 Mar 29. PubMed PMID: 22462681.

411: Posch DK, Schwabe K, Krauss JK, Lütjens G. Deep brain stimulation of the entopeduncular nucleus in rats prevents apomorphine-induced deficient sensorimotor gating. *Behav Brain Res.* 2012 Jun 15;232(1):130-6. doi: 10.1016/j.bbr.2012.02.046. Epub 2012 Mar 7. PubMed PMID: 22425742.

412: Bingham D, Martin SJ, Macrae IM, Carswell HV. Watermaze performance after middle cerebral artery occlusion in the rat: the role of sensorimotor versus memory impairments. *J Cereb Blood Flow Metab.* 2012 Jun;32(6):989-99. doi: 10.1038/jcbfm.2012.16. Epub 2012 Feb 29. PubMed PMID: 22373646; PubMed Central PMCID: PMC3367220.

413: Harati A, Satopää J, Mahler L, Billon-Grand R, Elsharkawy A, Niemelä M, Hernesniemi J. Early microsurgical treatment for spinal hemangioblastomas improves outcome in patients with von Hippel-Lindau disease. *Surg Neurol Int.* 2012;3:6. doi: 10.4103/2152-7806.92170. Epub 2012 Jan 21. PubMed PMID: 22347675; PubMed Central PMCID: PMC3279991.

414: Cif L, Gonzalez-Martinez V, Vasques X, Corlobé A, Moura AM, Bonafé A, Coubes P. Staged implantation of multiple electrodes in the internal globus pallidus in the treatment of primary generalized dystonia. *J Neurosurg.* 2012 May;116(5):1144-52. doi: 10.3171/2012.1.JNS102045. Epub 2012 Feb 17. PubMed PMID: 22339165.

- 415: Lindemann C, Krauss JK, Schwabe K. Deep brain stimulation of the subthalamic nucleus in the 6-hydroxydopamine rat model of Parkinson's disease: effects on sensorimotor gating. *Behav Brain Res*. 2012 Apr 21;230(1):243-50. doi: 10.1016/j.bbr.2012.02.009. Epub 2012 Feb 11. PubMed PMID: 22330948.
- 416: Xiong Y, Zhang Y, Mahmood A, Meng Y, Zhang ZG, Morris DC, Chopp M. Neuroprotective and neurorestorative effects of thymosin β_4 treatment initiated 6 hours after traumatic brain injury in rats. *J Neurosurg*. 2012 May;116(5):1081-92. doi: 10.3171/2012.1.JNS111729. Epub 2012 Feb 10. PubMed PMID: 22324420; PubMed Central PMCID: PMC3392183.
- 417: Fujii M, Inoue T, Nomura S, Maruta Y, He Y, Koizumi H, Shirao S, Owada Y, Kunitsugu I, Yamakawa T, Tokiwa T, Ishizuka S, Yamakawa T, Suzuki M. Cooling of the epileptic focus suppresses seizures with minimal influence on neurologic functions. *Epilepsia*. 2012 Mar;53(3):485-93. doi: 10.1111/j.1528-1167.2011.03388.x. Epub 2012 Jan 31. PubMed PMID: 22292464.
- 418: Garganis K, Kokkinos V, Zountsas B. Limited resection of focal cortical dysplasia and associated epileptogenic cortex may lead to positive surgical outcome. *Epileptic Disord*. 2011 Dec;13(4):422-9. doi: 10.1684/epd.2011.0474. PubMed PMID: 22258048.
- 419: Yanagisawa T, Hirata M, Saitoh Y, Kishima H, Matsushita K, Goto T, Fukuma R, Yokoi H, Kamitani Y, Yoshimine T. Electrocorticographic control of a prosthetic arm in paralyzed patients. *Ann Neurol*. 2012 Mar;71(3):353-61. doi: 10.1002/ana.22613. Epub 2011 Nov 2. PubMed PMID: 22052728.
- 420: Monosov IE, Sheinberg DL, Thompson KG. The effects of prefrontal cortex inactivation on object responses of single neurons in the inferotemporal cortex during visual search. *J Neurosci*. 2011 Nov 2;31(44):15956-61. doi: 10.1523/JNEUROSCI.2995-11.2011. PubMed PMID: 22049438; PubMed Central PMCID: PMC3319673.
- 421: Umeda T, Isa T. Differential contributions of rostral and caudal frontal forelimb areas to compensatory process after neonatal hemidecortication in rats. *Eur J Neurosci*. 2011 Nov;34(9):1453-60. doi: 10.1111/j.1460-9568.2011.07866.x. PubMed PMID: 22034976.
- 422: Samii M, Gerganov VM, Freund HJ. Restorative neurosurgery of the cortex: resections of pathologies of the central area can improve preexisting motor deficits. *Neurosurg Rev*. 2012 Apr;35(2):277-86; discussion 286. doi: 10.1007/s10143-011-0361-2. Epub 2011 Oct 18. PubMed PMID: 22006094.
- 423: Ramakonar H, Franz EA, Lind CR. The rubber hand illusion and its application to clinical neuroscience. *J Clin Neurosci*. 2011 Dec;18(12):1596-601. doi: 10.1016/j.jocn.2011.05.008. Epub 2011 Oct 13. Review. PubMed PMID: 22000838.
- 424: Thiemann U, Bluschke A, Resch F, Teufert B, Klein C, Weisbrod M, Bender S. Cortical post-movement and sensory processing disentangled by temporary deafferentation. *Neuroimage*. 2012 Jan 16;59(2):1582-93. doi: 10.1016/j.neuroimage.2011.08.075. Epub 2011 Aug 31. PubMed PMID: 21907294.
- 425: Wood JM, Kundu B, Utter A, Gallagher TA, Voss J, Nair VA, Kuo JS, Field AS, Moritz CH, Meyerand ME, Prabhakaran V. Impact of brain tumor location on morbidity and mortality: a retrospective functional MR imaging study. *AJNR Am J Neuroradiol*. 2011 Sep;32(8):1420-5. doi: 10.3174/ajnr.A2679. Epub 2011 Sep 1. PubMed PMID: 21885713; PubMed Central PMCID: PMC3305992.
- 426: Skoro I, Djuric K, Stancic MF. Brachial plexus injuries complicating video-assisted thoracic surgery. *World Neurosurg*. 2011 Jul-Aug;76(1-2):208-10. doi: 10.1016/j.wneu.2010.10.049. PubMed

PMID: 21839976.

427: Prather JF, Nardelli P, Nakanishi ST, Ross KT, Nichols TR, Pinter MJ, Cope TC. Recovery of proprioceptive feedback from nerve crush. *J Physiol*. 2011 Oct 15;589(Pt 20):4935-47. doi: 10.1113/jphysiol.2011.210518. Epub 2011 Jul 25. PubMed PMID: 21788349; PubMed Central PMCID: PMC3224884.

428: Morishita T, Yamashita A, Katayama Y, Oshima H, Nishizaki Y, Shijo K, Fukaya C, Yamamoto T. Chronological changes in astrocytes induced by chronic electrical sensorimotor cortex stimulation in rats. *Neurol Med Chir (Tokyo)*. 2011;51(7):496-502. PubMed PMID: 21785243.

429: Seifried C, Weise L, Hartmann R, Gasser T, Baudrexel S, Szelényi A, van de Loo S, Steinmetz H, Seifert V, Roeper J, Hilker R. Intraoperative microelectrode recording for the delineation of subthalamic nucleus topography in Parkinson's disease. *Brain Stimul*. 2012 Jul;5(3):378-387. doi: 10.1016/j.brs.2011.06.002. Epub 2011 Jul 8. PubMed PMID: 21782543.

430: Sun Y, Dai M, Wang Y, Wang W, Sun Q, Yang GY, Bian L. Neuroprotection and sensorimotor functional improvement by curcumin after intracerebral hemorrhage in mice. *J Neurotrauma*. 2011 Dec;28(12):2513-21. doi: 10.1089/neu.2011.1958. Epub 2011 Nov 2. PubMed PMID: 21770745; PubMed Central PMCID: PMC3235343.

431: Cunha NB, Ilha J, Centenaro LA, Lovatel GA, Balbinot LF, Achaval M. The effects of treadmill training on young and mature rats after traumatic peripheral nerve lesion. *Neurosci Lett*. 2011 Aug 21;501(1):15-9. doi: 10.1016/j.neulet.2011.06.030. Epub 2011 Jun 29. PubMed PMID: 21741449.

432: Frigon A, Johnson MD, Heckman CJ. Altered activation patterns by triceps surae stretch reflex pathways in acute and chronic spinal cord injury. *J Neurophysiol*. 2011 Oct;106(4):1669-78. doi: 10.1152/jn.00504.2011. Epub 2011 Jul 6. PubMed PMID: 21734111; PubMed Central PMCID: PMC3191838.

433: Sedrak M, Gorgulho A, Frew A, Behnke E, DeSalles A, Pouratian N. Diffusion tensor imaging and colored fractional anisotropy mapping of the ventralis intermedius nucleus of the thalamus. *Neurosurgery*. 2011 Nov;69(5):1124-9; discussion 1129-30. doi: 10.1227/NEU.0b013e3182296a42. PubMed PMID: 21697755.

434: Hermes D, Miller KJ, Vansteensel MJ, Aarnoutse EJ, Leijten FS, Ramsey NF. Neurophysiologic correlates of fMRI in human motor cortex. *Hum Brain Mapp*. 2012 Jul;33(7):1689-99. doi: 10.1002/hbm.21314. Epub 2011 Jun 20. PubMed PMID: 21692146.

435: Connor JR, Ponnuru P, Lee BY, Podskalny GD, Alam S, Allen RP, Earley CJ, Yang QX. Postmortem and imaging based analyses reveal CNS decreased myelination in restless legs syndrome. *Sleep Med*. 2011 Jun;12(6):614-9. doi: 10.1016/j.sleep.2010.10.009. Epub 2011 May 12. PubMed PMID: 21570342; PubMed Central PMCID: PMC3110510.

436: Meng Y, Xiong Y, Mahmood A, Zhang Y, Qu C, Chopp M. Dose-dependent neurorestorative effects of delayed treatment of traumatic brain injury with recombinant human erythropoietin in rats. *J Neurosurg*. 2011 Sep;115(3):550-60. doi: 10.3171/2011.3.JNS101721. Epub 2011 Apr 15. PubMed PMID: 21495821; PubMed Central PMCID: PMC3166387.

437: Böttger J, Margulies DS, Horn P, Thomale UW, Podlipsky I, Shapira-Lichter I, Chaudhry SJ, Szkudlarek C, Mueller K, Lohmann G, Hendler T, Böhner G, Fiebach JB, Villringer A, Vajkoczy P, Abbushi A. A software tool for interactive exploration of intrinsic functional connectivity opens new perspectives for brain surgery. *Acta Neurochir (Wien)*. 2011 Aug;153(8):1561-72. doi:

10.1007/s00701-011-0985-6. Epub 2011 Apr 3. PubMed PMID: 21461877.

438: Hiramoto K, Kudo H, Muranaka H, Hirata N, Kouta M, Murakami T, Kondo H. [Management of secondary normal pressure hydrocephalus and assessment of cortical reorganization using fMRI]. *No Shinkei Geka*. 2011 Apr;39(4):367-74. Japanese. PubMed PMID: 21447851.

439: Hermes D, Vansteensel MJ, Albers AM, Bleichner MG, Benedictus MR, Mendez Orellana C, Aarnoutse EJ, Ramsey NF. Functional MRI-based identification of brain areas involved in motor imagery for implantable brain-computer interfaces. *J Neural Eng*. 2011 Apr;8(2):025007. doi: 10.1088/1741-2560/8/2/025007. Epub 2011 Mar 24. PubMed PMID: 21436535.

440: Martinez M, Brezun JM, Xerri C. Sensorimotor experience influences recovery of forelimb abilities but not tissue loss after focal cortical compression in adult rats. *PLoS One*. 2011 Feb 16;6(2):e16726. doi: 10.1371/journal.pone.0016726. PubMed PMID: 21359230; PubMed Central PMCID: PMC3040209.

441: Walløe S, Nissen UV, Berg RW, Hounsgaard J, Pakkenberg B. Stereological estimate of the total number of neurons in spinal segment D9 of the red-eared turtle. *J Neurosci*. 2011 Feb 16;31(7):2431-5. doi: 10.1523/JNEUROSCI.3938-10.2011. PubMed PMID: 21325510.

442: Lütjens G, Krauss JK, Schwabe K. Lesions of the entopeduncular nucleus in rats prevent apomorphine-induced deficient sensorimotor gating. *Behav Brain Res*. 2011 Jul 7;220(2):281-7. doi: 10.1016/j.bbr.2011.02.006. Epub 2011 Feb 17. PubMed PMID: 21315767.

443: Yanagisawa T, Hirata M, Saitoh Y, Goto T, Kishima H, Fukuma R, Yokoi H, Kamitani Y, Yoshimine T. Real-time control of a prosthetic hand using human electrocorticography signals. *J Neurosurg*. 2011 Jun;114(6):1715-22. doi: 10.3171/2011.1.JNS101421. Epub 2011 Feb 11. PubMed PMID: 21314273.

444: Wu H, Jiang H, Lu D, Qu C, Xiong Y, Zhou D, Chopp M, Mahmood A. Induction of angiogenesis and modulation of vascular endothelial growth factor receptor-2 by simvastatin after traumatic brain injury. *Neurosurgery*. 2011 May;68(5):1363-71; discussion 1371. doi: 10.1227/NEU.0b013e31820c06b9. PubMed PMID: 21307798; PubMed Central PMCID: PMC3119744.

445: Ning R, Xiong Y, Mahmood A, Zhang Y, Meng Y, Qu C, Chopp M. Erythropoietin promotes neurovascular remodeling and long-term functional recovery in rats following traumatic brain injury. *Brain Res*. 2011 Apr 12;1384:140-50. doi: 10.1016/j.brainres.2011.01.099. Epub 2011 Feb 3. PubMed PMID: 21295557; PubMed Central PMCID: PMC3065541.

446: Wengenroth M, Blatow M, Guenther J, Akbar M, Tronnier VM, Stippich C. Diagnostic benefits of presurgical fMRI in patients with brain tumours in the primary sensorimotor cortex. *Eur Radiol*. 2011 Jul;21(7):1517-25. doi: 10.1007/s00330-011-2067-9. Epub 2011 Jan 28. PubMed PMID: 21271252; PubMed Central PMCID: PMC3101350.

447: Chang EF, Wang DD, Perry DW, Barbaro NM, Berger MS. Homotopic organization of essential language sites in right and bilateral cerebral hemispheric dominance. *J Neurosurg*. 2011 Apr;114(4):893-902. doi: 10.3171/2010.11.JNS10888. Epub 2011 Jan 14. PubMed PMID: 21235314.

448: Nguyen HS, Sundaram SV, Mosier KM, Cohen-Gadol AA. A method to map the visual cortex during an awake craniotomy. *J Neurosurg*. 2011 Apr;114(4):922-6. doi: 10.3171/2010.11.JNS101293. Epub 2011 Jan 14. PubMed PMID: 21235311.

449: Honda N, Matuoka T, Sawada Y, Nakano N, Suwen L, Higashimoto Y, Fukuda K, Ohgi S, Kato A. Reorganization of sensorimotor function after functional hemispherectomy studied using near-infrared spectroscopy. *Pediatr Neurosurg*. 2010;46(4):313-7. doi: 10.1159/000321595. Epub 2010 Dec 30.

PubMed PMID: 21196799.

450: Hirschmann J, Özkurt TE, Butz M, Homburger M, Elben S, Hartmann CJ, Vesper J, Wojtecki L, Schnitzler A. Distinct oscillatory STN-cortical loops revealed by simultaneous MEG and local field potential recordings in patients with Parkinson's disease. *Neuroimage*. 2011 Apr 1;55(3):1159-68. doi: 10.1016/j.neuroimage.2010.11.063. Epub 2010 Nov 29. PubMed PMID: 21122819.

451: Xiong Y, Mahmood A, Zhang Y, Meng Y, Zhang ZG, Qu C, Sager TN, Chopp M. Effects of posttraumatic carbamylated erythropoietin therapy on reducing lesion volume and hippocampal cell loss, enhancing angiogenesis and neurogenesis, and improving functional outcome in rats following traumatic brain injury. *J Neurosurg*. 2011 Feb;114(2):549-59. doi: 10.3171/2010.10.JNS10925. Epub 2010 Nov 12. PubMed PMID: 21073254; PubMed Central PMCID: PMC3057520.

452: Wong CH, Mohamed A, Larcos G, McCredie R, Somerville E, Bleasel A. Brain activation patterns of versive, hypermotor, and bilateral asymmetric tonic seizures. *Epilepsia*. 2010 Oct;51(10):2131-9. PubMed PMID: 21069905.

453: Qu C, Mahmood A, Liu XS, Xiong Y, Wang L, Wu H, Li B, Zhang ZG, Kaplan DL, Chopp M. The treatment of TBI with human marrow stromal cells impregnated into collagen scaffold: functional outcome and gene expression profile. *Brain Res*. 2011 Jan 31;1371:129-39. doi: 10.1016/j.brainres.2010.10.088. Epub 2010 Nov 6. PubMed PMID: 21062621; PubMed Central PMCID: PMC3022100.

454: Joshi A, Jiang Y, Stemple JC, Archer SM, Andreatta RD. Induced unilateral vocal fold paralysis and recovery rapidly modulate brain areas related to phonatory behavior: a case study. *J Voice*. 2011 Mar;25(2):e53-9. doi: 10.1016/j.jvoice.2010.07.002. Epub 2010 Nov 4. PubMed PMID: 21051193.

455: Yin HH. The sensorimotor striatum is necessary for serial order learning. *J Neurosci*. 2010 Nov 3;30(44):14719-23. doi: 10.1523/JNEUROSCI.3989-10.2010. PubMed PMID: 21048130; PubMed Central PMCID: PMC3181000.

456: Parietti-Winkler C, Gauchard GC, Simon C, Perrin PP. Pre-operative vestibular pattern and balance compensation after vestibular schwannoma surgery. *Neuroscience*. 2011 Jan 13;172:285-92. doi: 10.1016/j.neuroscience.2010.10.059. Epub 2010 Oct 28. PubMed PMID: 21035525.

457: Titomanlio L, Bouslama M, Le Verche V, Dalous J, Kaindl AM, Tsenkina Y, Lacaud A, Peineau S, El Ghouzzi V, Lelièvre V, Gressens P. Implanted neurosphere-derived precursors promote recovery after neonatal excitotoxic brain injury. *Stem Cells Dev*. 2011 May;20(5):865-79. doi: 10.1089/scd.2010.0302. Epub 2011 Jan 16. PubMed PMID: 20964621.

458: Kovac S, Scott C, Rugg-Gunn F, Miserocchi A, Vollmar C, Rodionov R, McEvoy A, Diehl B. Unusual cortical stimulation findings: connectivity between primary motor and supplementary motor areas. *Epilepsy Behav*. 2010 Dec;19(4):639-42. doi: 10.1016/j.yebeh.2010.09.006. Epub 2010 Oct 13. PubMed PMID: 20947436.

459: Kivelev J, Niemelä M, Hernesniemi J. Outcome after microsurgery in 14 patients with spinal cavernomas and review of the literature. *J Neurosurg Spine*. 2010 Oct;13(4):524-34. doi: 10.3171/2010.4.SPINE09986. Review. PubMed PMID: 20887151.

460: Singh A, Murray M, Houle JD. A training paradigm to enhance motor recovery in contused rats: effects of staircase training. *Neurorehabil Neural Repair*. 2011 Jan;25(1):24-34. doi: 10.1177/1545968310378510. Epub 2010 Sep 21. PubMed PMID: 20858910.

- 461: Spena G, Nava A, Cassini F, Pepoli A, Bruno M, D'Agata F, Cauda F, Sacco K, Duca S, Barletta L, Versari P. Preoperative and intraoperative brain mapping for the resection of eloquent-area tumors. A prospective analysis of methodology, correlation, and usefulness based on clinical outcomes. *Acta Neurochir (Wien)*. 2010 Nov;152(11):1835-46. doi: 10.1007/s00701-010-0764-9. Epub 2010 Aug 22. PubMed PMID: 20730457.
- 462: Parietti-Winkler C, Gauchard GC, Simon C, Perrin PP. Long-term effects of vestibular compensation on balance control and sensory organisation after unilateral deafferentation due to vestibular schwannoma surgery. *J Neurol Neurosurg Psychiatry*. 2010 Aug;81(8):934-6. doi: 10.1136/jnnp.2009.171983. PubMed PMID: 20682722.
- 463: Umeda T, Takahashi M, Isa K, Isa T. Formation of descending pathways mediating cortical command to forelimb motoneurons in neonatally hemidecorticated rats. *J Neurophysiol*. 2010 Sep;104(3):1707-16. doi: 10.1152/jn.00968.2009. Epub 2010 Jul 21. PubMed PMID: 20660415.
- 464: Jouve L, Salin P, Melon C, Kerkerian-Le Goff L. Deep brain stimulation of the center median-parafascicular complex of the thalamus has efficient anti-parkinsonian action associated with widespread cellular responses in the basal ganglia network in a rat model of Parkinson's disease. *J Neurosci*. 2010 Jul 21;30(29):9919-28. doi: 10.1523/JNEUROSCI.1404-10.2010. PubMed PMID: 20660274.
- 465: Zhang Y, Xiong Y, Mahmood A, Meng Y, Liu Z, Qu C, Chopp M. Sprouting of corticospinal tract axons from the contralateral hemisphere into the denervated side of the spinal cord is associated with functional recovery in adult rat after traumatic brain injury and erythropoietin treatment. *Brain Res*. 2010 Sep 24;1353:249-57. doi: 10.1016/j.brainres.2010.07.046. Epub 2010 Jul 21. PubMed PMID: 20654589; PubMed Central PMCID: PMC2933297.
- 466: Hosp JA, Hertler B, Atiemo CO, Luft AR. Dopaminergic modulation of receptive fields in rat sensorimotor cortex. *Neuroimage*. 2011 Jan 1;54(1):154-60. doi: 10.1016/j.neuroimage.2010.07.029. Epub 2010 Jul 16. PubMed PMID: 20643216.
- 467: Yuen CM, Leu S, Lee FY, Yen CH, Lin YC, Chua S, Chung SY, Chai HT, Sheu JJ, Ko SF, Sun CK, Yip HK. Erythropoietin markedly attenuates brain infarct size and improves neurological function in the rat. *J Investig Med*. 2010 Oct;58(7):893-904. doi: 10.231/JIM.0b013e3181e80c40. PubMed PMID: 20601898.
- 468: Larsen CC, Povlsen GK, Rasmussen MN, Edvinsson L. Improvement in neurological outcome and abolition of cerebrovascular endothelin B and 5-hydroxytryptamine 1B receptor upregulation through mitogen-activated protein kinase kinase 1/2 inhibition after subarachnoid hemorrhage in rats. *J Neurosurg*. 2011 Apr;114(4):1143-53. doi: 10.3171/2010.6.JNS1018. Epub 2010 Jul 2. PubMed PMID: 20597604.
- 469: Chang EF, Gabriel RA, Potts MB, Berger MS, Lawton MT. Supratentorial cavernous malformations in eloquent and deep locations: surgical approaches and outcomes. Clinical article. *J Neurosurg*. 2011 Mar;114(3):814-27. doi: 10.3171/2010.5.JNS091159. Epub 2010 Jul 2. PubMed PMID: 20597603.
- 470: Vessal M, Darian-Smith C. Adult neurogenesis occurs in primate sensorimotor cortex following cervical dorsal rhizotomy. *J Neurosci*. 2010 Jun 23;30(25):8613-23. doi: 10.1523/JNEUROSCI.5272-09.2010. PubMed PMID: 20573907; PubMed Central PMCID: PMC2897730.
- 471: Silva S, Bataille B, Jucla M, Minville V, Samii K, Fourcade O, Démonet JF, Loubinoux I. Temporal analysis of regional anaesthesia-induced sensorimotor dysfunction: a model for understanding phantom limb. *Br J Anaesth*. 2010 Aug;105(2):208-13. doi: 10.1093/bja/aeq144. Epub 2010 Jun 8.

PubMed PMID: 20530593.

472: Vansteensel MJ, Hermes D, Aarnoutse EJ, Bleichner MG, Schalk G, van Rijen PC, Leijten FS, Ramsey NF. Brain-computer interfacing based on cognitive control. *Ann Neurol*. 2010 Jun;67(6):809-16. doi: 10.1002/ana.21985. PubMed PMID: 20517943.

473: Xiong Y, Mahmood A, Meng Y, Zhang Y, Zhang ZG, Morris DC, Chopp M. Treatment of traumatic brain injury with thymosin β_4 in rats. *J Neurosurg*. 2011 Jan;114(1):102-15. doi: 10.3171/2010.4.JNS10118. Epub 2010 May 21. PubMed PMID: 20486893; PubMed Central PMCID: PMC2962722.

474: Wang D, Jiang R, Liu L, Dong JF, Zhang JN. Membrane neovascularization and drainage of subdural hematoma in a rat model. *J Neurotrauma*. 2010 Aug;27(8):1489-98. doi: 10.1089/neu.2009.1057. PubMed PMID: 20486809.

475: Boye SH, Frank A. [Case Report: Sensorimotor deficits after sigmoid colectomy]. *Anesthesiol Intensivmed Notfallmed Schmerzther*. 2010 May;45(5):298-302. doi: 10.1055/s-0030-1253562. Epub 2010 May 7. German. PubMed PMID: 20455184.

476: Kuluz J, Samdani A, Benglis D, Gonzalez-Brito M, Solano JP, Ramirez MA, Lugman A, De los Santos R, Hutchinson D, Nares M, Padgett K, He D, Huang T, Levi A, Betz R, Dietrich D. Pediatric spinal cord injury in infant piglets: description of a new large animal model and review of the literature. *J Spinal Cord Med*. 2010;33(1):43-57. Review. PubMed PMID: 20397443; PubMed Central PMCID: PMC2853328.

477: Cordeiro KK, Jiang W, Papazoglou A, Tenório SB, Döbrössy M, Nikkhah G. Graft-mediated functional recovery on a skilled forelimb use paradigm in a rodent model of Parkinson's disease is dependent on reward contingency. *Behav Brain Res*. 2010 Oct 15;212(2):187-95. doi: 10.1016/j.bbr.2010.04.012. Epub 2010 Apr 13. PubMed PMID: 20394782.

478: Limperopoulos C, Chilingaryan G, Guizard N, Robertson RL, Du Plessis AJ. Cerebellar injury in the premature infant is associated with impaired growth of specific cerebral regions. *Pediatr Res*. 2010 Aug;68(2):145-50. doi: 10.1203/00006450-201011001-00282. PubMed PMID: 20389260.

479: Igarashi T, Sakatani K, Hoshino T, Fujiwara N, Murata Y, Kano T, Kojima J, Yamamoto T, Katayama Y. Effect of transient forebrain ischemia on flavoprotein autofluorescence and the somatosensory evoked potential in the rat. *Adv Exp Med Biol*. 2010;662:95-100. doi: 10.1007/978-1-4419-1241-1_13. PubMed PMID: 20204777.

480: Duggal N, Rabin D, Bartha R, Barry RL, Gati JS, Kowalczyk I, Fink M. Brain reorganization in patients with spinal cord compression evaluated using fMRI. *Neurology*. 2010 Mar 30;74(13):1048-54. doi: 10.1212/WNL.0b013e3181d6b0ea. Epub 2010 Mar 3. PubMed PMID: 20200344.

481: Rauch F, Schwabe K, Krauss JK. Effect of deep brain stimulation in the pedunclopontine nucleus on motor function in the rat 6-hydroxydopamine Parkinson model. *Behav Brain Res*. 2010 Jun 26;210(1):46-53. doi: 10.1016/j.bbr.2010.02.003. Epub 2010 Feb 6. PubMed PMID: 20138919.

482: Szelényi A, Bello L, Duffau H, Fava E, Feigl GC, Galanda M, Neuloh G, Signorelli F, Sala F; Workgroup for Intraoperative Management in Low-Grade Glioma Surgery within the European Low-Grade Glioma Network. Intraoperative electrical stimulation in awake craniotomy: methodological aspects of current practice. *Neurosurg Focus*. 2010 Feb;28(2):E7. doi: 10.3171/2009.12.FOCUS09237. Review. PubMed PMID: 20121442.

483: Wu M, Wisneski K, Schalk G, Sharma M, Roland J, Breshears J, Gaona C, Leuthardt EC.

Electrocorticographic frequency alteration mapping for extraoperative localization of speech cortex. *Neurosurgery*. 2010 Feb;66(2):E407-9. doi: 10.1227/01.NEU.0000345352.13696.6F. PubMed PMID: 20087111.

484: Fujioka H, Fujii M, Koizumi H, Imoto H, Nomura S, Saito T, Yamakawa T, Suzuki M. An implantable, focal brain cooling device suppresses nociceptive pain in rats. *Neurosci Res*. 2010 Apr;66(4):402-5. doi: 10.1016/j.neures.2009.12.014. Epub 2009 Dec 29. PubMed PMID: 20036697.

485: Choi JT, Vining EP, Mori S, Bastian AJ. Sensorimotor function and sensorimotor tracts after hemispherectomy. *Neuropsychologia*. 2010 Apr;48(5):1192-9. doi: 10.1016/j.neuropsychologia.2009.12.013. Epub 2009 Dec 16. PubMed PMID: 20018199; PubMed Central PMCID: PMC2847436.

486: Ghosh A, Haiss F, Sydekum E, Schneider R, Gullo M, Wyss MT, Mueggler T, Baltes C, Rudin M, Weber B, Schwab ME. Rewiring of hindlimb corticospinal neurons after spinal cord injury. *Nat Neurosci*. 2010 Jan;13(1):97-104. doi: 10.1038/nn.2448. Epub 2009 Dec 13. PubMed PMID: 20010824.

487: Zhang D, Johnston JM, Fox MD, Leuthardt EC, Grubb RL, Chicoine MR, Smyth MD, Snyder AZ, Raichle ME, Shimony JS. Preoperative sensorimotor mapping in brain tumor patients using spontaneous fluctuations in neuronal activity imaged with functional magnetic resonance imaging: initial experience. *Neurosurgery*. 2009 Dec;65(6 Suppl):226-36. doi: 10.1227/01.NEU.0000350868.95634.CA. PubMed PMID: 19934999; PubMed Central PMCID: PMC2796594.

488: Takahashi M, Vattanajun A, Umeda T, Isa K, Isa T. Large-scale reorganization of corticofugal fibers after neonatal hemidecortication for functional restoration of forelimb movements. *Eur J Neurosci*. 2009 Nov;30(10):1878-87. doi: 10.1111/j.1460-9568.2009.06989.x. Epub 2009 Nov 6. PubMed PMID: 19895560.

489: Blouin J, Guillaud E, Bresciani JP, Guerraz M, Simoneau M. Insights into the control of arm movement during body motion as revealed by EMG analyses. *Brain Res*. 2010 Jan 14;1309:40-52. doi: 10.1016/j.brainres.2009.10.063. Epub 2009 Oct 31. PubMed PMID: 19883633.

490: Pawela CP, Biswal BB, Hudetz AG, Li R, Jones SR, Cho YR, Matloub HS, Hyde JS. Interhemispheric neuroplasticity following limb deafferentation detected by resting-state functional connectivity magnetic resonance imaging (fcMRI) and functional magnetic resonance imaging (fMRI). *Neuroimage*. 2010 Feb 1;49(3):2467-78. doi: 10.1016/j.neuroimage.2009.09.054. Epub 2009 Sep 28. PubMed PMID: 19796693; PubMed Central PMCID: PMC2818026.

491: Juenger H, Ressel V, Braun C, Ernemann U, Schuhmann M, Krägeloh-Mann I, Staudt M. Misleading functional magnetic resonance imaging mapping of the cortical hand representation in a 4-year-old boy with an arteriovenous malformation of the central region. *J Neurosurg Pediatr*. 2009 Oct;4(4):333-8. doi: 10.3171/2009.5.PEDS08466. PubMed PMID: 19795964.

492: Xiong Y, Mahmood A, Qu C, Kazmi H, Zhang ZG, Noguchi CT, Schallert T, Chopp M. Erythropoietin improves histological and functional outcomes after traumatic brain injury in mice in the absence of the neural erythropoietin receptor. *J Neurotrauma*. 2010 Jan;27(1):205-15. doi: 10.1089/neu.2009.1001. PubMed PMID: 19715391; PubMed Central PMCID: PMC2824224.

493: Brown AR, Hu B, Antle MC, Teskey GC. Neocortical movement representations are reduced and reorganized following bilateral intrastriatal 6-hydroxydopamine infusion and dopamine type-2 receptor antagonism. *Exp Neurol*. 2009 Nov;220(1):162-70. doi: 10.1016/j.expneurol.2009.08.015. Epub 2009 Aug 22. PubMed PMID: 19703443.

- 494: Habre-Hallage P, Abboud-Naaman NB, Reyckler H, van Steenberghe D, Jacobs R. Perceptual changes in the peri-implant soft tissues assessed by directional cutaneous kinaesthesia and graphaesthesia: a prospective study. *Clin Implant Dent Relat Res*. 2011 Dec;13(4):296-304. doi: 10.1111/j.1708-8208.2009.00215.x. Epub 2009 Aug 5. PubMed PMID: 19673925.
- 495: Yanagisawa T, Hirata M, Kishima H, Goto T, Saitoh Y, Oshino S, Hosomi K, Kato A, Yoshimine T. Movement induces suppression of interictal spikes in sensorimotor neocortical epilepsy. *Epilepsy Res*. 2009 Nov;87(1):12-7. doi: 10.1016/j.eplepsyres.2009.07.002. Epub 2009 Aug 5. PubMed PMID: 19660914.
- 496: Zhang Y, Xiong Y, Mahmood A, Meng Y, Qu C, Schallert T, Chopp M. Therapeutic effects of erythropoietin on histological and functional outcomes following traumatic brain injury in rats are independent of hematocrit. *Brain Res*. 2009 Oct 19;1294:153-64. doi: 10.1016/j.brainres.2009.07.077. Epub 2009 Jul 30. PubMed PMID: 19646970; PubMed Central PMCID: PMC2746872.
- 497: Duffau H, Moritz-Gasser S, Gatignol P. Functional outcome after language mapping for insular World Health Organization Grade II gliomas in the dominant hemisphere: experience with 24 patients. *Neurosurg Focus*. 2009 Aug;27(2):E7. doi: 10.3171/2009.5.FOCUS0938. PubMed PMID: 19645563.
- 498: Kobayashi T, Kawamata T, Shibata N, Okada Y, Kobayashi M, Hori T. Angiotensin II type 1 receptor blocker telmisartan reduces cerebral infarct volume and peri-infarct cytosolic phospholipase A(2) level in experimental stroke. *J Neurotrauma*. 2009 Dec;26(12):2355-64. doi: 10.1089/neu.2009.0965. PubMed PMID: 19604102.
- 499: Zai L, Ferrari C, Subbaiah S, Havton LA, Coppola G, Strittmatter S, Irwin N, Geschwind D, Benowitz LI. Inosine alters gene expression and axonal projections in neurons contralateral to a cortical infarct and improves skilled use of the impaired limb. *J Neurosci*. 2009 Jun 24;29(25):8187-97. doi: 10.1523/JNEUROSCI.0414-09.2009. PubMed PMID: 19553458; PubMed Central PMCID: PMC2856695.
- 500: Giussani C, Pirillo D, Roux FE. Mirror of the soul: a cortical stimulation study on recognition of facial emotions. *J Neurosurg*. 2010 Mar;112(3):520-7. doi: 10.3171/2009.5.JNS081522. PubMed PMID: 19538049.
- 501: Stadlbauer A, Pölking E, Prante O, Nimsch C, Buchfelder M, Kuwert T, Linke R, Doelken M, Ganslandt O. Detection of tumour invasion into the pyramidal tract in glioma patients with sensorimotor deficits by correlation of (18)F-fluoroethyl-L-tyrosine PET and magnetic resonance diffusion tensor imaging. *Acta Neurochir (Wien)*. 2009 Sep;151(9):1061-9. doi: 10.1007/s00701-009-0378-2. Epub 2009 May 26. PubMed PMID: 19468675.
- 502: Connor JR, Wang XS, Allen RP, Beard JL, Wiesinger JA, Felt BT, Earley CJ. Altered dopaminergic profile in the putamen and substantia nigra in restless leg syndrome. *Brain*. 2009 Sep;132(Pt 9):2403-12. doi: 10.1093/brain/awp125. Epub 2009 May 25. PubMed PMID: 19467991; PubMed Central PMCID: PMC2732265.
- 503: Fukunaga A, Ohira T, Kamba M, Ogawa S, Akiyama T, Kawase T. The possibility of left dominant activation of the sensorimotor cortex during lip protrusion in men. *Brain Topogr*. 2009 Sep;22(2):109-18. doi: 10.1007/s10548-009-0101-x. Epub 2009 May 20. PubMed PMID: 19455411.
- 504: Moon SK, Shin YI, Kim HI, Kim H, Lee JO, Lee MC. Effect of prolonged cortical stimulation differs with size of infarct after sensorimotor cortical lesions in rats. *Neurosci Lett*. 2009 Aug 28;460(2):152-5. doi: 10.1016/j.neulet.2009.05.029. Epub 2009 May 18. PubMed PMID: 19450662.

- 505: Marino P, Norreel JC, Schachner M, Rougon G, Amoureux MC. A polysialic acid mimetic peptide promotes functional recovery in a mouse model of spinal cord injury. *Exp Neurol*. 2009 Sep;219(1):163-74. doi: 10.1016/j.expneurol.2009.05.009. Epub 2009 May 13. PubMed PMID: 19445935.
- 506: Falkenstein G, Rosenthal C, Reum T, Morgenstern R, Döbrössy M, Nikkhah G. Pattern of long-term sensorimotor recovery following intrastriatal and accumbens DA micrografts in a rat model of Parkinson's disease. *J Comp Neurol*. 2009 Jul 1;515(1):41-55. doi: 10.1002/cne.22035. PubMed PMID: 19399892.
- 507: Xiong Y, Qu C, Mahmood A, Liu Z, Ning R, Li Y, Kaplan DL, Schallert T, Chopp M. Delayed transplantation of human marrow stromal cell-seeded scaffolds increases transcallosal neural fiber length, angiogenesis, and hippocampal neuronal survival and improves functional outcome after traumatic brain injury in rats. *Brain Res*. 2009 Mar 31;1263:183-91. doi: 10.1016/j.brainres.2009.01.032. Epub 2009 Jan 30. PubMed PMID: 19368838; PubMed Central PMCID: PMC2737675.
- 508: Yanagisawa T, Hirata M, Saitoh Y, Kato A, Shibuya D, Kamitani Y, Yoshimine T. Neural decoding using gyral and intrasulcal electrocorticograms. *Neuroimage*. 2009 May 1;45(4):1099-106. doi: 10.1016/j.neuroimage.2008.12.069. Epub 2009 Jan 20. PubMed PMID: 19349227.
- 509: Oku T, Fujii M, Tanaka N, Imoto H, Uchiyama J, Oka F, Kunitsugu I, Fujioka H, Nomura S, Kajiwarra K, Fujisawa H, Kato S, Saito T, Suzuki M. The influence of focal brain cooling on neurophysiopathology: validation for clinical application. *J Neurosurg*. 2009 Jun;110(6):1209-17. doi: 10.3171/2009.1.JNS08499. PubMed PMID: 19284241.
- 510: Gaetz W, Cheyne D, Rutka JT, Drake J, Benifla M, Strantzas S, Widjaja E, Holowka S, Tovar-Spinoza Z, Otsubo H, Pang EW. Presurgical localization of primary motor cortex in pediatric patients with brain lesions by the use of spatially filtered magnetoencephalography. *Neurosurgery*. 2009 Mar;64(3 Suppl):ons177-85; discussion ons186. doi: 10.1227/01.NEU.0000316433.10913.32. PubMed PMID: 19240567.
- 511: de Bode S, Fritz SL, Weir-Haynes K, Mathern GW. Constraint-induced movement therapy for individuals after cerebral hemispherectomy: a case series. *Phys Ther*. 2009 Apr;89(4):361-9. doi: 10.2522/ptj.20070240. Epub 2009 Feb 26. PubMed PMID: 19246557; PubMed Central PMCID: PMC2664995.
- 512: Schwabe K, Polikashvili N, Krauss JK. Deficient sensorimotor gating induced by selective breeding in rats is improved by entopeduncular nucleus lesions. *Neurobiol Dis*. 2009 May;34(2):351-6. doi: 10.1016/j.nbd.2009.02.004. Epub 2009 Feb 20. PubMed PMID: 19233272.
- 513: Hill RL, Zhang YP, Burke DA, Devries WH, Zhang Y, Magnuson DS, Whittemore SR, Shields CB. Anatomical and functional outcomes following a precise, graded, dorsal laceration spinal cord injury in C57BL/6 mice. *J Neurotrauma*. 2009 Jan;26(1):1-15. doi: 10.1089/neu.2008.0543. PubMed PMID: 19196178; PubMed Central PMCID: PMC2991182.
- 514: Guzen FP, de Almeida Leme RJ, de Andrade MS, de Luca BA, Chadi G. Glial cell line-derived neurotrophic factor added to a sciatic nerve fragment grafted in a spinal cord gap ameliorates motor impairments in rats and increases local axonal growth. *Restor Neurol Neurosci*. 2009;27(1):1-16. doi: 10.3233/RNN-2009-0454. PubMed PMID: 19164849.
- 515: Klein A, Wessolleck J, Papazoglou A, Metz GA, Nikkhah G. Walking pattern analysis after unilateral 6-OHDA lesion and transplantation of foetal dopaminergic progenitor cells in rats. *Behav*

Brain Res. 2009 May 16;199(2):317-25. doi: 10.1016/j.bbr.2008.12.007. Epub 2008 Dec 13. PubMed PMID: 19124044.

516: Behdad A, Limbrick DD Jr, Bertrand ME, Smyth MD. Epilepsy surgery in children with seizures arising from the rolandic cortex. *Epilepsia*. 2009 Jun;50(6):1450-61. doi: 10.1111/j.1528-1167.2008.01868.x. Epub 2008 Nov 19. PubMed PMID: 19054401.

517: Valálík I, Emri M, Lengyel Z, Mikecz P, Trón L, Csókay A, Márián T. Pallidal deep brain stimulation and L-dopa effect on PET motor activation in advanced Parkinson's disease. *J Neuroimaging*. 2009 Jul;19(3):253-8. doi: 10.1111/j.1552-6569.2008.00304.x. Epub 2008 Oct 22. PubMed PMID: 19021848.

518: Vasques X, Cif L, Hess O, Gavarini S, Mennessier G, Coubes P. Prognostic value of globus pallidus internus volume in primary dystonia treated by deep brain stimulation. *J Neurosurg*. 2009 Feb;110(2):220-8. doi: 10.3171/2008.3.17433. PubMed PMID: 19012480.

519: Torres-Russotto D, Perlmutter JS. Task-specific dystonias: a review. *Ann N Y Acad Sci*. 2008 Oct;1142:179-99. doi: 10.1196/annals.1444.012. Review. PubMed PMID: 18990127; PubMed Central PMCID: PMC2652841.

520: Coenen VA, Prescher A, Schmidt T, Picozzi P, Gielen FL. What is dorso-lateral in the subthalamic Nucleus (STN)?-a topographic and anatomical consideration on the ambiguous description of today's primary target for deep brain stimulation (DBS) surgery. *Acta Neurochir (Wien)*. 2008 Nov;150(11):1163-5; discussion 1165. doi: 10.1007/s00701-008-0136-x. Epub 2008 Oct 29. PubMed PMID: 18958389.

521: Sadikot AF, Rymar VV. The primate centromedian-parafascicular complex: anatomical organization with a note on neuromodulation. *Brain Res Bull*. 2009 Feb 16;78(2-3):122-30. doi: 10.1016/j.brainresbull.2008.09.016. Epub 2008 Oct 26. Review. PubMed PMID: 18957319.

522: Roux FE, Borsa S, Démonet JF. "The mute who can sing": a cortical stimulation study on singing. *J Neurosurg*. 2009 Feb;110(2):282-8. doi: 10.3171/2007.9.17565. PubMed PMID: 18821833.

523: Carlstedt T. Root repair review: basic science background and clinical outcome. *Restor Neurol Neurosci*. 2008;26(2-3):225-41. Review. PubMed PMID: 18820413.

524: Ulu MO, Tanriöver N, Ozlen F, Sanus GZ, Tanriverdi T, Ozkara C, Uzan M. Surgical treatment of lesions involving the supplementary motor area: clinical results of 12 patients. *Turk Neurosurg*. 2008 Jul;18(3):286-93. PubMed PMID: 18814120.

525: Kanagal SG, Muir GD. Effects of combined dorsolateral and dorsal funicular lesions on sensorimotor behaviour in rats. *Exp Neurol*. 2008 Dec;214(2):229-39. doi: 10.1016/j.expneurol.2008.08.004. Epub 2008 Aug 22. PubMed PMID: 18778707.

526: Xiong Y, Lu D, Qu C, Goussev A, Schallert T, Mahmood A, Chopp M. Effects of erythropoietin on reducing brain damage and improving functional outcome after traumatic brain injury in mice. *J Neurosurg*. 2008 Sep;109(3):510-21. doi: 10.3171/JNS/2008/109/9/0510. PubMed PMID: 18759585; PubMed Central PMCID: PMC3977174.

527: Parietti-Winkler C, Gauchard GC, Simon C, Perrin PP. Visual sensorial preference delays balance control compensation after vestibular schwannoma surgery. *J Neurol Neurosurg Psychiatry*. 2008 Nov;79(11):1287-94. doi: 10.1136/jnnp.2007.135913. Epub 2008 Aug 1. PubMed PMID: 18676407.

528: Xiong Y, Mahmood A, Lu D, Qu C, Kazmi H, Goussev A, Zhang ZG, Noguchi CT, Schallert T, Chopp

M. Histological and functional outcomes after traumatic brain injury in mice null for the erythropoietin receptor in the central nervous system. *Brain Res.* 2008 Sep 16;1230:247-57. doi: 10.1016/j.brainres.2008.06.127. Epub 2008 Jul 15. PubMed PMID: 18657521; PubMed Central PMCID: PMC2593645.

529: Kato K, Urino T, Hori T, Tsuda H, Yoshida K, Hashizume K, Tanaka T. Experimental petit mal-like seizure induced by microinjection of kainic acid into the unilateral mediodorsal nucleus of the thalamus. *Neurol Med Chir (Tokyo).* 2008 Jul;48(7):285-90; discussion 290-1. PubMed PMID: 18654046.

530: Boonstra TA, van der Kooij H, Munneke M, Bloem BR. Gait disorders and balance disturbances in Parkinson's disease: clinical update and pathophysiology. *Curr Opin Neurol.* 2008 Aug;21(4):461-71. doi: 10.1097/WCO.0b013e328305bdaf. Review. PubMed PMID: 18607208.

531: De Riu PL, Russo A, Pellitteri R, Stanzani S, Tringali G, Roccazzello AM, De Riu G, Marongiu P, Mameli O. Primary afferent plasticity following deafferentation of the trigeminal brainstem nuclei in the adult rat. *Exp Neurol.* 2008 Sep;213(1):101-7. doi: 10.1016/j.expneurol.2008.05.010. Epub 2008 May 22. PubMed PMID: 18599040.

532: Julkunen P, Jauhiainen AM, Westerén-Punnonen S, Pirinen E, Soininen H, Könönen M, Pääkkönen A, Määttä S, Karhu J. Navigated TMS combined with EEG in mild cognitive impairment and Alzheimer's disease: a pilot study. *J Neurosci Methods.* 2008 Jul 30;172(2):270-6. doi: 10.1016/j.jneumeth.2008.04.021. Epub 2008 Apr 29. PubMed PMID: 18533272.

533: Schwarcz A, Auer T, Janszky J, Doczi T, Merboldt KD, Frahm J. TTC post-processing is beneficial for functional MRI at low magnetic field: a comparative study at 1 T and 3 T. *Eur Radiol.* 2008 Nov;18(11):2594-600. doi: 10.1007/s00330-008-1046-2. Epub 2008 Jun 4. PubMed PMID: 18523777.

534: Devaux B, Chassoux F, Landré E, Turak B, Abou-Salma Z, Mann M, Pallud J, Baudouin-Chial S, Varlet P, Rodrigo S, Nataf F, Roux FX. [Surgical resections in functional areas: report of 89 cases]. *Neurochirurgie.* 2008 May;54(3):409-17. doi: 10.1016/j.neuchi.2008.02.027. Epub 2008 May 7. French. PubMed PMID: 18466929.

535: Xie J, Chen XZ, Jiang T, Li SW, Li ZX, Zhang Z, Dai JP, Wang ZC. Preoperative blood oxygen level-dependent functional magnetic resonance imaging in patients with gliomas involving the motor cortical areas. *Chin Med J (Engl).* 2008 Apr 5;121(7):631-5. PubMed PMID: 18466684.

536: Toth C, Martinez JA, Liu WQ, Diggle J, Guo GF, Ramji N, Mi R, Hoke A, Zochodne DW. Local erythropoietin signaling enhances regeneration in peripheral axons. *Neuroscience.* 2008 Jun 23;154(2):767-83. doi: 10.1016/j.neuroscience.2008.03.052. Epub 2008 Mar 29. Retraction in: *Neuroscience.* 2014 Aug 22;274:446. PubMed PMID: 18456410.

537: Perlas A, Brull R, Chan VW, McCartney CJ, Nuica A, Abbas S. Ultrasound guidance improves the success of sciatic nerve block at the popliteal fossa. *Reg Anesth Pain Med.* 2008 May-Jun;33(3):259-65. doi: 10.1016/j.rapm.2007.10.010. PubMed PMID: 18433678.

538: Johnson MD, Miocinovic S, McIntyre CC, Vitek JL. Mechanisms and targets of deep brain stimulation in movement disorders. *Neurotherapeutics.* 2008 Apr;5(2):294-308. doi: 10.1016/j.nurt.2008.01.010. Review. PubMed PMID: 18394571; PubMed Central PMCID: PMC2517242.

539: Wang R, King T, Ossipov MH, Rossomando AJ, Vanderah TW, Harvey P, Cariani P, Frank E, Sah DW, Porreca F. Persistent restoration of sensory function by immediate or delayed systemic artemin after dorsal root injury. *Nat Neurosci.* 2008 Apr;11(4):488-96. doi: 10.1038/nn2069. Epub 2008 Mar

23. PubMed PMID: 18344995; PubMed Central PMCID: PMC3417340.

540: Liégeois F, Connelly A, Baldeweg T, Vargha-Khadem F. Speaking with a single cerebral hemisphere: fMRI language organization after hemispherectomy in childhood. *Brain Lang.* 2008 Sep;106(3):195-203. doi: 10.1016/j.bandl.2008.01.010. Epub 2008 Mar 7. PubMed PMID: 18329093.

541: Allred RP, Adkins DL, Woodlee MT, Husbands LC, Maldonado MA, Kane JR, Schallert T, Jones TA. The vermicelli handling test: a simple quantitative measure of dexterous forepaw function in rats. *J Neurosci Methods.* 2008 May 30;170(2):229-44. doi: 10.1016/j.jneumeth.2008.01.015. Epub 2008 Feb 1. PubMed PMID: 18325597; PubMed Central PMCID: PMC2394277.

542: Patino L, Omlor W, Chakarov V, Hepp-Reymond MC, Kristeva R. Absence of gamma-range corticomuscular coherence during dynamic force in a deafferented patient. *J Neurophysiol.* 2008 Apr;99(4):1906-16. doi: 10.1152/jn.00390.2007. Epub 2008 Feb 13. PubMed PMID: 18272868.

543: Keiner S, Wurm F, Kunze A, Witte OW, Redecker C. Rehabilitative therapies differentially alter proliferation and survival of glial cell populations in the perilesional zone of cortical infarcts. *Glia.* 2008 Apr;56(5):516-27. doi: 10.1002/glia.20632. PubMed PMID: 18240310.

544: Dijkerman HC, Vargha-Khadem F, Polkey CE, Weiskrantz L. Ipsilesional and contralesional sensorimotor function after hemispherectomy: differences between distal and proximal function. *Neuropsychologia.* 2008 Feb 12;46(3):886-901. doi: 10.1016/j.neuropsychologia.2007.11.023. Epub 2007 Dec 3. PubMed PMID: 18191958.

545: Yao QH, Zhang H, Wang HW, Jing XR, Guo H, Gao GD. Low- and high-frequency electric cortical stimulation suppress the ferric chloride-induced seizures in rats. *Neurosci Lett.* 2008 Jan 17;430(3):187-90. doi: 10.1016/j.neulet.2007.10.024. Epub 2007 Oct 30. PubMed PMID: 18180108.

546: Sakatani K, Murata Y, Fujiwara N, Hoshino T, Nakamura S, Kano T, Katayama Y. Comparison of blood-oxygen-level-dependent functional magnetic resonance imaging and near-infrared spectroscopy recording during functional brain activation in patients with stroke and brain tumors. *J Biomed Opt.* 2007 Nov-Dec;12(6):062110. doi: 10.1117/1.2823036. Review. PubMed PMID: 18163813.

547: Zhang Y, Ang BT, Xiao ZC, Ng I. DNA vaccination against neurite growth inhibitors to enhance functional recovery following traumatic brain injury. *Acta Neurochir Suppl.* 2008;102:347-51. PubMed PMID: 19388343.

548: Okazaki T, Magaki T, Takeda M, Kajiwar Y, Hanaya R, Sugiyama K, Arita K, Nishimura M, Kato Y, Kurisu K. Intravenous administration of bone marrow stromal cells increases survivin and Bcl-2 protein expression and improves sensorimotor function following ischemia in rats. *Neurosci Lett.* 2008 Jan 10;430(2):109-14. Epub 2007 Nov 6. PubMed PMID: 18053646.

549: Tisch S, Rothwell JC, Zrinzo L, Bhatia KP, Hariz M, Limousin P. Cortical evoked potentials from pallidal stimulation in patients with primary generalized dystonia. *Mov Disord.* 2008 Jan 30;23(2):265-73. PubMed PMID: 18044698.

550: Freret T, Bouet V, Toutain J, Saulnier R, Pro-Sistiaga P, Bihel E, Mackenzie ET, Roussel S, Schumann-Bard P, Touzani O. Intraluminal thread model of focal stroke in the non-human primate. *J Cereb Blood Flow Metab.* 2008 Apr;28(4):786-96. Epub 2007 Nov 14. PubMed PMID: 18000514.

551: Xiong Y, Mahmood A, Lu D, Qu C, Goussev A, Schallert T, Chopp M. Role of gender in outcome after traumatic brain injury and therapeutic effect of erythropoietin in mice. *Brain Res.* 2007 Dec 14;1185:301-12. Epub 2007 Oct 31. PubMed PMID: 17976541; PubMed Central PMCID: PMC2219338.

552: Guerra WK, Baldauf J, Schroeder HW. Long-term results after microsurgical repair of traumatic nerve lesions of the upper extremities. *Zentralbl Neurochir.* 2007 Nov;68(4):195-9. Epub 2007 Oct 29. PubMed PMID: 17968781.

553: Roganović Z, Misović S, Kronja G, Savić M. Peripheral nerve lesions associated with missile-induced pseudoaneurysms. *J Neurosurg.* 2007 Oct;107(4):765-75. PubMed PMID: 17937221.

554: Garcia-Rivera MF, Colvin-Wanshura LE, Nelson MS, Nan Z, Khan SA, Rogers TB, Maitra I, Low WC, Gupta P. Characterization of an immunodeficient mouse model of mucopolysaccharidosis type I suitable for preclinical testing of human stem cell and gene therapy. *Brain Res Bull.* 2007 Nov 1;74(6):429-38. Epub 2007 Aug 6. Erratum in: *Brain Res Bull.* 2008 Aug 15;76(6):640-1. PubMed PMID: 17920451; PubMed Central PMCID: PMC2148227.

555: Fleming CE, Saraiva MJ, Sousa MM. Transthyretin enhances nerve regeneration. *J Neurochem.* 2007 Oct;103(2):831-9. PubMed PMID: 17897357.

556: Lippert-Grüner M, Lefering R, Svestkova O. Functional outcome at 1 vs. 2 years after severe traumatic brain injury. *Brain Inj.* 2007 Sep;21(10):1001-5. PubMed PMID: 17891561.

557: Lu D, Mahmood A, Qu C, Hong X, Kaplan D, Chopp M. Collagen scaffolds populated with human marrow stromal cells reduce lesion volume and improve functional outcome after traumatic brain injury. *Neurosurgery.* 2007 Sep;61(3):596-602; discussion 602-3. PubMed PMID: 17881974; PubMed Central PMCID: PMC1994819.

558: Gómez-Pinilla F, Huie JR, Ying Z, Ferguson AR, Crown ED, Baumbauer KM, Edgerton VR, Grau JW. BDNF and learning: Evidence that instrumental training promotes learning within the spinal cord by up-regulating BDNF expression. *Neuroscience.* 2007 Sep 21;148(4):893-906. Epub 2007 Aug 23. PubMed PMID: 17719180; PubMed Central PMCID: PMC3225191.

559: Freudenberg F, Dieckmann M, Winter S, Koch M, Schwabe K. Selective breeding for deficient sensorimotor gating is accompanied by increased perseveration in rats. *Neuroscience.* 2007 Sep 7;148(3):612-22. Epub 2007 Aug 10. PubMed PMID: 17693035.

560: Signorelli F, Ruggeri F, Iofrida G, Isnard J, Chirchiglia D, Lavano A, Volpentesta G, Signorelli CD, Guyotat J. Indications and limits of intraoperative cortico-subcortical mapping in brain tumor surgery: an analysis of 101 consecutive cases. *J Neurosurg Sci.* 2007 Sep;51(3):113-27. PubMed PMID: 17641576.

561: O'Toole JE, Eichholz KM, Fessler RG. Minimally invasive far lateral microendoscopic discectomy for extraforaminal disc herniation at the lumbosacral junction: cadaveric dissection and technical case report. *Spine J.* 2007 Jul-Aug;17(4):414-21. Epub 2007 Jan 30. Review. PubMed PMID: 17630139.

562: Bryson GL, Macneil R, Jeyaraj LM, Rosaeg OP. Small dose spinal bupivacaine for Cesarean delivery does not reduce hypotension but accelerates motor recovery. *Can J Anaesth.* 2007 Jul;54(7):531-7. PubMed PMID: 17602038.

563: Houlden H, Groves M, Miedzybrodzka Z, Roper H, Willis T, Winer J, Cole G, Reilly MM. New mutations, genotype phenotype studies and manifesting carriers in giant axonal neuropathy. *J Neurol Neurosurg Psychiatry.* 2007 Nov;78(11):1267-70. Epub 2007 Jun 19. PubMed PMID: 17578852; PubMed Central PMCID: PMC2117591.

564: Kho KH, Rutten GJ, Leijten FS, van der Schaaf A, van Rijen PC, Ramsey NF. Working memory deficits after resection of the dorsolateral prefrontal cortex predicted by functional magnetic

resonance imaging and electrocortical stimulation mapping. Case report. *J Neurosurg.* 2007 Jun;106(6 Suppl):501-5. PubMed PMID: 17566410.

565: Farhadi MR, Rittierodt M, Stan A, Capelle HH, Tham-Mücke B, Krauss JK. Intramedullary ependymoma associated with Lhermitte-Duclos disease and Cowden syndrome. *Clin Neurol Neurosurg.* 2007 Oct;109(8):692-7. Epub 2007 Jun 4. PubMed PMID: 17544575.

566: Miyagishima T, Takahashi A, Kikuchi S, Watanabe K, Hirato M, Saito N, Yoshimoto Y. Effect of ventralis intermedius thalamotomy on the area in the sensorimotor cortex activated by passive hand movements: fMR imaging study. *Stereotact Funct Neurosurg.* 2007;85(5):225-34. Epub 2007 May 25. PubMed PMID: 17534135.

567: Kim JH, Greenspan JD, Coghill RC, Ohara S, Lenz FA. Lesions limited to the human thalamic principal somatosensory nucleus (ventral caudal) are associated with loss of cold sensations and central pain. *J Neurosci.* 2007 May 2;27(18):4995-5004. PubMed PMID: 17475808.

568: Spriggs M, Arble J, Myers G. Intervertebral disc extrusion and spinal decompression in a binturong (*Arctictis binturong*). *J Zoo Wildl Med.* 2007 Mar;38(1):135-8. PubMed PMID: 17469290.

569: Leuthardt EC, Miller K, Anderson NR, Schalk G, Dowling J, Miller J, Moran DW, Ojemann JG. Electrocorticographic frequency alteration mapping: a clinical technique for mapping the motor cortex. *Neurosurgery.* 2007 Apr;60(4 Suppl 2):260-70; discussion 270-1. PubMed PMID: 17415162.

570: Cappe C, Morel A, Rouiller EM. Thalamocortical and the dual pattern of corticothalamic projections of the posterior parietal cortex in macaque monkeys. *Neuroscience.* 2007 May 25;146(3):1371-87. Epub 2007 Mar 29. PubMed PMID: 17395383.

571: de Bode S, Mathern GW, Bookheimer S, Dobkin B. Locomotor training remodels fMRI sensorimotor cortical activations in children after cerebral hemispherectomy. *Neurorehabil Neural Repair.* 2007 Nov-Dec;21(6):497-508. Epub 2007 Mar 16. PubMed PMID: 17369509; PubMed Central PMCID: PMC4080925.

572: Liu Z, Li Y, Qu R, Shen L, Gao Q, Zhang X, Lu M, Savant-Bhonsale S, Borneman J, Chopp M. Axonal sprouting into the denervated spinal cord and synaptic and postsynaptic protein expression in the spinal cord after transplantation of bone marrow stromal cell in stroke rats. *Brain Res.* 2007 May 29;1149:172-80. Epub 2007 Feb 27. PubMed PMID: 17362881; PubMed Central PMCID: PMC1950288.

573: Stadlbauer A, Nimsky C, Gruber S, Moser E, Hammen T, Engelhorn T, Buchfelder M, Ganslandt O. Changes in fiber integrity, diffusivity, and metabolism of the pyramidal tract adjacent to gliomas: a quantitative diffusion tensor fiber tracking and MR spectroscopic imaging study. *AJNR Am J Neuroradiol.* 2007 Mar;28(3):462-9. PubMed PMID: 17353313.

574: Becerra GD, Tatko LM, Pak ES, Murashov AK, Hoane MR. Transplantation of GABAergic neurons but not astrocytes induces recovery of sensorimotor function in the traumatically injured brain. *Behav Brain Res.* 2007 Apr 16;179(1):118-25. Epub 2007 Feb 1. PubMed PMID: 17324477; PubMed Central PMCID: PMC1880895.

575: Takebayashi S, Hashizume K, Tanaka T, Hodozuka A. The effect of electrical stimulation and lesioning of the anterior thalamic nucleus on kainic acid-induced focal cortical seizure status in rats. *Epilepsia.* 2007 Feb;48(2):348-58. PubMed PMID: 17295630.

576: Ng K, Jones S. The "enhanced N35" somatosensory evoked potential: its associations and potential utility in the clinical evaluation of dystonia and myoclonus. *J Neurol.* 2007 Jan;254(1):46-52.

Epub 2007 Feb 4. PubMed PMID: 17277914.

577: Oinuma M, Suzuki K, Honda T, Matsumoto M, Sasaki T, Kodama N. High-frequency monopolar electrical stimulation of the rat cerebral cortex. *Neurosurgery*. 2007 Jan;60(1):189-96; discussion 196-7. PubMed PMID: 17228268.

578: Post M, van Duinen H, Steens A, Renken R, Kuipers B, Maurits N, Zijdwind I. Reduced cortical activity during maximal bilateral contractions of the index finger. *Neuroimage*. 2007 Mar;35(1):16-27. Epub 2007 Jan 12. PubMed PMID: 17223576.

579: Bares M, Nestrasil I, Rektor I. The effect of response type (motor output versus mental counting) on the intracerebral distribution of the slow cortical potentials in an externally cued (CNV) paradigm. *Brain Res Bull*. 2007 Jan 9;71(4):428-35. Epub 2006 Nov 20. PubMed PMID: 17208661.

580: Blunk JA, Burke M, Maarouf M, Bührle CP. Reversible and irreversible knockout of the ventroposterolateral thalamic nucleus measured by intracerebral SEP recordings in the rat brain—an aid to neuronavigation in small nuclei. *J Neurosci Methods*. 2007 May 15;162(1-2):19-25. Epub 2007 Jan 3. Erratum in: *J Neurosci Methods*. 2007 Sep 15;165(1):162. PubMed PMID: 17204336.

581: Ahn YH, You SH, Randolph M, Kim SH, Ahn SH, Byun WM, Yang DS, Jang SH. Peri-infarct reorganization of motor function in patients with pontine infarct. *NeuroRehabilitation*. 2006;21(3):233-7. PubMed PMID: 17167192.

582: Giglio CA, Defino HL, da-Silva CA, de-Souza AS, Del Bel EA. Behavioral and physiological methods for early quantitative assessment of spinal cord injury and prognosis in rats. *Braz J Med Biol Res*. 2006 Dec;39(12):1613-23. PubMed PMID: 17160271.

583: Thompson HJ, Marklund N, LeBold DG, Morales DM, Keck CA, Vinson M, Royo NC, Grundy R, McIntosh TK. Tissue sparing and functional recovery following experimental traumatic brain injury is provided by treatment with an anti-myelin-associated glycoprotein antibody. *Eur J Neurosci*. 2006 Dec;24(11):3063-72. PubMed PMID: 17156367; PubMed Central PMCID: PMC2377452.

584: Chen XY, Chen Y, Chen L, Tennissen AM, Wolpaw JR. Corticospinal tract transection permanently abolishes H-reflex down-conditioning in rats. *J Neurotrauma*. 2006 Nov;23(11):1705-12. PubMed PMID: 17115915.

585: Onyszchuk G, Al-Hafez B, He YY, Bilgen M, Berman NE, Brooks WM. A mouse model of sensorimotor controlled cortical impact: characterization using longitudinal magnetic resonance imaging, behavioral assessments and histology. *J Neurosci Methods*. 2007 Mar 15;160(2):187-96. Epub 2006 Oct 16. PubMed PMID: 17049995; PubMed Central PMCID: PMC1941707.

586: Ganslandt O, Fahlbusch R, Nimsky C, Kober H, Moller M, Steinmeier R, Romstock J, Vieth J. Functional neuronavigation with magnetoencephalography: outcome in 50 patients with lesions around the motor cortex. *Neurosurg Focus*. 1999 Mar 15;6(3):e3. PubMed PMID: 17031915.

587: Celebi N, Sahin A, Canbay O, Uzümcügil F, Aypar U. Abdominal pain related to mitochondrial neurogastrointestinal encephalomyopathy syndrome may benefit from splanchnic nerve blockade. *Paediatr Anaesth*. 2006 Oct;16(10):1073-6. PubMed PMID: 16972839.

588: Murata Y, Sakatani K, Hoshino T, Fujiwara N, Kano T, Nakamura S, Katayama Y. Effects of cerebral ischemia on evoked cerebral blood oxygenation responses and BOLD contrast functional MRI in stroke patients. *Stroke*. 2006 Oct;37(10):2514-20. Epub 2006 Aug 31. PubMed PMID: 16946162.

- 589: Li ZM, Nimbarte AD. Peripheral median nerve block impairs precision pinch movement. *Clin Neurophysiol.* 2006 Sep;117(9):1941-8. Epub 2006 Aug 1. PubMed PMID: 16887386.
- 590: Seo TB, Han IS, Yoon JH, Hong KE, Yoon SJ, Namgung U. Involvement of Cdc2 in Axon regeneration enhanced by exercise training in rats. *Med Sci Sports Exerc.* 2006 Jul;38(7):1267-76. PubMed PMID: 16826023.
- 591: Day-Wilson KM, Jones DN, Southam E, Cilia J, Totterdell S. Medial prefrontal cortex volume loss in rats with isolation rearing-induced deficits in prepulse inhibition of acoustic startle. *Neuroscience.* 2006 Sep 1;141(3):1113-21. Epub 2006 Jun 5. PubMed PMID: 16750891.
- 592: Curry WT Jr, Cosgrove GR, Buchbinder BR, Ojemann RG. Resection of a dominant-hemisphere intraventricular meningioma facilitated by functional magnetic resonance imaging. Case report. *Neurosurg Focus.* 2001 Jun 15;10(6):E1. PubMed PMID: 16724819.
- 593: Buznego MT, Pérez-Saad H. Behavioral and antiepileptic effect of acute administration of the extract of the aquatic plant *Echinodorus berteroi* (Sprengel) Fassett (upright burhead). *Epilepsy Behav.* 2006 Aug;9(1):40-5. Epub 2006 May 18. PubMed PMID: 16713362.
- 594: Yang H, Preston M, Chopp M, Jiang F, Zhang X, Schallert T. Mass-related traumatic tissue displacement and behavior: a screen for treatments that reduce [corrected] harm to bystander cells and recovery of function. *J Neurotrauma.* 2006 May;23(5):721-32. Erratum in: *J Neurotrauma.* 2006 Oct;23(10):1581. PubMed PMID: 16689673.
- 595: Swerdlow NR, Shoemaker JM, Kuczenski R, Bongiovanni MJ, Neary AC, Tochen LS, Saint Marie RL. Forebrain D1 function and sensorimotor gating in rats: effects of D1 blockade, frontal lesions and dopamine denervation. *Neurosci Lett.* 2006 Jul 10;402(1-2):40-5. Epub 2006 Apr 27. PubMed PMID: 16644125.
- 596: Parietti-Winkler C, Gauchard GC, Simon C, Perrin PP. Sensorimotor postural rearrangement after unilateral vestibular deafferentation in patients with acoustic neuroma. *Neurosci Res.* 2006 Jun;55(2):171-81. Epub 2006 Apr 18. PubMed PMID: 16621077.
- 597: Bliss TM, Kelly S, Shah AK, Foo WC, Kohli P, Stokes C, Sun GH, Ma M, Masel J, Kleppner SR, Schallert T, Palmer T, Steinberg GK. Transplantation of hNT neurons into the ischemic cortex: cell survival and effect on sensorimotor behavior. *J Neurosci Res.* 2006 May 1;83(6):1004-14. PubMed PMID: 16496370.
- 598: Ryan CL, Doucette TA, Gill DA, Langdon KD, Liu Y, Perry MA, Tasker RA. An improved post-operative care protocol allows detection of long-term functional deficits following MCAo surgery in rats. *J Neurosci Methods.* 2006 Jun 30;154(1-2):30-7. Epub 2006 Jan 19. PubMed PMID: 16423407.
- 599: Tomás R, Haninec P, Houstava L. The relevance of the corticographic median nerve somatosensory evoked potentials (SEPs) phase reversal in the surgical treatment of brain tumors in central cortex. *Neoplasma.* 2006;53(1):37-42. PubMed PMID: 16416011.
- 600: Van Westen D, Skagerberg G, Olsrud J, Fransson P, Larsson EM. Functional magnetic resonance imaging at 3T as a clinical tool in patients with intracranial tumors. *Acta Radiol.* 2005 Oct;46(6):599-609. PubMed PMID: 16334841.
- 601: Devos D, Labyt E, Cassim F, Bourriez JL, Blond S, Destée A, Derambure P, Defebvre L. [Pathophysiological mechanisms implicated by high-frequency stimulation in Parkinson's disease: the restoration of high and low frequency oscillatory systems]. *Rev Neurol (Paris).* 2005

Nov;161(11):1029-43. French. PubMed PMID: 16288169.

602: Qu C, Lu D, Goussev A, Schallert T, Mahmood A, Chopp M. Effect of atorvastatin on spatial memory, neuronal survival, and vascular density in female rats after traumatic brain injury. *J Neurosurg*. 2005 Oct;103(4):695-701. PubMed PMID: 16266052.

603: Otani N, Bjeljac M, Muroi C, Weniger D, Khan N, Wieser HG, Curcic M, Yonekawa Y. Awake surgery for glioma resection in eloquent areas—Zurich's experience and review—. *Neurol Med Chir (Tokyo)*. 2005 Oct;45(10):501-10; discussion 510-1. PubMed PMID: 16247235.

604: Nariai T, Sato K, Hirakawa K, Ohta Y, Tanaka Y, Ishiwata K, Ishii K, Kamino K, Ohno K. Imaging of somatotopic representation of sensory cortex with intrinsic optical signals as guides for brain tumor surgery. *J Neurosurg*. 2005 Sep;103(3):414-23. PubMed PMID: 16235671.

605: Mikuni N, Ikeda A, Yoneko H, Amano S, Hanakawa T, Fukuyama H, Hashimoto N. Surgical resection of an epileptogenic cortical dysplasia in the deep foot sensorimotor area. *Epilepsy Behav*. 2005 Nov;7(3):559-62. Epub 2005 Sep 27. PubMed PMID: 16194627.

606: Jeun SS, Kim JS, Kim BS, Park SD, Lim EC, Choi GS, Choe BY. Acupuncture stimulation for motor cortex activities: a 3T fMRI study. *Am J Chin Med*. 2005;33(4):573-8. PubMed PMID: 16173531.

607: Karabiyikoglu M, Keep R, Hua Y, Xi G. Acute subdural hematoma: new model delineation and effects of coagulation inhibitors. *Neurosurgery*. 2005 Sep;57(3):565-72; discussion 565-72. PubMed PMID: 16145537.

608: Akiyama T, Ohira T, Kato T, Toda Y, Orii M, Hiraga K, Fukunaga A, Kobayashi M, Onozuka S, Kawase T. Motor-related intracortical steal phenomenon detected by multichannel functional near-infrared spectroscopy imaging. *Cerebrovasc Dis*. 2005;20(5):337-46. Epub 2005 Aug 30. PubMed PMID: 16131803.

609: Thiex R, Thron A, Gilsbach JM, Rohde V. Functional outcome after surgical treatment of spontaneous and nonspontaneous spinal subdural hematomas. *J Neurosurg Spine*. 2005 Jul;3(1):12-6. PubMed PMID: 16122016.

610: Duffau H. Intraoperative cortico-subcortical stimulations in surgery of low-grade gliomas. *Expert Rev Neurother*. 2005 Jul;5(4):473-85. Review. PubMed PMID: 16026231.

611: Gasser T, Sandalcioğlu E, Schoch B, Gizewski E, Forsting M, Stolke D, Wiedemayer H. Functional magnetic resonance imaging in anesthetized patients: a relevant step toward real-time intraoperative functional neuroimaging. *Neurosurgery*. 2005 Jul;57(1 Suppl):94-9; discussion 94-9. PubMed PMID: 15987574.

612: Ciechomska EA, Komuński P, Tybor K, Zawirski M. [Intraoperative assessment of cognitive and executive functions in patients with brain tumors]. *Neurol Neurochir Pol*. 2005 May-Jun;39(3):196-201. Polish. PubMed PMID: 15981156.

613: Lenzlinger PM, Shimizu S, Marklund N, Thompson HJ, Schwab ME, Saatman KE, Hoover RC, Bareyre FM, Motta M, Luginbuhl A, Pape R, Clouse AK, Morganti-Kossmann C, McIntosh TK. Delayed inhibition of Nogo-A does not alter injury-induced axonal sprouting but enhances recovery of cognitive function following experimental traumatic brain injury in rats. *Neuroscience*. 2005;134(3):1047-56. PubMed PMID: 15979242.

614: Odeh F, Ackerley R, Bjaalie JG, Apps R. Pontine maps linking somatosensory and cerebellar

cortices are in register with climbing fiber somatotopy. *J Neurosci.* 2005 Jun 15;25(24):5680-90. PubMed PMID: 15958734.

615: Colnat-Coulbois S, Gauchard GC, Maillard L, Barroche G, Vespignani H, Auque J, Perrin PP. Bilateral subthalamic nucleus stimulation improves balance control in Parkinson's disease. *J Neurol Neurosurg Psychiatry.* 2005 Jun;76(6):780-7. PubMed PMID: 15897498; PubMed Central PMCID: PMC1739669.

616: St-Hilaire M, Landry E, Lévesque D, Rouillard C. Denervation and repeated L-DOPA induce complex regulatory changes in neurochemical phenotypes of striatal neurons: implication of a dopamine D1-dependent mechanism. *Neurobiol Dis.* 2005 Nov;20(2):450-60. PubMed PMID: 15896973.

617: Foffani G, Bianchi AM, Priori A, Baselli G. Adaptive autoregressive identification with spectral power decomposition for studying movement-related activity in scalp EEG signals and basal ganglia local field potentials. *J Neural Eng.* 2004 Sep;1(3):165-73. Epub 2004 Sep 10. PubMed PMID: 15876636.

618: Adkins DL, Jones TA. D-amphetamine enhances skilled reaching after ischemic cortical lesions in rats. *Neurosci Lett.* 2005 Jun 3;380(3):214-8. Epub 2005 Feb 5. PubMed PMID: 15862888.

619: Eskandari R, Mcallister JP 2nd, Miller JM, Ding Y, Ham SD, Shearer DM, Way JS. Effects of hydrocephalus and ventriculoperitoneal shunt therapy on afferent and efferent connections in the feline sensorimotor cortex. *J Neurosurg.* 2004 Nov;101(2 Suppl):196-210. PubMed PMID: 15835108.

620: Szurhaj W, Bourriez JL, Kahane P, Chauvel P, Mauguière F, Derambure P. Intracerebral study of gamma rhythm reactivity in the sensorimotor cortex. *Eur J Neurosci.* 2005 Mar;21(5):1223-35. PubMed PMID: 15813932.

621: Castañeda E, Fleming S, Paquette MA, Boat K, Moffett J, Stachowiak EK, Bloom DC, Stachowiak MK. Assessment of recovery in the hemiparkinson rat: drug-induced rotation is inadequate. *Physiol Behav.* 2005 Mar 31;84(4):525-35. PubMed PMID: 15811387.

622: de Bode S, Firestine A, Mathern GW, Dobkin B. Residual motor control and cortical representations of function following hemispherectomy: effects of etiology. *J Child Neurol.* 2005 Jan;20(1):64-75. PubMed PMID: 15791926.

623: Ellrich J. Dopamine D2-like receptor activation antagonizes long-term depression of orofacial sensorimotor processing in anesthetized mice. *Brain Res.* 2005 Feb 21;1035(1):94-9. PubMed PMID: 15713281.

624: Romanelli P, Esposito V, Schaal DW, Heit G. Somatotopy in the basal ganglia: experimental and clinical evidence for segregated sensorimotor channels. *Brain Res Brain Res Rev.* 2005 Feb;48(1):112-28. Review. PubMed PMID: 15708631.

625: Duffau H, Gatignol P, Mandonnet E, Peruzzi P, Tzourio-Mazoyer N, Capelle L. New insights into the anatomo-functional connectivity of the semantic system: a study using cortico-subcortical electrostimulations. *Brain.* 2005 Apr;128(Pt 4):797-810. Epub 2005 Feb 10. PubMed PMID: 15705610.

626: Sunico CR, Portillo F, González-Forero D, Moreno-López B. Nitric-oxide-directed synaptic remodeling in the adult mammal CNS. *J Neurosci.* 2005 Feb 9;25(6):1448-58. PubMed PMID: 15703399.

- 627: Longhi L, Saatman KE, Fujimoto S, Raghupathi R, Meaney DF, Davis J, McMillan B S A, Conte V, Laurer HL, Stein S, Stocchetti N, McIntosh TK. Temporal window of vulnerability to repetitive experimental concussive brain injury. *Neurosurgery*. 2005 Feb;56(2):364-74; discussion 364-74. PubMed PMID: 15670384.
- 628: Makowska A, Panfil C, Ellrich J. Long-term potentiation of orofacial sensorimotor processing by noxious input from the semispinal neck muscle in mice. *Cephalalgia*. 2005 Feb;25(2):109-16. PubMed PMID: 15658947.
- 629: Woodlee MT, Asseo-García AM, Zhao X, Liu SJ, Jones TA, Schallert T. Testing forelimb placing "across the midline" reveals distinct, lesion-dependent patterns of recovery in rats. *Exp Neurol*. 2005 Feb;191(2):310-7. PubMed PMID: 15649486.
- 630: Makowska A, Panfil C, Ellrich J. Nerve growth factor injection into semispinal neck muscle evokes sustained facilitation of the jaw-opening reflex in anesthetized mice – possible implications for tension-type headache. *Exp Neurol*. 2005 Feb;191(2):301-9. PubMed PMID: 15649485.
- 631: Romanelli P, Bronte-Stewart H, Heit G, Schaal DW, Esposito V. The functional organization of the sensorimotor region of the subthalamic nucleus. *Stereotact Funct Neurosurg*. 2004;82(5-6):222-9. Epub 2004 Dec 15. Review. PubMed PMID: 15604597.
- 632: Buznego MT, Pérez-Saad H. Acute effect of an extract of *Ambrosia paniculata* (Willd.) O. E. Schultz (mugwort) in several models of experimental epilepsy. *Epilepsy Behav*. 2004 Dec;5(6):847-51. PubMed PMID: 15582831.
- 633: Ganslandt O, Buchfelder M, Hastreiter P, Grummich P, Fahlbusch R, Nimsky C. Magnetic source imaging supports clinical decision making in glioma patients. *Clin Neurol Neurosurg*. 2004 Dec;107(1):20-6. PubMed PMID: 15567548.
- 634: Grodd W, Hülsmann E, Ackermann H. Functional MRI localizing in the cerebellum. *Neurosurg Clin N Am*. 2005 Jan;16(1):77-99, v. Review. PubMed PMID: 15561530.
- 635: Verdugo RJ, Bell LA, Campero M, Salvat F, Tripplett B, Sonnad J, Ochoa JL. Spectrum of cutaneous hyperalgesias/allodynias in neuropathic pain patients. *Acta Neurol Scand*. 2004 Dec;110(6):368-76. PubMed PMID: 15527449.
- 636: Ring A, Rajandran H, Harvey A, Ghosh S. Changes in electrical thresholds for evoking movements from the cat cerebral cortex following lesions of the sensori-motor area. *Somatosens Mot Res*. 2004 Jun;21(2):117-36. PubMed PMID: 15370092.
- 637: Ghosh S, Koh AH, Ring A. Comparison of electrical thresholds for evoking movements from sensori-motor areas of the cat cerebral cortex and its relation to motor training. *Somatosens Mot Res*. 2004 Jun;21(2):99-115. PubMed PMID: 15370091.
- 638: Fujimoto ST, Longhi L, Saatman KE, Conte V, Stocchetti N, McIntosh TK. Motor and cognitive function evaluation following experimental traumatic brain injury. *Neurosci Biobehav Rev*. 2004 Jul;28(4):365-78. Review. Erratum in: *Neurosci Biobehav Rev*. 2005 Jan;28(8):877. Conte, Valeria [added]; Stocchetti, Nino [added]. PubMed PMID: 15341032.
- 639: Xerri C, Benelhadj M, Harlay F. Deficits and recovery of body stabilization during acrobatic locomotion after focal lesion to the somatosensory cortex: a kinematic analysis combined with cortical mapping. *Arch Ital Biol*. 2004 May;142(3):217-36. PubMed PMID: 15266656.

- 640: Cohen-Gadol AA, Ozduman K, Bronen RA, Kim JH, Spencer DD. Long-term outcome after epilepsy surgery for focal cortical dysplasia. *J Neurosurg*. 2004 Jul;101(1):55-65. PubMed PMID: 15255252.
- 641: Aghakhani Y, Rosati A, Olivier A, Gotman J, Andermann F, Dubeau F. The predictive localizing value of tonic limb posturing in supplementary sensorimotor seizures. *Neurology*. 2004 Jun 22;62(12):2256-61. PubMed PMID: 15210891.
- 642: Emerick AJ, Kartje GL. Behavioral recovery and anatomical plasticity in adult rats after cortical lesion and treatment with monoclonal antibody IN-1. *Behav Brain Res*. 2004 Jul 9;152(2):315-25. PubMed PMID: 15196799.
- 643: Dousset E, Marqueste T, Decherchi P, Jammes Y, Grelot L. Effects of neonatal capsaicin deafferentation on neuromuscular adjustments, performance, and afferent activities from adult tibialis anterior muscle during exercise. *J Neurosci Res*. 2004 Jun 1;76(5):734-41. PubMed PMID: 15139032.
- 644: Murray M, Fischer I, Smeraski C, Tessler A, Giszter S. Towards a definition of recovery of function. *J Neurotrauma*. 2004 Apr;21(4):405-13. Review. PubMed PMID: 15115590.
- 645: Ellrich J. Electric low-frequency stimulation of the tongue induces long-term depression of the jaw-opening reflex in anesthetized mice. *J Neurophysiol*. 2004 Dec;92(6):3332-7. Epub 2004 Apr 21. PubMed PMID: 15102895.
- 646: Paqueron X, Leguen M, Gentili ME, Riou B, Coriat P, Willer JC. Influence of sensory and proprioceptive impairment on the development of phantom limb syndrome during regional anesthesia. *Anesthesiology*. 2004 Apr;100(4):979-86. PubMed PMID: 15087637.
- 647: Romanelli P, Heit G, Hill BC, Kraus A, Hastie T, Brontë-Stewart HM. Microelectrode recording revealing a somatotopic body map in the subthalamic nucleus in humans with Parkinson disease. *J Neurosurg*. 2004 Apr;100(4):611-8. PubMed PMID: 15070113.
- 648: Fujiwara N, Sakatani K, Katayama Y, Murata Y, Hoshino T, Fukaya C, Yamamoto T. Evoked-cerebral blood oxygenation changes in false-negative activations in BOLD contrast functional MRI of patients with brain tumors. *Neuroimage*. 2004 Apr;21(4):1464-71. PubMed PMID: 15050571.
- 649: Håberg A, Kvistad KA, Unsgård G, Haraldseth O. Preoperative blood oxygen level-dependent functional magnetic resonance imaging in patients with primary brain tumors: clinical application and outcome. *Neurosurgery*. 2004 Apr;54(4):902-14; discussion 914-5. PubMed PMID: 15046657.
- 650: Gilmour G, Iversen SD, O'Neill MF, Bannerman DM. The effects of intracortical endothelin-1 injections on skilled forelimb use: implications for modelling recovery of function after stroke. *Behav Brain Res*. 2004 Apr 2;150(1-2):171-83. PubMed PMID: 15033290.
- 651: Hermer-Vazquez L, Hermer-Vazquez R, Moxon KA, Kuo KH, Viau V, Zhan Y, Chapin JK. Distinct temporal activity patterns in the rat M1 and red nucleus during skilled versus unskilled limb movement. *Behav Brain Res*. 2004 Apr 2;150(1-2):93-107. PubMed PMID: 15033283.
- 652: Bury SD, Jones TA. Facilitation of motor skill learning by callosal denervation or forced forelimb use in adult rats. *Behav Brain Res*. 2004 Apr 2;150(1-2):43-53. PubMed PMID: 15033278.
- 653: Duffau H, Velut S, Mitchell MC, Gatignol P, Capelle L. Intra-operative mapping of the subcortical visual pathways using direct electrical stimulations. *Acta Neurochir (Wien)*. 2004 Mar;146(3):265-9; discussion 269-70. Epub 2004 Jan 8. PubMed PMID: 15015049.

- 654: Castillo EM, Simos PG, Wheless JW, Baumgartner JE, Breier JI, Billingsley RL, Sarkari S, Fitzgerald ME, Papanicolaou AC. Integrating sensory and motor mapping in a comprehensive MEG protocol: clinical validity and replicability. *Neuroimage*. 2004 Mar;21(3):973-83. PubMed PMID: 15006664.
- 655: Van Meir V, Verhoye M, Absil P, Eens M, Balthazart J, Van der Linden A. Differential effects of testosterone on neuronal populations and their connections in a sensorimotor brain nucleus controlling song production in songbirds: a manganese enhanced-magnetic resonance imaging study. *Neuroimage*. 2004 Mar;21(3):914-23. PubMed PMID: 15006658.
- 656: Aoyama H, Kamada K, Shirato H, Takeuchi F, Kuriki S, Iwasaki Y, Miyasaka K. Integration of functional brain information into stereotactic irradiation treatment planning using magnetoencephalography and magnetic resonance axonography. *Int J Radiat Oncol Biol Phys*. 2004 Mar 15;58(4):1177-83. PubMed PMID: 15001262.
- 657: Hoane MR, Becerra GD, Shank JE, Tatko L, Pak ES, Smith M, Murashov AK. Transplantation of neuronal and glial precursors dramatically improves sensorimotor function but not cognitive function in the traumatically injured brain. *J Neurotrauma*. 2004 Feb;21(2):163-74. PubMed PMID: 15000757.
- 658: Kato M, Yano H, Okumura A, Shinoda J, Sakai N, Shimokawa K. A non-infantile case of desmoplastic infantile astrocytoma. *Childs Nerv Syst*. 2004 Jul;20(7):499-501. Epub 2004 Mar 3. PubMed PMID: 14997329.
- 659: Babiloni C, Vecchio F, Babiloni F, Brunelli GA, Carducci F, Cincotti F, Pizzella V, Romani GL, Tecchio FT, Rossini PM. Coupling between "hand" primary sensorimotor cortex and lower limb muscles after ulnar nerve surgical transfer in paraplegia. *Behav Neurosci*. 2004 Feb;118(1):214-22. PubMed PMID: 14979799.
- 660: Taniguchi M, Kato A, Ninomiya H, Hirata M, Cheyne D, Robinson SE, Maruno M, Saitoh Y, Kishima H, Yoshimine T. Cerebral motor control in patients with gliomas around the central sulcus studied with spatially filtered magnetoencephalography. *J Neurol Neurosurg Psychiatry*. 2004 Mar;75(3):466-71. PubMed PMID: 14966166; PubMed Central PMCID: PMC1738948.
- 661: Hamel W, Fietzek U, Morsnowski A, Schrader B, Weinert D, Müller D, Deuschl G, Mehdorn HM. Subthalamic nucleus stimulation in Parkinson's disease: correlation of active electrode contacts with intraoperative microrecordings. *Stereotact Funct Neurosurg*. 2003;80(1-4):37-42. PubMed PMID: 14745207.
- 662: Goy RW, Sia AT. Sensorimotor anesthesia and hypotension after subarachnoid block: combined spinal-epidural versus single-shot spinal technique. *Anesth Analg*. 2004 Feb;98(2):491-6, table of contents. PubMed PMID: 14742393.
- 663: Schwabe K, Koch M. Role of the medial prefrontal cortex in N-methyl-D-aspartate receptor antagonist induced sensorimotor gating deficit in rats. *Neurosci Lett*. 2004 Jan 23;355(1-2):5-8. PubMed PMID: 14729221.
- 664: Devos D, Labyt E, Derambure P, Bourriez JL, Cassim F, Reyns N, Blond S, Guieu JD, Destée A, Defebvre L. Subthalamic nucleus stimulation modulates motor cortex oscillatory activity in Parkinson's disease. *Brain*. 2004 Feb;127(Pt 2):408-19. Epub 2003 Dec 22. PubMed PMID: 14691060.
- 665: Yoo SS, Talos IF, Golby AJ, Black PM, Panych LP. Evaluating requirements for spatial resolution of fMRI for neurosurgical planning. *Hum Brain Mapp*. 2004 Jan;21(1):34-43. PubMed PMID: 14689508.
- 666: Duffau H, Capelle L, Denvil D, Gatignol P, Sichez N, Lopes M, Sichez JP, Van Effenterre R. The role

of dominant premotor cortex in language: a study using intraoperative functional mapping in awake patients. *Neuroimage*. 2003 Dec;20(4):1903-14. PubMed PMID: 14683696.

667: Gao P, Ploog BO, Zeigler HP. Whisking as a "voluntary" response: operant control of whisking parameters and effects of whisker denervation. *Somatosens Mot Res*. 2003;20(3-4):179-89. PubMed PMID: 14675957.

668: Jones S. Neurological associations of absent P60 component of the posterior tibial nerve somatosensory evoked potential. *J Neurol*. 2003 Dec;250(12):1426-30. PubMed PMID: 14673574.

669: Oishi M, Fukuda M, Kameyama S, Kawaguchi T, Masuda H, Tanaka R. Magnetoencephalographic representation of the sensorimotor hand area in cases of intracerebral tumour. *J Neurol Neurosurg Psychiatry*. 2003 Dec;74(12):1649-54. PubMed PMID: 14638884; PubMed Central PMCID: PMC1757408.

670: Roux FE, Lotterie JA, Cassol E, Lazorthes Y, Sol JC, Berry I. Cortical areas involved in virtual movement of phantom limbs: comparison with normal subjects. *Neurosurgery*. 2003 Dec;53(6):1342-52; discussion 1352-3. PubMed PMID: 14633300.

671: Yamashiro K, Tomiyama N, Terada Y, Samura H, Mukawa J, Tasker RR. Neurons with spontaneous high-frequency discharges in the central nervous system and chronic pain. *Acta Neurochir Suppl*. 2003;87:153-5. PubMed PMID: 14518544.

672: Sakatani K, Murata Y, Fukaya C, Yamamoto T, Katayama Y. BOLD functional MRI may overlook activation areas in the damaged brain. *Acta Neurochir Suppl*. 2003;87:59-62. PubMed PMID: 14518525.

673: Zhou L, Shine HD. Neurotrophic factors expressed in both cortex and spinal cord induce axonal plasticity after spinal cord injury. *J Neurosci Res*. 2003 Oct 15;74(2):221-6. PubMed PMID: 14515351.

674: Hesselmann V, Sorger B, Girnus R, Lasek K, Maarouf M, Wedekind C, Bunke J, Schulte O, Krug B, Lackner K, Sturm V. Intraoperative functional MRI as a new approach to monitor deep brain stimulation in Parkinson's disease. *Eur Radiol*. 2004 Apr;14(4):686-90. Epub 2003 Sep 26. PubMed PMID: 14513267.

675: Reinecke K, Lucius R, Reinecke A, Rickert U, Herdegen T, Unger T. Angiotensin II accelerates functional recovery in the rat sciatic nerve in vivo: role of the AT2 receptor and the transcription factor NF-kappaB. *FASEB J*. 2003 Nov;17(14):2094-6. Epub 2003 Sep 18. PubMed PMID: 14500552.

676: Baskin YK, Dietrich WD, Green EJ. Two effective behavioral tasks for evaluating sensorimotor dysfunction following traumatic brain injury in mice. *J Neurosci Methods*. 2003 Oct 15;129(1):87-93. PubMed PMID: 12951236.

677: Baliki M, Al-Amin HA, Atweh SF, Jaber M, Hawwa N, Jabbur SJ, Apkarian AV, Saadé NE. Attenuation of neuropathic manifestations by local block of the activities of the ventrolateral orbito-frontal area in the rat. *Neuroscience*. 2003;120(4):1093-104. PubMed PMID: 12927214.

678: Murata Y, Katayama Y, Sakatani K, Fukaya C, Kano T. Evaluation of extracranial-intracranial arterial bypass function by using near-infrared spectroscopy. *J Neurosurg*. 2003 Aug;99(2):304-10. PubMed PMID: 12924705.

679: Hamel W, Fietzek U, Morsnowski A, Schrader B, Herzog J, Weinert D, Pfister G, Müller D, Volkmann J, Deuschl G, Mehdorn HM. Deep brain stimulation of the subthalamic nucleus in Parkinson's

- disease: evaluation of active electrode contacts. *J Neurol Neurosurg Psychiatry*. 2003 Aug;74(8):1036-46. PubMed PMID: 12876231; PubMed Central PMCID: PMC1738607.
- 680: Reis AM, Pereira S, Mascarenhas L, Vaz AR, Pereira JR. [Clinical application of functional MR. Evaluation of motor functions and verbal fluency]. *Acta Med Port*. 2003 May-Jun;16(3):125-30. Portuguese. PubMed PMID: 12868390.
- 681: Ellrich J, Wesselak M. Electrophysiology of sensory and sensorimotor processing in mice under general anesthesia. *Brain Res Brain Res Protoc*. 2003 Jul;11(3):178-88. PubMed PMID: 12842223.
- 682: Emerick AJ, Neafsey EJ, Schwab ME, Kartje GL. Functional reorganization of the motor cortex in adult rats after cortical lesion and treatment with monoclonal antibody IN-1. *J Neurosci*. 2003 Jun 15;23(12):4826-30. PubMed PMID: 12832504.
- 683: Cohen-Gadol AA, Britton JW, Collignon FP, Bates LM, Cascino GD, Meyer FB. Nonlesional central lobule seizures: use of awake cortical mapping and subdural grid monitoring for resection of seizure focus. *J Neurosurg*. 2003 Jun;98(6):1255-62. PubMed PMID: 12816273.
- 684: Duffau H, Capelle L, Denvil D, Sichez N, Gatignol P, Lopes M, Mitchell MC, Sichez JP, Van Effenterre R. Functional recovery after surgical resection of low grade gliomas in eloquent brain: hypothesis of brain compensation. *J Neurol Neurosurg Psychiatry*. 2003 Jul;74(7):901-7. PubMed PMID: 12810776; PubMed Central PMCID: PMC1738559.
- 685: Kang HC, Burgund ED, Lugar HM, Petersen SE, Schlaggar BL. Comparison of functional activation foci in children and adults using a common stereotactic space. *Neuroimage*. 2003 May;19(1):16-28. PubMed PMID: 12781724.
- 686: Bates AL, Zada CC. Acute care physical therapist evaluation and intervention for an adult after right hemispherectomy. *Phys Ther*. 2003 Jun;83(6):567-80. PubMed PMID: 12775202.
- 687: Takeuchi R, Yonekura Y, Takeda SK, Fujita K, Konishi J. Fully automated quantification of regional cerebral blood flow with three-dimensional stereotaxic region of interest template: validation using magnetic resonance imaging—technical note. *Neurol Med Chir (Tokyo)*. 2003 Mar;43(3):153-62. PubMed PMID: 12699126.
- 688: Tang L, Mantle M, Ferrari P, Schiffbauer H, Rowley HA, Barbaro NM, Berger MS, Roberts TP. Consistency of interictal and ictal onset localization using magnetoencephalography in patients with partial epilepsy. *J Neurosurg*. 2003 Apr;98(4):837-45. PubMed PMID: 12691410.
- 689: Lifshitz J, McIntosh TK. Age-associated mitochondrial DNA deletions are not evident chronically after experimental brain injury in the rat. *J Neurotrauma*. 2003 Feb;20(2):139-49. PubMed PMID: 12675968.
- 690: López-Flores G, Miguel-Morales J, Teijeiro-Amador J, Vitek J, Perez-Parra S, Fernández-Melo R, Maragoto C, Alvarez E, Alvarez L, Macías R, Obeso JA. Anatomic and neurophysiological methods for the targeting and lesioning of the subthalamic nucleus: Cuban experience and review. *Neurosurgery*. 2003 Apr;52(4):817-30; discussion 831. PubMed PMID: 12657177.
- 691: Meyer PT, Sturz L, Sabri O, Schreckenberger M, Spetzger U, Setani KS, Kaiser HJ, Buell U. Preoperative motor system brain mapping using positron emission tomography and statistical parametric mapping: hints on cortical reorganisation. *J Neurol Neurosurg Psychiatry*. 2003 Apr;74(4):471-8. PubMed PMID: 12640066; PubMed Central PMCID: PMC1738405.

692: Bronte-Stewart H. Parkinson's Disease: Surgical Options. *Curr Treat Options Neurol*. 2003 Mar;5(2):131-147. PubMed PMID: 12628062.

693: Schallert T, Fleming SM, Woodlee MT. Should the injured and intact hemispheres be treated differently during the early phases of physical restorative therapy in experimental stroke or parkinsonism? *Phys Med Rehabil Clin N Am*. 2003 Feb;14(1 Suppl):S27-46. Review. PubMed PMID: 12625636.

694: Schiffbauer H, Berger MS, Ferrari P, Freudenstein D, Rowley HA, Roberts TP. Preoperative magnetic source imaging for brain tumor surgery: a quantitative comparison with intraoperative sensory and motor mapping. *J Neurosurg*. 2002 Dec;97(6):1333-42. PubMed PMID: 12507131.

695: Szurhaj W, Derambure P, Labyt E, Cassim F, Bourriez JL, Isnard J, Guieu JD, Mauguière F. Basic mechanisms of central rhythms reactivity to preparation and execution of a voluntary movement: a stereoelectroencephalographic study. *Clin Neurophysiol*. 2003 Jan;114(1):107-19. PubMed PMID: 12495771.

696: Levy LM, Ziemann U, Chen R, Cohen LG. Rapid modulation of GABA in sensorimotor cortex induced by acute deafferentation. *Ann Neurol*. 2002 Dec;52(6):755-61. PubMed PMID: 12447929.

697: Benowitz LI, Goldberg DE, Irwin N. Inosine stimulates axon growth in vitro and in the adult CNS. *Prog Brain Res*. 2002;137:389-99. Review. PubMed PMID: 12440381.

698: Joobar R, Zarate JM, Rouleau GA, Skamene E, Boksa P. Provisional mapping of quantitative trait loci modulating the acoustic startle response and prepulse inhibition of acoustic startle. *Neuropsychopharmacology*. 2002 Nov;27(5):765-81. PubMed PMID: 12431851.

699: Satow T, Ikeda A, Yamamoto J, Takayama M, Matsushashi M, Ohara S, Matsumoto R, Begum T, Fukuyama H, Hashimoto N, Shibasaki H. Partial epilepsy manifesting atonic seizure: report of two cases. *Epilepsia*. 2002 Nov;43(11):1425-31. PubMed PMID: 12423395.

700: Hua Y, Schallert T, Keep RF, Wu J, Hoff JT, Xi G. Behavioral tests after intracerebral hemorrhage in the rat. *Stroke*. 2002 Oct;33(10):2478-84. PubMed PMID: 12364741.

701: Bury SD, Jones TA. Unilateral sensorimotor cortex lesions in adult rats facilitate motor skill learning with the "unaffected" forelimb and training-induced dendritic structural plasticity in the motor cortex. *J Neurosci*. 2002 Oct 1;22(19):8597-606. PubMed PMID: 12351733.

702: Calvert JW, Yin W, Patel M, Badr A, Mychaskiw G, Parent AD, Zhang JH. Hyperbaric oxygenation prevented brain injury induced by hypoxia-ischemia in a neonatal rat model. *Brain Res*. 2002 Sep 27;951(1):1-8. PubMed PMID: 12231450.

703: Keene CD, Rodrigues CM, Eich T, Chhabra MS, Steer CJ, Low WC. Tauroursodeoxycholic acid, a bile acid, is neuroprotective in a transgenic animal model of Huntington's disease. *Proc Natl Acad Sci U S A*. 2002 Aug 6;99(16):10671-6. Epub 2002 Jul 29. PubMed PMID: 12149470; PubMed Central PMCID: PMC125009.

704: Patariaia E, Baumgartner C, Lindinger G, Deecke L. Magnetoencephalography in presurgical epilepsy evaluation. *Neurosurg Rev*. 2002 Jun;25(3):141-59; discussion 160-1. Review. PubMed PMID: 12135228.

705: Winkler C, Kirik D, Björklund A, Cenci MA. L-DOPA-induced dyskinesia in the intrastriatal 6-hydroxydopamine model of parkinson's disease: relation to motor and cellular parameters of

nigrostriatal function. *Neurobiol Dis.* 2002 Jul;10(2):165-86. PubMed PMID: 12127155.

706: Murata Y, Sakatani K, Katayama Y, Fukaya C. Increase in focal concentration of deoxyhaemoglobin during neuronal activity in cerebral ischaemic patients. *J Neurol Neurosurg Psychiatry.* 2002 Aug;73(2):182-4. PubMed PMID: 12122179; PubMed Central PMCID: PMC1738004.

707: Carmichael ST, Chesselet MF. Synchronous neuronal activity is a signal for axonal sprouting after cortical lesions in the adult. *J Neurosci.* 2002 Jul 15;22(14):6062-70. PubMed PMID: 12122067.

708: Lehmann O, Bertrand F, Jeltsch H, Morer M, Lazarus C, Will B, Cassel JC. 5,7-DHT-induced hippocampal 5-HT depletion attenuates behavioural deficits produced by 192 IgG-saporin lesions of septal cholinergic neurons in the rat. *Eur J Neurosci.* 2002 Jun;15(12):1991-2006. PubMed PMID: 12099905.

709: Rutten GJ, Ramsey NF, van Rijen PC, Franssen H, van Veelen CW. Interhemispheric reorganization of motor hand function to the primary motor cortex predicted with functional magnetic resonance imaging and transcranial magnetic stimulation. *J Child Neurol.* 2002 Apr;17(4):292-7. PubMed PMID: 12088086.

710: Benowitz LI, Goldberg DE, Irwin N. A purine-sensitive mechanism regulates the molecular program for axon growth. *Restor Neurol Neurosci.* 2001;19(1-2):41-9. Review. PubMed PMID: 12082228.

711: Sawamura A, Hashizume K, Tanaka T. Electrophysiological, behavioral and metabolic features of globus pallidus seizures induced by a microinjection of kainic acid in rats. *Brain Res.* 2002 May 10;935(1-2):1-8. PubMed PMID: 12062466.

712: Boling W, Olivier A, Fabinyi G. Historical contributions to the modern understanding of function in the central area. *Neurosurgery.* 2002 Jun;50(6):1296-309, discussion 1309-10. Review. PubMed PMID: 12015849.

713: Duffau H, Lopes M, Denvil D, Capelle L. Delayed onset of the supplementary motor area syndrome after surgical resection of the mesial frontal lobe: a time course study using intraoperative mapping in an awake patient. *Stereotact Funct Neurosurg.* 2001;76(2):74-82. PubMed PMID: 12007269.

714: Oishi M, Kameyama S, Watanabe M, Kawaguchi T, Morota N, Tomikawa M, Masuda H, Takahashi H, Tanaka R. [Presurgical functional mapping of the sensorimotor area using evoked magnetic fields]. *No Shinkei Geka.* 2002 Apr;30(4):391-7. Japanese. PubMed PMID: 11968825.

715: Firsching R, Bondar I, Heinze HJ, Hinrichs H, Hagner T, Heinrich J, Belau A. Practicability of magnetoencephalography-guided neuronavigation. *Neurosurg Rev.* 2002 Mar;25(1-2):73-8. PubMed PMID: 11954769.

716: Benazzouz A, Breit S, Koudsie A, Pollak P, Krack P, Benabid AL. Intraoperative microrecordings of the subthalamic nucleus in Parkinson's disease. *Mov Disord.* 2002;17 Suppl 3:S145-9. PubMed PMID: 11948769.

717: Hase T, Kawaguchi S, Hayashi H, Nishio T, Mizoguchi A, Nakamura T. Spinal cord repair in neonatal rats: a correlation between Axon regeneration and functional recovery. *Eur J Neurosci.* 2002 Mar;15(6):969-74. PubMed PMID: 11918656.

718: Duffau H, Denvil D, Capelle L. Long term reshaping of language, sensory, and motor maps after

glioma resection: a new parameter to integrate in the surgical strategy. *J Neurol Neurosurg Psychiatry*. 2002 Apr;72(4):511-6. PubMed PMID: 11909913; PubMed Central PMCID: PMC1737830.

719: Boakye M, Krauss BR, Huckins SC, Zhang L, Szeverenyi NM, Hodge CJ Jr. Effects of hyperoxia on human sensorimotor cortex activity produced by electrical stimulation of the median nerve: a functional magnetic resonance imaging study. *Neurosci Lett*. 2002 Mar 15;321(1-2):5-8. PubMed PMID: 11872243.

720: Zhao LR, Duan WM, Reyes M, Keene CD, Verfaillie CM, Low WC. Human bone marrow stem cells exhibit neural phenotypes and ameliorate neurological deficits after grafting into the ischemic brain of rats. *Exp Neurol*. 2002 Mar;174(1):11-20. PubMed PMID: 11869029.

721: Eisner W, Burtcher J, Bale R, Sweeney R, Koppelstätter F, Golaszewski S, Kolbitsch C, Twerdy K. Use of neuronavigation and electrophysiology in surgery of subcortically located lesions in the sensorimotor strip. *J Neurol Neurosurg Psychiatry*. 2002 Mar;72(3):378-81. PubMed PMID: 11861700; PubMed Central PMCID: PMC1737780.

722: Pelled G, Bergman H, Goelman G. Bilateral overactivation of the sensorimotor cortex in the unilateral rodent model of Parkinson's disease - a functional magnetic resonance imaging study. *Eur J Neurosci*. 2002 Jan;15(2):389-94. PubMed PMID: 11849305.

723: Hirata M, Kato A, Taniguchi M, Ninomiya H, Cheyne D, Robinson SE, Maruno M, Kumura E, Ishii R, Hirabuki N, Nakamura H, Yoshimine T. Frequency-dependent spatial distribution of human somatosensory evoked neuromagnetic fields. *Neurosci Lett*. 2002 Jan 25;318(2):73-6. PubMed PMID: 11796189.

724: Kim D, Schallert T, Liu Y, Browarak T, Nayeri N, Tessler A, Fischer, Murray M. Transplantation of genetically modified fibroblasts expressing BDNF in adult rats with a subtotal hemisection improves specific motor and sensory functions. *Neurorehabil Neural Repair*. 2001;15(2):141-50. PubMed PMID: 11811255.

725: Romstöck J, Fahlbusch R, Ganslandt O, Nimsky C, Strauss C. Localisation of the sensorimotor cortex during surgery for brain tumours: feasibility and waveform patterns of somatosensory evoked potentials. *J Neurol Neurosurg Psychiatry*. 2002 Feb;72(2):221-9. PubMed PMID: 11796773; PubMed Central PMCID: PMC1737735.

726: Taylor MD, Vancura R, Williams JM, Riekhof JT, Taylor BK, Wright DE. Overexpression of neurotrophin-3 in skeletal muscle alters normal and injury-induced limb control. *Somatosens Mot Res*. 2001;18(4):286-94. PubMed PMID: 11794730.

727: Kober H, Nimsky C, Möller M, Hastreiter P, Fahlbusch R, Ganslandt O. Correlation of sensorimotor activation with functional magnetic resonance imaging and magnetoencephalography in presurgical functional imaging: a spatial analysis. *Neuroimage*. 2001 Nov;14(5):1214-28. PubMed PMID: 11697953.

728: Leonhardt G, Bingel U, Spiekermann G, Kurthen M, Müller S, Hufnagel A. Cortical activation in patients with functional hemispherectomy. *J Neurol*. 2001 Oct;248(10):881-8. PubMed PMID: 11697526.

729: Nishino K, Sasaki T, Takahashi K, Chiba M, Ito T. The norepinephrine precursor L-threo-3,4-dihydroxyphenylserine facilitates motor recovery in chronic stroke patients. *J Clin Neurosci*. 2001 Nov;8(6):547-50. PubMed PMID: 11683602.

- 730: Duconseille E, Carrot SN, Woerly S, Kelche C, Will B, Cassel JC. Homotopic grafts of septal neurons combined to polymeric hydrogels placed into a fimbria-fornix lesion cavity attenuate locomotor hyperactivity but not mnemonic dysfunctions in rats. *Restor Neurol Neurosci*. 2001;18(1):39-51. PubMed PMID: 11673668.
- 731: Riess P, Bareyre FM, Saatman KE, Cheney JA, Lifshitz J, Raghupathi R, Grady MS, Neugebauer E, McIntosh TK. Effects of chronic, post-injury Cyclosporin A administration on motor and sensorimotor function following severe, experimental traumatic brain injury. *Restor Neurol Neurosci*. 2001;18(1):1-8. PubMed PMID: 11673665.
- 732: Uryu K, MacKenzie L, Chesselet MF. Ultrastructural evidence for differential axonal sprouting in the striatum after thermocoagulatory and aspiration lesions of the cerebral cortex in adult rats. *Neuroscience*. 2001;105(2):307-16. PubMed PMID: 11672598.
- 733: Demeulemeester H, Feys H, Goris I, Zwaenepoel I, de Weerd W, de Sutter P, Gybels J, Plets C, Nuttin B. Effect of the serotonin agonist 8-OH-DPAT on the sensorimotor system of the rat. *Pharmacol Biochem Behav*. 2001 Sep;70(1):95-103. PubMed PMID: 11566146.
- 734: Ferreira G, Meurisse M, Gervais R, Ravel N, Lévy F. Extensive immunolesions of basal forebrain cholinergic system impair offspring recognition in sheep. *Neuroscience*. 2001;106(1):103-16. PubMed PMID: 11564421.
- 735: Fanardzhian VV. [Functional role of the red nucleus in the cerebral cortex-cerebellum-spinal cord communication system]. *Usp Fiziol Nauk*. 2001 Apr-Jun;32(2):3-15. Review. Russian. PubMed PMID: 11548591.
- 736: Ding Y, McAllister JP 2nd, Yao B, Yan N, Canady AI. Axonal damage associated with enlargement of ventricles during hydrocephalus: a silver impregnation study. *Neurol Res*. 2001 Sep;23(6):581-7. PubMed PMID: 11547925.
- 737: Roux FE, Ibarrola D, Lazorthes Y, Berry I. Virtual movements activate primary sensorimotor areas in amputees: report of three cases. *Neurosurgery*. 2001 Sep;49(3):736-41; discussion 741-2. PubMed PMID: 11523688.
- 738: Rodriguez-Oroz MC, Rodriguez M, Guridi J, Mewes K, Chockkman V, Vitek J, DeLong MR, Obeso JA. The subthalamic nucleus in Parkinson's disease: somatotopic organization and physiological characteristics. *Brain*. 2001 Sep;124(Pt 9):1777-90. PubMed PMID: 11522580.
- 739: Nikkhah G, Falkenstein G, Rosenthal C. Restorative plasticity of dopamine neuronal transplants depends on the degree of hemispheric dominance. *J Neurosci*. 2001 Aug 15;21(16):6252-63. PubMed PMID: 11487648.
- 740: Reddy H, Floyer A, Donaghy M, Matthews PM. Altered cortical activation with finger movement after peripheral denervation: comparison of active and passive tasks. *Exp Brain Res*. 2001 Jun;138(4):484-91. PubMed PMID: 11465747.
- 741: Cannestra AF, Pouratian N, Bookheimer SY, Martin NA, Beckerand DP, Toga AW. Temporal spatial differences observed by functional MRI and human intraoperative optical imaging. *Cereb Cortex*. 2001 Aug;11(8):773-82. PubMed PMID: 11459767.
- 742: Pérez-López C, Gutiérrez M, Isla A. Inflammatory pseudotumor of the median nerve. Case report and review of the literature. *J Neurosurg*. 2001 Jul;95(1):124-8. Review. PubMed PMID: 11453382.

743: Zimmermann M, Seifert V, Trantakis C, Raabe A. Open MRI-guided microsurgery of intracranial tumours in or near eloquent brain areas. *Acta Neurochir (Wien)*. 2001;143(4):327-37. PubMed PMID: 11437285.

744: Abo M, Chen Z, Lai LJ, Reese T, Bjelke B. Functional recovery after brain lesion-contralateral neuromodulation: an fMRI study. *Neuroreport*. 2001 May 25;12(7):1543-7. PubMed PMID: 11388445.

745: Mukhida K, Baker KA, Sadi D, Mendez I. Enhancement of sensorimotor behavioral recovery in hemiparkinsonian rats with intrastratial, intranigral, and intrasubthalamic nucleus dopaminergic transplants. *J Neurosci*. 2001 May 15;21(10):3521-30. PubMed PMID: 11331381.

746: Ding Y, Yao B, Lai Q, McAllister JP. Impaired motor learning and diffuse axonal damage in motor and visual systems of the rat following traumatic brain injury. *Neurol Res*. 2001 Mar-Apr;23(2-3):193-202. PubMed PMID: 11320599.

747: Perani D, Brunelli GA, Tettamanti M, Scifo P, Tecchio F, Rossini PM, Fazio F. Remodelling of sensorimotor maps in paraplegia: a functional magnetic resonance imaging study after a surgical nerve transfer. *Neurosci Lett*. 2001 Apr 27;303(1):62-6. PubMed PMID: 11297824.

748: Imamura S, Tanaka S, Akaike K, Tojo H, Takigawa M, Kuratsu J. Hippocampal transection attenuates kainic acid-induced amygdalar seizures in rats. *Brain Res*. 2001 Apr 6;897(1-2):93-103. PubMed PMID: 11282362.

749: Grachev ID, Swarnkar A, Szeverenyi NM, Ramachandran TS, Apkarian AV. Aging alters the multichemical networking profile of the human brain: an in vivo (1)H-MRS study of young versus middle-aged subjects. *J Neurochem*. 2001 Apr;77(1):292-303. PubMed PMID: 11279285.

750: Roux FE, Ibarrola D, Lazorthes Y, Berry I. Chronic motor cortex stimulation for phantom limb pain: a functional magnetic resonance imaging study: technical case report. *Neurosurgery*. 2001 Mar;48(3):681-7; discussion 687-8. PubMed PMID: 11270562.

751: Grachev ID, Apkarian AV. Aging alters regional multichemical profile of the human brain: an in vivo Proton magnetic resonance spectroscopic imaging study of young versus middle-aged subjects. *J Neurochem*. 2001 Jan;76(2):582-93. PubMed PMID: 11208921.

752: Grachev ID, Fredrickson BE, Apkarian AV. Abnormal brain chemistry in chronic back pain: an in vivo proton magnetic resonance spectroscopy study. *Pain*. 2000 Dec 15;89(1):7-18. PubMed PMID: 11113288.

753: Holloway V, Gadian DG, Vargha-Khadem F, Porter DA, Boyd SG, Connelly A. The reorganization of sensorimotor function in children after hemispherectomy. A functional MRI and somatosensory evoked potential study. *Brain*. 2000 Dec;123 Pt 12:2432-44. PubMed PMID: 11099446.

754: Boakye M, Huckins SC, Szeverenyi NM, Taskey BI, Hodge CJ Jr. Functional magnetic resonance imaging of somatosensory cortex activity produced by electrical stimulation of the median nerve or tactile stimulation of the index finger. *J Neurosurg*. 2000 Nov;93(5):774-83. PubMed PMID: 11059657.

755: Bernasconi A, Bernasconi N, Lassonde M, Toussaint PJ, Meyer E, Reutens DC, Gotman J, Andermann F, Villemure JG. Sensorimotor organization in patients who have undergone hemispherectomy: a study with (15)O-water PET and somatosensory evoked potentials. *Neuroreport*. 2000 Sep 28;11(14):3085-90. PubMed PMID: 11043528.

756: Grachev ID, Apkarian AV. Anxiety in healthy humans is associated with orbital frontal chemistry.

Mol Psychiatry. 2000 Sep;5(5):482-8. PubMed PMID: 11032381.

757: Duffau H, Capelle L, Lopes M, Faillot T, Sichez JP, Fohanno D. The insular lobe: physiopathological and surgical considerations. Neurosurgery. 2000 Oct;47(4):801-10; discussion 810-1. PubMed PMID: 11014418.

758: Kumabe T, Nakasato N, Inoue T, Yoshimoto T. Primary thumb sensory cortex located at the lateral shoulder of the inverted omega-shape on the axial images of the central sulcus. Neurol Med Chir (Tokyo). 2000 Aug;40(8):393-401; discussion 402-3. PubMed PMID: 10979261.

759: van Meeteren NL, Brakkee JH, Helders PJ, Gispen WH. The effect of exercise training on functional recovery after sciatic nerve crush in the rat. J Peripher Nerv Syst. 1998;3(4):277-82. PubMed PMID: 10970128.

760: Canedo A, Aguilar J. Spatial and cortical influences exerted on cuneothalamic and thalamocortical neurons of the cat. Eur J Neurosci. 2000 Jul;12(7):2515-33. PubMed PMID: 10947827.

761: Taniguchi M, Kato A, Fujita N, Hirata M, Tanaka H, Kihara T, Ninomiya H, Hirabuki N, Nakamura H, Robinson SE, Cheyne D, Yoshimine T. Movement-related desynchronization of the cerebral cortex studied with spatially filtered magnetoencephalography. Neuroimage. 2000 Sep;12(3):298-306. PubMed PMID: 10944412.

762: Stern E, Silbersweig DA, Chee KY, Holmes A, Robertson MM, Trimble M, Frith CD, Frackowiak RS, Dolan RJ. A functional neuroanatomy of tics in Tourette syndrome. Arch Gen Psychiatry. 2000 Aug;57(8):741-8. PubMed PMID: 10920461.

763: Thomas TM, Smith Y, Levey AI, Hersch SM. Cortical inputs to m2-immunoreactive striatal interneurons in rat and monkey. Synapse. 2000 Sep 15;37(4):252-61. PubMed PMID: 10891862.

764: Schulder M, Holodny A, Liu WC, Gray A, Lange G, Carmel PW. Functional magnetic resonance image-guided surgery of tumors in or near the primary visual cortex. Stereotact Funct Neurosurg. 1999;73(1-4):31-6. PubMed PMID: 10853094.

765: Rödter A, Winkler C, Samii M, Nikkhah G. Complex sensorimotor behavioral changes after terminal striatal 6-OHDA lesion and transplantation of dopaminergic embryonic micrografts. Cell Transplant. 2000 Mar-Apr;9(2):197-214. PubMed PMID: 10811393.

766: Grachev ID, Apkarian AV. Chemical heterogeneity of the living human brain: a proton MR spectroscopy study on the effects of sex, age, and brain region. Neuroimage. 2000 May;11(5 Pt 1):554-63. PubMed PMID: 10806041.

767: Zausinger S, Hungerhuber E, Baethmann A, Reulen H, Schmid-Elsaesser R. Neurological impairment in rats after transient middle cerebral artery occlusion: a comparative study under various treatment paradigms. Brain Res. 2000 Apr 28;863(1-2):94-105. PubMed PMID: 10773197.

768: Kikuchi K, Nishino K, Ohyu H. Increasing CNS norepinephrine levels by the precursor L-DOPS facilitates beam-walking recovery after sensorimotor cortex ablation in rats. Brain Res. 2000 Mar 31;860(1-2):130-5. PubMed PMID: 10727631.

769: Ramón-Cueto A, Cordero MI, Santos-Benito FF, Avila J. Functional recovery of paraplegic rats and motor axon regeneration in their spinal cords by olfactory ensheathing glia. Neuron. 2000 Feb;25(2):425-35. PubMed PMID: 10719896.

770: Nishiyama Y, Yamamoto Y, Fukunaga K, Satoh K, Ohkawa M, Kunishio K, Tanabe M. Visualization of the motor activation area using SPECT in neurosurgical patients with lesions near the central sulcus. *J Nucl Med*. 2000 Mar;41(3):411-5. PubMed PMID: 10716311.

771: Sutton RL, Hovda DA, Chen MJ, Feeney DM. Alleviation of brain injury-induced cerebral metabolic depression by amphetamine: a cytochrome oxidase histochemistry study. *Neural Plast*. 2000;7(1-2):109-25. PubMed PMID: 10709218; PubMed Central PMCID: PMC2565371.

772: Solis MM, Doupe AJ. Compromised neural selectivity for song in birds with impaired sensorimotor learning. *Neuron*. 2000 Jan;25(1):109-21. PubMed PMID: 10707976.

773: Schallert T, Fleming SM, Leasure JL, Tillerson JL, Bland ST. CNS plasticity and assessment of forelimb sensorimotor outcome in unilateral rat models of stroke, cortical ablation, parkinsonism and spinal cord injury. *Neuropharmacology*. 2000 Mar 3;39(5):777-87. PubMed PMID: 10699444.

774: Bodegård A, Geyer S, Naito E, Zilles K, Roland PE. Somatosensory areas in man activated by moving stimuli: cytoarchitectonic mapping and PET. *Neuroreport*. 2000 Jan 17;11(1):187-91. PubMed PMID: 10683855.

775: Kombos T, Suess O, Kern BC, Funk T, Hoell T, Kopetsch O, Brock M. Comparison between monopolar and bipolar electrical stimulation of the motor cortex. *Acta Neurochir (Wien)*. 1999;141(12):1295-301. PubMed PMID: 10672300.

776: Bittar RG, Olivier A, Sadikot AF, Andermann F, Reutens DC. Cortical motor and somatosensory representation: effect of cerebral lesions. *J Neurosurg*. 2000 Feb;92(2):242-8. PubMed PMID: 10659010.

777: Barnéoud P, Descombris E, Aubin N, Abrous DN. Evaluation of simple and complex sensorimotor behaviours in rats with a partial lesion of the dopaminergic nigrostriatal system. *Eur J Neurosci*. 2000 Jan;12(1):322-36. PubMed PMID: 10651887.

778: Yonemori F, Yamaguchi T, Nakayama H, Narita K, Hojo S, Tamura A. Effect of JTP-2942, a novel thyrotropin-releasing hormone analog, on motor deficits after chronic focal cerebral ischemia in rats. *J Cereb Blood Flow Metab*. 2000 Jan;20(1):74-81. PubMed PMID: 10616795.

779: Inoue T, Shimizu H, Nakasato N, Kumabe T, Yoshimoto T. Accuracy and limitation of functional magnetic resonance imaging for identification of the central sulcus: comparison with magnetoencephalography in patients with brain tumors. *Neuroimage*. 1999 Dec;10(6):738-48. PubMed PMID: 10600419.

780: Molinuevo JL, Valldeoriola F, Rumià J, Nobbe FA, Martínez R, Ferrer E, Tolosa E. Contribution of neurophysiological guidance to stereotactic posteroventral pallidotomy for Parkinson's disease. *Acta Neurochir (Wien)*. 1999;141(11):1195-201. PubMed PMID: 10592120.

781: Kikuchi K, Nishino K, Ohyu H. L-DOPS-Accelerated recovery of locomotor function in rats subjected to sensorimotor cortex ablation injury: pharmacobehavioral studies. *Tohoku J Exp Med*. 1999 Jul;188(3):203-15. PubMed PMID: 10587012.

782: Bittar RG, Olivier A, Sadikot AF, Andermann F, Pike GB, Reutens DC. Presurgical motor and somatosensory cortex mapping with functional magnetic resonance imaging and positron emission tomography. *J Neurosurg*. 1999 Dec;91(6):915-21. PubMed PMID: 10584835.

783: Voneida TJ. The effect of rubrospinal tractotomy on a conditioned limb response in the cat. *Behav*

Brain Res. 1999 Nov 15;105(2):151-62. PubMed PMID: 10563489.

784: Kayadjanian N, Schofield WN, Andren J, Sirinathsinghji DJ, Besson MJ. Cortical and nigral deafferentation and striatal cholinergic markers in the rat dorsal striatum: different effects on the expression of mRNAs encoding choline acetyltransferase and muscarinic m1 and m4 receptors. Eur J Neurosci. 1999 Oct;11(10):3659-68. PubMed PMID: 10564373.

785: Lee CC, Ward HA, Sharbrough FW, Meyer FB, Marsh WR, Raffel C, So EL, Cascino GD, Shin C, Xu Y, Riederer SJ, Jack CR Jr. Assessment of functional MR imaging in neurosurgical planning. AJNR Am J Neuroradiol. 1999 Sep;20(8):1511-9. PubMed PMID: 10512239.

786: Joliot M, Papathanassiou D, Mellet E, Quinton O, Mazoyer N, Courtheoux P, Mazoyer B. FMRI and PET of self-paced finger movement: comparison of intersubject stereotaxic averaged data. Neuroimage. 1999 Oct;10(4):430-47. PubMed PMID: 10493901.

787: Okumura A, Takenaka K, Nishimura Y, Kawaguchi M, Yamakawa H, Shinoda J, Deguchi K, Sakai N. Intra-operative optical method using intrinsic signals for localization of sensorimotor area in patients with brain tumor. Neurol Res. 1999 Sep;21(6):545-52. PubMed PMID: 10491813.

788: Bellingham MC. Synaptic inhibition of cat phrenic motoneurons by internal intercostal nerve stimulation. J Neurophysiol. 1999 Sep;82(3):1224-32. PubMed PMID: 10482742.

789: Milliken GW, Stokic DS, Tarkka IM. Sources of movement-related cortical potentials derived from foot, finger, and mouth movements. J Clin Neurophysiol. 1999 Jul;16(4):361-72. PubMed PMID: 10478709.

790: Lozano AM, Hutchison WD, Tasker RR, Lang AE, Junn F, Dostrovsky JO. Microelectrode recordings define the ventral posteromedial pallidotomy target. Stereotact Funct Neurosurg. 1998;71(4):153-63. PubMed PMID: 10461101.

791: Guridi J, Gorospe A, Ramos E, Linazasoro G, Rodriguez MC, Obeso JA. Stereotactic targeting of the globus pallidus internus in Parkinson's disease: imaging versus electrophysiological mapping. Neurosurgery. 1999 Aug;45(2):278-87; discussion 287-9. PubMed PMID: 10449072.

792: Ganslandt O, Fahlbusch R, Nimsky C, Kober H, Möller M, Steinmeier R, Romstöck J, Vieth J. Functional neuronavigation with magnetoencephalography: outcome in 50 patients with lesions around the motor cortex. J Neurosurg. 1999 Jul;91(1):73-9. PubMed PMID: 10389883.

793: Takahashi T, Shirane R, Sato S, Yoshimoto T. Developmental changes of cerebral blood flow and oxygen metabolism in children. AJNR Am J Neuroradiol. 1999 May;20(5):917-22. PubMed PMID: 10369366.

794: Cristante L, Herrmann HD. Surgical management of intramedullary hemangioblastoma of the spinal cord. Acta Neurochir (Wien). 1999;141(4):333-9; discussion 339-40. PubMed PMID: 10352742.

795: Graveline C, Hwang P, Bone G, Shikolka C, Wade S, Crawley A, Mikulis D. Evaluation of gross and fine motor functions in children with hemidecortication: predictors of outcomes and timing of surgery. J Child Neurol. 1999 May;14(5):304-15. Erratum in: J Child Neurol 1999 Aug;14(8):followi. PubMed PMID: 10342598.

796: Rudkin TM, Sadikot AF. Thalamic input to parvalbumin-immunoreactive GABAergic interneurons: organization in normal striatum and effect of neonatal decortication. Neuroscience. 1999;88(4):1165-75. PubMed PMID: 10336127.

- 797: Souweidane MM, Kim KH, McDowall R, Ruge MI, Lis E, Krol G, Hirsch J. Brain mapping in sedated infants and young children with passive-functional magnetic resonance imaging. *Pediatr Neurosurg*. 1999 Feb;30(2):86-92. PubMed PMID: 10325564.
- 798: Holodny AI, Schulder M, Liu WC, Maldjian JA, Kalnin AJ. Decreased BOLD functional MR activation of the motor and sensory cortices adjacent to a glioblastoma multiforme: implications for image-guided neurosurgery. *AJNR Am J Neuroradiol*. 1999 Apr;20(4):609-12. PubMed PMID: 10319970.
- 799: Kato Y, Sano H, Kanaoka N, Imai F, Katada K, Kanno T. Successful resection of arteriovenous malformations in eloquent areas diagnosed by surface anatomy scanning and motor evoked potential. *Neurol Med Chir (Tokyo)*. 1998;38 Suppl:217-21. PubMed PMID: 10235008.
- 800: Al Ferayan A, Russell NA, Al Wohaibi M, Awada A, Scherman B. Cerebrospinal fluid lavage in the treatment of inadvertent intrathecal vincristine injection. *Childs Nerv Syst*. 1999 Mar;15(2-3):87-9. PubMed PMID: 10230662.
- 801: Delahaye N, Dinanian S, Slama MS, Mzabi H, Samuel D, Adams D, Merlet P, Le Guludec D. Cardiac sympathetic denervation in familial amyloid polyneuropathy assessed by iodine-123 metaiodobenzylguanidine scintigraphy and heart rate variability. *Eur J Nucl Med*. 1999 Apr;26(4):416-24. PubMed PMID: 10199949.
- 802: Papke K, Hellmann T, Renger B, Morgenroth C, Knecht S, Schuierer G, Reimer P. Clinical applications of functional MRI at 1.0 T: motor and language studies in healthy subjects and patients. *Eur Radiol*. 1999;9(2):211-20. PubMed PMID: 10101641.
- 803: Okumura A, Takenaka K, Nishimura Y, Kawaguchi M, Asano Y, Yamakawa H, Hattori T, Shinoda J, Andou T, Sakai N. Functional MR imaging with venography for neurosurgical identification of the central sulcus. *Neurol Res*. 1999 Mar;21(2):185-90. PubMed PMID: 10100206.
- 804: Winkler C, Bentlage C, Nikkhah G, Samii M, Björklund A. Intranigral transplants of GABA-rich striatal tissue induce behavioral recovery in the rat Parkinson model and promote the effects obtained by intrastriatal dopaminergic transplants. *Exp Neurol*. 1999 Feb;155(2):165-86. PubMed PMID: 10072293.
- 805: Bittar RG, Olivier A, Sadikot AF, Andermann F, Comeau RM, Cyr M, Peters TM, Reutens DC. Localization of somatosensory function by using positron emission tomography scanning: a comparison with intraoperative cortical stimulation. *J Neurosurg*. 1999 Mar;90(3):478-83. PubMed PMID: 10067916.
- 806: Schauz C, Koch M. Lesions of the nucleus basalis magnocellularis do not impair prepulse inhibition and latent inhibition of fear-potentiated startle in the rat. *Brain Res*. 1999 Jan 2;815(1):98-105. PubMed PMID: 9974127.
- 807: Marsden CD. The apraxias are higher-order defects of sensorimotor integration. *Novartis Found Symp*. 1998;218:308-25; discussion 326-31. Review. PubMed PMID: 9949828.
- 808: Graveline CJ, Mikulis DJ, Crawley AP, Hwang PA. Regionalized sensorimotor plasticity after hemispherectomy fMRI evaluation. *Pediatr Neurol*. 1998 Nov;19(5):337-42. PubMed PMID: 9880136.
- 809: Hashizume K, Tanaka T. Multiple subpial transection in kainic acid-induced focal cortical seizure. *Epilepsy Res*. 1998 Nov;32(3):389-99. PubMed PMID: 9839779.
- 810: Binkofski F, Schnitzler A, Enck P, Frieling T, Posse S, Seitz RJ, Freund HJ. Somatic and limbic

cortex activation in esophageal distention: a functional magnetic resonance imaging study. *Ann Neurol*. 1998 Nov;44(5):811-5. PubMed PMID: 9818938.

811: Krombach GA, Spetzger U, Rohde V, Gilsbach JM. Intraoperative localization of functional regions in the sensorimotor cortex by neuronavigation and cortical mapping. *Comput Aided Surg*. 1998;3(2):64-73. PubMed PMID: 9784954.

812: Turkof E, Tambwekar S, Kamal S, El-Dahrawi M, Mansukhani K, Soliman H, Ciofica R, Mayr N. Leprosy affects facial nerves at the main trunk: neurolysis can possibly avoid transfer procedures. *Plast Reconstr Surg*. 1998 Oct;102(5):1565-73; discussion 1574-5. PubMed PMID: 9774012.

813: Guyotat J, Bret P, Jouanneau E, Ricci AC, Lapras C. [Tethered cord syndrome in adults]. *Neurochirurgie*. 1998 Apr;44(2):75-82. French. PubMed PMID: 9757338.

814: Browne SE, Muir JL, Robbins TW, Page KJ, Everitt BJ, McCulloch J. The cerebral metabolic effects of manipulating glutamatergic systems within the basal forebrain in conscious rats. *Eur J Neurosci*. 1998 Feb;10(2):649-63. PubMed PMID: 9749726.

815: Inao S, Tadokoro M, Nishino M, Mizutani N, Terada K, Bundo M, Kuchiwaki H, Yoshida J. Neural activation of the brain with hemodynamic insufficiency. *J Cereb Blood Flow Metab*. 1998 Sep;18(9):960-7. PubMed PMID: 9740099.

816: Schwartz TH, Resor SR Jr, De La Paz R, Goodman RR. Functional magnetic resonance imaging localization of ictal onset to a dysplastic cleft with simultaneous sensorimotor mapping: intraoperative electrophysiological confirmation and postoperative follow-up: technical note. *Neurosurgery*. 1998 Sep;43(3):639-44; discussion 644-5. PubMed PMID: 9733324.

817: Cristante L, Hermann HD. Radical excision of intramedullary cavernous angiomas. *Neurosurgery*. 1998 Sep;43(3):424-30; discussion 430-1. PubMed PMID: 9733297.

818: Schulder M, Maldjian JA, Liu WC, Holodny AI, Kalnin AT, Mun IK, Carmel PW. Functional image-guided surgery of intracranial tumors located in or near the sensorimotor cortex. *J Neurosurg*. 1998 Sep;89(3):412-8. PubMed PMID: 9724115.

819: Vilensky JA, Morecraft RJ, Gilman S, Cook JA. 'Mouth-feeding' in monkeys after sensorimotor system lesions: an analysis based upon the Denny-Brown collection. *Behav Brain Res*. 1998 Aug;94(2):311-5. PubMed PMID: 9722281.

820: Bernasconi A, Cendes F, Shoubridge EA, Andermann E, Li LM, Arnold DL, Andermann F. Spectroscopic imaging of frontal neuronal dysfunction in hyperekplexia. *Brain*. 1998 Aug;121 (Pt 8):1507-12. PubMed PMID: 9712012.

821: Imamura S, Tanaka S, Tojo H, Fukumoto S, Uetsuhara K, Kuratsu J, Takigawa M. Kainic acid-induced perirhinal cortical seizures in rats. *Brain Res*. 1998 Aug 3;800(2):323-7. PubMed PMID: 9685692.

822: Nikkhah G, Rosenthal C, Falkenstein G, Samii M. Dopaminergic graft-induced long-term recovery of complex sensorimotor behaviors in a rat model of Parkinson's disease. *Zentralbl Neurochir*. 1998;59(2):97-103. PubMed PMID: 9674098.

823: Gaillard A, Gaillard F, Roger M. Neocortical grafting to newborn and adult rats: developmental, anatomical and functional aspects. *Adv Anat Embryol Cell Biol*. 1998;148:1-86. Review. PubMed PMID: 9670566.

- 824: Taylor A, Ellaway PH, Durbaba R. Physiological signs of the activation of bag2 and chain intrafusal muscle fibers of gastrocnemius muscle spindles in the cat. *J Neurophysiol.* 1998 Jul;80(1):130-42. PubMed PMID: 9658035.
- 825: Smith MC. Multiple subpial transection in patients with extratemporal epilepsy. *Epilepsia.* 1998;39 Suppl 4:S81-9. Review. PubMed PMID: 9637596.
- 826: Mehta V, Hong M, Spears J, Mendez I. Enhancement of graft survival and sensorimotor behavioral recovery in rats undergoing transplantation with dopaminergic cells exposed to glial cell line-derived neurotrophic factor. *J Neurosurg.* 1998 Jun;88(6):1088-95. PubMed PMID: 9609305.
- 827: Okumura A, Kuwata K, Nishimura Y, Kawaguchi M, Takenaka K, Sakai N, Era S, Hoshi H. Clinical applicability of functional magnetic resonance imaging and activation study with single photon emission computerized tomography for functional mapping. *Neurol Res.* 1998 Apr;20(3):191-7. PubMed PMID: 9583578.
- 828: Cedzich C, Pechstein U, Schramm J, Schäfer S. Electrophysiological considerations regarding electrical stimulation of motor cortex and brain stem in humans. *Neurosurgery.* 1998 Mar;42(3):527-32. PubMed PMID: 9526987.
- 829: Schulz MK, Schnell L, Castro AJ, Schwab ME, Kartje GL. Cholinergic innervation of fetal neocortical transplants is increased after neutralization of myelin-associated neurite growth inhibitors. *Exp Neurol.* 1998 Feb;149(2):390-7. PubMed PMID: 9500962.
- 830: Soblosky JS, Colgin LL, Chorney-Lane D, Davidson JF, Carey ME. Ladder beam and camera video recording system for evaluating forelimb and hindlimb deficits after sensorimotor cortex injury in rats. *J Neurosci Methods.* 1997 Dec 30;78(1-2):75-83. PubMed PMID: 9497003.
- 831: Tseng SH, Lin SM. Surgical treatment of thoracic arachnoiditis with multiple subarachnoid cysts caused by epidural anesthesia. *Clin Neurol Neurosurg.* 1997 Dec;99(4):256-8. PubMed PMID: 9491300.
- 832: Soblosky JS, Colgin LL, Chorney-Lane D, Davidson JF, Carey ME. Some functional recovery and behavioral sparing occurs independent of task-specific practice after injury to the rat's sensorimotor cortex. *Behav Brain Res.* 1997 Dec;89(1-2):51-9. PubMed PMID: 9475614.
- 833: Burns JM, Wilkinson S, Kieltyka J, Overman J, Lundsgaarde T, Tollefson T, Koller WC, Pahwa R, Troster AI, Lyons KE, Batnitzky S, Wetzel L, Gordon MA. Analysis of pallidotomy lesion positions using three-dimensional reconstruction of pallidal lesions, the basal ganglia, and the optic tract. *Neurosurgery.* 1997 Dec;41(6):1303-16; discussion 1316-8. PubMed PMID: 9402582.
- 834: Sengelaub DR, Muja N, Mills AC, Myers WA, Churchill JD, Garraghty PE. Denervation-induced sprouting of intact peripheral afferents into the cuneate nucleus of adult rats. *Brain Res.* 1997 Sep 26;769(2):256-62. PubMed PMID: 9374193.
- 835: Jansen EM, Solberg L, Underhill S, Wilson S, Cozzari C, Hartman BK, Faris PL, Low WC. Transplantation of fetal neocortex ameliorates sensorimotor and locomotor deficits following neonatal ischemic-hypoxic brain injury in rats. *Exp Neurol.* 1997 Oct;147(2):487-97. PubMed PMID: 9344572.
- 836: Kumabe T, Nakasato N, Sato K, Higano S, Takahashi S, Sonoda Y, Kawagishi J, Yoshimoto T. [Neurophysiological monitoring during surgery for astrocytoma at the motor strip with awake craniotomy]. *No Shinkei Geka.* 1997 Sep;25(9):823-8. Japanese. PubMed PMID: 9300452.
- 837: Higuchi T, Fukunaga M, Umeda M, Ebisu T, Tanaka C, Naruse S, Ueda S. [Functional brain

mapping in motor task and somatosensory stimulation using echo planar MRI]. *Nihon Rinsho*. 1997 Jul;55(7):1688-93. Japanese. PubMed PMID: 9233010.

838: Capozzo A, Florio T, Di Loreto S, Adorno D, Scarnati E. Transplantation of mesencephalic cell suspension in dopamine-denervated striatum of the rat. II. Effects on corticostriatal transmission. *Exp Neurol*. 1997 Jul;146(1):142-50. PubMed PMID: 9225747.

839: Mueller WM, Yetkin FZ, Haughton VM. Functional magnetic resonance imaging of the somatosensory cortex. *Neurosurg Clin N Am*. 1997 Jul;8(3):373-81. Review. PubMed PMID: 9188544.

840: van Meeteren NL, Brakkee JH, Helders PJ, Wiegant VM, Gispen WH. Functional recovery from sciatic nerve crush lesion in the rat correlates with individual differences in responses to chronic intermittent stress. *J Neurosci Res*. 1997 Jun 15;48(6):524-32. PubMed PMID: 9210522.

841: Zaaroor M, Bleich N, Chistyakov A, Pratt H, Feinsod M. Motor evoked potentials in the preoperative and postoperative assessment of normal pressure hydrocephalus. *J Neurol Neurosurg Psychiatry*. 1997 May;62(5):517-21. PubMed PMID: 9153613; PubMed Central PMCID: PMC486874.

842: Hund M, Rezai AR, Kronberg E, Cappell J, Zonenshayn M, Ribary U, Kelly PJ, Llinás R. Magnetoencephalographic mapping: basic of a new functional risk profile in the selection of patients with cortical brain lesions. *Neurosurgery*. 1997 May;40(5):936-42; discussion 942-3. PubMed PMID: 9149251.

843: Meyer C, Jacquart G, Joyal CC, Mahler P, Lalonde R. A revolving food pellet test for measuring sensorimotor performance in rats. *J Neurosci Methods*. 1997 Apr 4;72(2):117-22. Erratum in: *J Neurosci Methods* 1997 Dec 1;77(2):221. PubMed PMID: 9133575.

844: Woiciechowsky C, Vogel S, Meyer BU, Lehmann R. Neuropsychological and neurophysiological consequences of partial callosotomy. *J Neurosurg Sci*. 1997 Mar;41(1):75-80. PubMed PMID: 9273862.

845: Nashmi R, Imamura H, Tator CH, Fehlings MG. Serial recording of somatosensory and myoelectric motor evoked potentials: role in assessing functional recovery after graded spinal cord injury in the rat. *J Neurotrauma*. 1997 Mar;14(3):151-9. PubMed PMID: 9104932.

846: Devaux B, Chassoux F, Landré E, Turak B, Daumas-Duport C, Chagot D, Gagnepain JP, Chodkiewicz JP. Chronic intractable epilepsy associated with a tumor located in the central region: functional mapping data and postoperative outcome. *Stereotact Funct Neurosurg*. 1997;69(1-4 Pt 2):229-38. PubMed PMID: 9711760.

847: Rezai AR, Mogilner AY, Cappell J, Hund M, Llinás RR, Kelly PJ. Integration of functional brain mapping in image-guided neurosurgery. *Acta Neurochir Suppl*. 1997;68:85-9. PubMed PMID: 9233420.

848: Forss N. Magnetoencephalography (MEG) in epilepsy surgery. *Acta Neurochir Suppl*. 1997;68:81-4. PubMed PMID: 9233419.

849: van Meeteren NL, Brakkee JH, Hamers FP, Helders PJ, Gispen WH. Exercise training improves functional recovery and motor nerve conduction velocity after sciatic nerve crush lesion in the rat. *Arch Phys Med Rehabil*. 1997 Jan;78(1):70-7. Review. PubMed PMID: 9014961.

850: Mück-Seler D, Jevric-Causevic A, Diksic M. Influence of fluoxetine on regional serotonin synthesis in the rat brain. *J Neurochem*. 1996 Dec;67(6):2434-42. PubMed PMID: 8931476.

851: Savaki HE, Kennedy C, Sokoloff L, Mishkin M. Visually guided reaching with the forelimb

contralateral to a "blind" hemisphere in the monkey: contribution of the cerebellum. *Neuroscience*. 1996 Nov;75(1):143-59. PubMed PMID: 8923530.

852: Soblosky JS, Tabor SL, Matthews MA, Davidson JF, Chorney DA, Carey ME. Reference memory and allocentric spatial localization deficits after unilateral cortical brain injury in the rat. *Behav Brain Res*. 1996 Oct;80(1-2):185-94. PubMed PMID: 8905142.

853: Soblosky JS, Matthews MA, Davidson JF, Tabor SL, Carey ME. Traumatic brain injury of the forelimb and hindlimb sensorimotor areas in the rat: physiological, histological and behavioral correlates. *Behav Brain Res*. 1996 Sep;79(1-2):79-92. PubMed PMID: 8883819.

854: Baron MS, Vitek JL, Bakay RA, Green J, Kaneoke Y, Hashimoto T, Turner RS, Woodard JL, Cole SA, McDonald WM, DeLong MR. Treatment of advanced Parkinson's disease by posterior GPI pallidotomy: 1-year results of a pilot study. *Ann Neurol*. 1996 Sep;40(3):355-66. PubMed PMID: 8797525.

855: Jansen EM, Low WC. Long-term effects of neonatal ischemic-hypoxic brain injury on sensorimotor and locomotor tasks in rats. *Behav Brain Res*. 1996 Aug;78(2):189-94. PubMed PMID: 8864051.

856: Brown P, Marsden CD. Rhythmic cortical and muscle discharge in cortical myoclonus. *Brain*. 1996 Aug;119 (Pt 4):1307-16. PubMed PMID: 8813293.

857: Ghersi-Egea JF, Gorevic PD, Ghiso J, Frangione B, Patlak CS, Fenstermacher JD. Fate of cerebrospinal fluid-borne amyloid beta-peptide: rapid clearance into blood and appreciable accumulation by cerebral arteries. *J Neurochem*. 1996 Aug;67(2):880-3. PubMed PMID: 8764620.

858: Casey KL, Minoshima S, Morrow TJ, Koeppe RA. Comparison of human cerebral activation pattern during cutaneous warmth, heat pain, and deep cold pain. *J Neurophysiol*. 1996 Jul;76(1):571-81. PubMed PMID: 8836245.

859: Rezai AR, Hund M, Kronberg E, Zonenshayn M, Cappell J, Ribary U, Kall B, Llinás R, Kelly PJ. The interactive use of magnetoencephalography in stereotactic image-guided neurosurgery. *Neurosurgery*. 1996 Jul;39(1):92-102. PubMed PMID: 8805144.

860: Vitek JL, Ashe J, DeLong MR, Kaneoke Y. Microstimulation of primate motor thalamus: somatotopic organization and differential distribution of evoked motor responses among subnuclei. *J Neurophysiol*. 1996 Jun;75(6):2486-95. Erratum in: *J Neurophysiol* 1997 Mar;77(3):1049. *J Neurophysiol* 1997 Jun;77(6):2857. PubMed PMID: 8793758.

861: Fox JE, Bangash IH. Conduction velocity in the forearm segment of the median nerve in patients with impaired conduction through the carpal tunnel. *Electroencephalogr Clin Neurophysiol*. 1996 Jun;101(3):192-6. PubMed PMID: 8647029.

862: Uematsu J, Ono K, Yamano T, Shimada M. Development of corticospinal tract fibers and their plasticity. II. Neonatal unilateral cortical damage and subsequent development of the corticospinal tract in mice. *Brain Dev*. 1996 May-Jun;18(3):173-8. PubMed PMID: 8836496.

863: Sorensen JC, Grabowski M, Zimmer J, Johansson BB. Fetal neocortical tissue blocks implanted in brain infarcts of adult rats interconnect with the host brain. *Exp Neurol*. 1996 Apr;138(2):227-35. PubMed PMID: 8620921.

864: Azzouz M, Kenel PF, Warter J-M, Poindron P, Borg J. Enhancement of mouse sciatic nerve regeneration by the long chain fatty alcohol, N-Hexacosanol. *Exp Neurol*. 1996 Apr;138(2):189-97. PubMed PMID: 8620917.

- 865: Monobe T, Fujita T, Nakaue Y, Nishi N. [L1-2 lumbar disc herniation: a case report]. *No Shinkei Geka*. 1996 Mar;24(3):263-5. Japanese. PubMed PMID: 8851957.
- 866: Schulz MK, Sørensen JC, Tillotson GL, Castro AJ, Zimmer J. The effect of fetal neocortical transplants on lesion-induced cerebral cortex plasticity. *Cell Transplant*. 1996 Mar-Apr;5(2):279-86. PubMed PMID: 8689038.
- 867: Nakagawa H, Fujita T, Kubo S, Izumoto S, Nakajima Y, Tsuruzono K, Tokiyoshi K, Hayakawa T. Ventriculolumbar perfusion chemotherapy with methotrexate and cytosine arabinoside for meningeal carcinomatosis: a pilot study in 13 patients. *Surg Neurol*. 1996 Mar;45(3):256-64. PubMed PMID: 8638223.
- 868: Kayadjanian N, Heavens RP, Besson MJ, Sirinathsinghji DJ. Striatal NMDAR2B mRNA expression after bilateral cortical and unilateral nigral deafferentation. *Neuroreport*. 1996 Feb 29;7(3):713-6. PubMed PMID: 8733728.
- 869: Jansen EM, Low WC. Quantitative analysis of contralateral hemisphere hypertrophy and sensorimotor performance in adult rats following unilateral neonatal ischemic-hypoxic brain injury. *Brain Res*. 1996 Feb 5;708(1-2):93-9. PubMed PMID: 8720863.
- 870: Atlas SW, Howard RS 2nd, Maldjian J, Alsop D, Detre JA, Listerud J, D'Esposito M, Judy KD, Zager E, Stecker M. Functional magnetic resonance imaging of regional brain activity in patients with intracerebral gliomas: findings and implications for clinical management. *Neurosurgery*. 1996 Feb;38(2):329-38. PubMed PMID: 8869061.
- 871: Brown P, Ridding MC, Werhahn KJ, Rothwell JC, Marsden CD. Abnormalities of the balance between inhibition and excitation in the motor cortex of patients with cortical myoclonus. *Brain*. 1996 Feb;119 (Pt 1):309-317. PubMed PMID: 8624691.
- 872: Nii Y, Uematsu S, Lesser RP, Gordon B. Does the central sulcus divide motor and sensory functions? Cortical mapping of human hand areas as revealed by electrical stimulation through subdural grid electrodes. *Neurology*. 1996 Feb;46(2):360-7. PubMed PMID: 8614495.
- 873: Goldstein LA, Mills AC, Sengelaub DR. Motoneuron development after deafferentation. I. dorsal rhizotomy does not alter growth in the spinal nucleus of the bulbocavernosus (SNB). *Brain Res Dev Brain Res*. 1996 Jan 22;91(1):11-9. PubMed PMID: 8821475.
- 874: Murakami F, Nagisa Y, Saito Y, Higashi S, Katsumaru H, Kanda M, Song WJ. Morphology of individual axons in crossed corticorubral projections in developing cats and effects of partial denervation. *Dev Neurosci*. 1996;18(3):162-73. PubMed PMID: 8894445.
- 875: Zennou-Azogui Y, Xerri C, Leonard J, Tighilet B. Vestibular compensation: role of visual motion cues in the recovery of posturo-kinetic functions in the cat. *Behav Brain Res*. 1996 Jan;74(1-2):65-77. PubMed PMID: 8851916.
- 876: Nyberg G, Andersson J, Antoni G, Lilja A, Pellettieri L, Valind S, Långström B. Activation PET scanning in pretreatment evaluation of patients with cerebral tumours or vascular lesions in or close to the sensorimotor cortex. *Acta Neurochir (Wien)*. 1996;138(6):684-94. PubMed PMID: 8836283.
- 877: Gasanov UG, Martinson YuL, Khokhlova VN. Pharmacological testing of intracortical interneuronal connections. *Neurosci Behav Physiol*. 1996 Jan-Feb;26(1):37-44. PubMed PMID: 8801467.
- 878: Tsunoda A, Nakajima Y, Sato K, Katayama J, Machida Y, Nozaki S, Makita J. [Functional imaging of

the sensorimotor cortex using an ultra-fast MR imaging method]. No To Shinkei. 1996 Jan;48(1):45-51. Japanese. PubMed PMID: 8679318.

879: Olivier A. Surgical strategies for patients with supplementary sensorimotor area epilepsy. The Montreal experience. Adv Neurol. 1996;70:429-43. PubMed PMID: 8615222.

880: Smith JR, King DW. Surgical strategies for patients with supplementary sensorimotor area epilepsy. The Medical College of Georgia experience. Adv Neurol. 1996;70:415-27. PubMed PMID: 8615221.

881: Tillotson GL, Schulz MK, Hogan TP, Castro AJ. Analysis of neocortical grafts placed into focal ischemic lesions in adult rats. Neurosci Lett. 1995 Dec 1;201(1):69-72. PubMed PMID: 8830316.

882: Wyler AR, Wilkus RJ, Rostad SW, Vossler DG. Multiple subpial transections for partial seizures in sensorimotor cortex. Neurosurgery. 1995 Dec;37(6):1122-7; discussion 1127-8. PubMed PMID: 8584153.

883: Yetkin FZ, Papke RA, Mark LP, Daniels DL, Mueller WM, Haughton VM. Location of the sensorimotor cortex: functional and conventional MR compared. AJNR Am J Neuroradiol. 1995 Nov-Dec;16(10):2109-13. PubMed PMID: 8585502.

884: Morioka T, Mizushima A, Yamamoto T, Tobimatsu S, Matsumoto S, Hasuo K, Fujii K, Fukui M. Functional mapping of the sensorimotor cortex: combined use of magnetoencephalography, functional MRI, and motor evoked potentials. Neuroradiology. 1995 Oct;37(7):526-30. PubMed PMID: 8570046.

885: Hayashi N, Endo S, Kurimoto M, Nishijo H, Ono T, Takaku A. Functional image-guided neurosurgical simulation system using computerized three-dimensional graphics and dipole tracing. Neurosurgery. 1995 Oct;37(4):694-703. PubMed PMID: 8559298.

886: Schmid UD, Gall C, Schröck E, Ilmberger J, Noachtar S, Eisner W, Reulen HJ. [Function-controlled neurosurgery. Neurophysiologic and neuropsychological monitoring during surgery of the nervous system]. Nervenarzt. 1995 Aug;66(8):582-95. Review. German. PubMed PMID: 7566269.

887: Takano K, Tanaka T, Fujita T, Nakai H, Yonemasu Y. Zonisamide: electrophysiological and metabolic changes in kainic acid-induced limbic seizures in rats. Epilepsia. 1995 Jul;36(7):644-8. PubMed PMID: 7555979.

888: Yetkin FZ, Mueller WM, Hammeke TA, Morris GL 3rd, Haughton VM. Functional magnetic resonance imaging mapping of the sensorimotor cortex with tactile stimulation. Neurosurgery. 1995 May;36(5):921-5. PubMed PMID: 7791982.

889: Nikkhah G, Cunningham MG, McKay R, Björklund A. Dopaminergic microtransplants into the substantia nigra of neonatal rats with bilateral 6-OHDA lesions. II. Transplant-induced behavioral recovery. J Neurosci. 1995 May;15(5 Pt 1):3562-70. PubMed PMID: 7751930.

890: Hammoud MA, Haddad FS, Moufarrij NA. Spinal cord missile injuries during the Lebanese civil war. Surg Neurol. 1995 May;43(5):432-7; discussion 437-42. PubMed PMID: 7660280.

891: Valousková V, Gálik J. Unilateral grafting of fetal neocortex into a cortical cavity improves healing of a symmetric lesion in the contralateral cortex of adult rats. Neurosci Lett. 1995 Feb 17;186(2-3):103-6. PubMed PMID: 7777174.

- 892: Dunnett SB. Functional repair of striatal systems by neural transplants: evidence for circuit reconstruction. *Behav Brain Res*. 1995 Jan 23;66(1-2):133-42. Review. PubMed PMID: 7755884.
- 893: Schulz MK, McNulty JA, Handa RJ, Hogan TP, Tillotson GL, Shaw PL, Zimmer J, Castro AJ. Fetal neocortical transplants grafted into neocortical lesion cavities made in newborn rats: an analysis of transplant integration with the host brain. *Cell Transplant*. 1995 Jan-Feb;4(1):123-32. PubMed PMID: 7728326.
- 894: Ebrahimi-Gaillard A, Beck T, Gaillard F, Wree A, Roger M. Transplants of embryonic cortical tissue placed in the previously damaged frontal cortex of adult rats: local cerebral glucose utilization following execution of forelimb movements. *Neuroscience*. 1995 Jan;64(1):49-60. PubMed PMID: 7708213.
- 895: Horellou P, Vigne E, Castel MN, Barnéoud P, Colin P, Perricaudet M, Delaère P, Mallet J. Direct intracerebral gene transfer of an adenoviral vector expressing tyrosine hydroxylase in a rat model of Parkinson's disease. *Neuroreport*. 1994 Dec 30;6(1):49-53. PubMed PMID: 7703427.
- 896: Pashler H, Luck SJ, Hillyard SA, Mangun GR, O'Brien S, Gazzaniga MS. Sequential operation of disconnected cerebral hemispheres in split-brain patients. *Neuroreport*. 1994 Nov 21;5(17):2381-4. PubMed PMID: 7881063.
- 897: Guitet J, Garnier C, Ebrahimi-Gaillard A, Roger M. Efferents of frontal or occipital cortex grafted into adult rat's motor cortex. *Neurosci Lett*. 1994 Oct 24;180(2):265-8. PubMed PMID: 7700592.
- 898: Schulz MK, Handa RJ, Tillotson GL, Castro AJ. Expression of c-fos mRNA and c-fos protein in neocortical transplants placed into excitotoxin-induced lesions in adult rats. *Exp Neurol*. 1994 Oct;129(2):321-9. PubMed PMID: 7957744.
- 899: Kurata J, Nakao S, Murakawa M, Adachi T, Shichino T, Mori K. The cerebral cortex origin of enflurane-induced generalized seizure in cats. *Anesth Analg*. 1994 Oct;79(4):713-8. PubMed PMID: 7943781.
- 900: Vandertop WP, de Vries WB, Notermans NC, Tulleken CA, Gispen WH. Experimentally-induced autonomic neuropathy: beneficial effect of a topical ACTH4-9 analogue on oculomotor nerve regeneration. *Neurosurgery*. 1994 Sep;35(3):457-61; discussion 462. PubMed PMID: 7800137.
- 901: Wüllner U, Standaert DG, Testa CM, Landwehrmeyer GB, Catania MV, Penney JB Jr, Young AB. Glutamate receptor expression in rat striatum: effect of deafferentation. *Brain Res*. 1994 Jun 6;647(2):209-19. PubMed PMID: 7922497.
- 902: Ebrahimi-Gaillard A, Guitet J, Garnier C, Roger M. Topographic distribution of efferent fibers originating from homotopic or heterotopic transplants: heterotopically transplanted neurons retain some of the developmental characteristics corresponding to their site of origin. *Brain Res Dev Brain Res*. 1994 Feb 18;77(2):271-83. PubMed PMID: 7513624.
- 903: Vandertop WP, de Vries WB, Notermans NC, Tulleken CA, Gispen WH. Experimentally induced autonomic neuropathy: beneficial effect of a systemic ACTH4-9 analogue on oculomotor nerve regeneration. *Restor Neurol Neurosci*. 1994 Jan 1;7(1):37-43. doi: 10.3233/RNN-1994-7106. PubMed PMID: 21551770.
- 904: Yamashiro K, Mukawa J, Terada Y, Tomiyama N, Ishida A, Mori K, Tasker RR, Albe-Fessard D. Neurons with high-frequency discharge in the central nervous system in chronic pain. *Stereotact Funct Neurosurg*. 1994;62(1-4):290-4. PubMed PMID: 7631084.

- 905: Smith JR, Gallen CC, Schwartz BJ. Multichannel magnetoencephalographic mapping of sensorimotor cortex for epilepsy surgery. *Stereotact Funct Neurosurg.* 1994;62(1-4):245-51. PubMed PMID: 7631076.
- 906: Welner SA, Koty ZC. Amelioration of sensory attention and sensorimotor deficits by chromaffin cell grafts to the cerebral cortex of nucleus basalis magnocellularis lesioned rats. *Behav Brain Res.* 1993 Dec 31;59(1-2):73-81. PubMed PMID: 8155295.
- 907: McTigue DM, Edwards NK, Rogers RC. Pancreatic polypeptide in dorsal vagal complex stimulates gastric acid secretion and motility in rats. *Am J Physiol.* 1993 Dec;265(6 Pt 1):G1169-76. PubMed PMID: 8279568.
- 908: Wakayama A, Kataoka K, Taneda M, Yamada K, Hayakawa T. Evaluation of masked neurological disorders in the chronic stage after middle cerebral artery occlusion in rats-methamphetamine-induced rotation and regional glucose metabolism in basal ganglia. *Neurol Med Chir (Tokyo).* 1993 Dec;33(12):801-8. PubMed PMID: 7512224.
- 909: Fernandez E, Pallini R, Lauretti L, Mercanti D, Serra A, Calissano P. Spinal cord transection in adult rats: effects of local infusion of nerve growth factor on the corticospinal tract axons. *Neurosurgery.* 1993 Nov;33(5):889-93. PubMed PMID: 7505409.
- 910: Nikkhah G, Duan WM, Knappe U, Jödicke A, Björklund A. Restoration of complex sensorimotor behavior and skilled forelimb use by a modified nigral cell suspension transplantation approach in the rat Parkinson model. *Neuroscience.* 1993 Sep;56(1):33-43. PubMed PMID: 8232915.
- 911: Fournier J, Steinberg R, Gauthier T, Keane PE, Guzzi U, Coudé FX, Bougault I, Maffrand JP, Soubrié P, Le Fur G. Protective effects of SR 57746A in central and peripheral models of neurodegenerative disorders in rodents and primates. *Neuroscience.* 1993 Aug;55(3):629-41. PubMed PMID: 8413926.
- 912: Cenci MA, Björklund A. Transection of corticostriatal afferents reduces amphetamine- and apomorphine-induced striatal Fos expression and turning behaviour in unilaterally 6-hydroxydopamine-lesioned rats. *Eur J Neurosci.* 1993 Aug 1;5(8):1062-70. PubMed PMID: 8281310.
- 913: Yamamoto K, Tanaka T, Fujita T, Fukuda H, Yonemasu Y. Correlations between local cerebral glucose utilization and electroclinical changes in rats by a kainic acid microinjection into a unilateral sensorimotor cortex. *Jpn J Psychiatry Neurol.* 1993 Jun;47(2):401-2. PubMed PMID: 8271612.
- 914: Brimijoin S, Moser V, Hammond P, Oka N, Lennon VA. Death of intermediolateral spinal cord neurons follows selective, complement-mediated destruction of peripheral preganglionic sympathetic terminals by acetylcholinesterase antibodies. *Neuroscience.* 1993 May;54(1):201-23. PubMed PMID: 8515842.
- 915: Roland BL, Grijalva CV. Gastric mucosal erosions induced by lateral hypothalamic damage: neuronal and dopaminergic mechanisms. *Brain Res.* 1993 Mar 5;605(1):110-20. PubMed PMID: 8096786.
- 916: Firkins SS, Bates CA, Stelzner DJ. Corticospinal tract plasticity and astroglial reactivity after cervical spinal injury in the postnatal rat. *Exp Neurol.* 1993 Mar;120(1):1-15. PubMed PMID: 7682966.
- 917: Wang CX, Nuttin BJ, Gybels JM. Motor evoked potentials in a static load model of spinal cord injury in the rat. *Neurosurgery.* 1993 Feb;32(2):269-73. PubMed PMID: 8382348.
- 918: Imhof HG, Gütlting E, Rüttner B, Dolder E, Zollinger A, Walser H. [Prognostic importance of early

- recorded somatosensory evoked potentials in patients not neurologically assessable after craniocerebral trauma]. *Aktuelle Traumatol.* 1993 Feb;23(1):7-13. German. PubMed PMID: 8097361.
- 919: Hurlbert RJ, Koyanagi I, Tator CH. Sensory evoked potentials for selective monitoring of the rat spinal cord: a cerebellar evoked potential to assess ventral cord integrity. *J Neurotrauma.* 1993 Summer;10(2):181-200. PubMed PMID: 8411219.
- 920: Sutton RL, Lescaudron L, Stein DG. Unilateral cortical contusion injury in the rat: vascular disruption and temporal development of cortical necrosis. *J Neurotrauma.* 1993 Summer;10(2):135-49. PubMed PMID: 8411217.
- 921: Dogali M. Sensorimotor cortical mapping and physiological response localization. *Adv Neurol.* 1993;63:141-8. Review. PubMed PMID: 8279298.
- 922: Vidal PP, Wang DH, Graf W, de Waele C. Vestibular control of skeletal geometry in the guinea pig: a problem of good trim? *Prog Brain Res.* 1993;97:229-43. PubMed PMID: 8234750.
- 923: Schulz MK, Hogan TP, Castro AJ. Connectivity of fetal neocortical block transplants in the excitotoxically ablated cortex of adult rats. *Exp Brain Res.* 1993;96(3):480-6. PubMed PMID: 7507863.
- 924: Araki T, Tanaka T, Tanaka S, Yonemasu Y, Kato M, Goto I. Kainic acid-induced thalamic seizure in cats—a possible model of petit mal seizure. *Epilepsy Res.* 1992 Dec;13(3):223-9. PubMed PMID: 1493785.
- 925: Boyeson MG, Krobert KA, Grade CM, Scherer PJ. Unilateral, but not bilateral, locus coeruleus lesions facilitate recovery from sensorimotor cortex injury. *Pharmacol Biochem Behav.* 1992 Nov;43(3):771-7. PubMed PMID: 1448471.
- 926: Kawai N, Nagao S. Origins and conducting pathways of motor evoked potentials elicited by transcranial magnetic stimulation in cats. *Neurosurgery.* 1992 Sep;31(3):520-6; discussion 526-7. PubMed PMID: 1407432.
- 927: Pang D. Split cord malformation: Part II: Clinical syndrome. *Neurosurgery.* 1992 Sep;31(3):481-500. Review. PubMed PMID: 1407429.
- 928: Kolb B, Gibb R, van der Kooy D. Cortical and striatal structure and connectivity are altered by neonatal hemidecortication in rats. *J Comp Neurol.* 1992 Aug 15;322(3):311-24. PubMed PMID: 1381385.
- 929: Apkarian AV, Stea RA, Manglos SH, Szeverenyi NM, King RB, Thomas FD. Persistent pain inhibits contralateral somatosensory cortical activity in humans. *Neurosci Lett.* 1992 Jun 22;140(2):141-7. PubMed PMID: 1501770.
- 930: Ferrante L, Mastronardi L, Lunardi P, Puzzilli F, Fortuna A. Lumbar disc herniation in teenagers. *Eur Spine J.* 1992 Jun;1(1):25-8. PubMed PMID: 20054943.
- 931: Uematsu S, Lesser RP, Gordon B. Localization of sensorimotor cortex: the influence of Sherrington and Cushing on the modern concept. *Neurosurgery.* 1992 Jun;30(6):904-12; discussion 912-3. PubMed PMID: 1614594.
- 932: Suzuki A, Yasui N. Intraoperative localization of the central sulcus by cortical somatosensory evoked potentials in brain tumor. Case report. *J Neurosurg.* 1992 May;76(5):867-70. PubMed PMID: 1564548.

933: Tonnaer JA, Schuijers GJ, Van Diepen HA, Peeters BW. Enhancement of regeneration by Org 2766 after nerve crush depends on the type of neural injury. *Eur J Pharmacol.* 1992 Apr 7;214(1):33-7. PubMed PMID: 1316279.

934: Kamada K, Oshiro O, Takeuchi F, Kuriki S, Houkin K, Abe H. [Anatomical analysis of the sources of somatosensory evoked fields (SEFs) using 3D-MRI]. *No To Shinkei.* 1992 Mar;44(3):265-70. Japanese. PubMed PMID: 1591104.

935: Kuwata T, Funahashi K, Naka D, Ogura M, Yoshida N, Tsuji N, Hayashi S, Komai N. [Pitfalls in cortical localization by intraoperative recording of cortical somatosensory evoked potentials]. *No Shinkei Geka.* 1992 Mar;20(3):223-8. Japanese. PubMed PMID: 1557170.

936: Obukhova GP, Gogeliya KhK, Senatorov VV, Fyuleup Z. Afferent and efferent connections of cortical transplants implanted into the damaged sensorimotor area of the cerebral cortex of adult rats. *Neurosci Behav Physiol.* 1992 Jan-Feb;22(1):1-6. PubMed PMID: 1614611.

937: Majchrzak M, Brailowsky S, Will B. Chronic infusion of GABA into the nucleus basalis magnocellularis or frontal cortex of rats: a behavioral and histological study. *Exp Brain Res.* 1992;88(3):531-40. PubMed PMID: 1587314.

938: Firsching R, Klug N, Börner U, Sanker P. Lesions of the sensorimotor region: somatosensory evoked potentials and ultrasound guided surgery. *Acta Neurochir (Wien).* 1992;118(3-4):87-90. PubMed PMID: 1456107.

939: Gorecki JP, Smith RR, Wee AS. Excision of arteriovenous malformation in sensorimotor and language-related neocortex using stimulation mapping and corticography under local anesthesia. *Stereotact Funct Neurosurg.* 1992;58(1-4):89. PubMed PMID: 1439356.

940: Glass A, Zappulla RA, Nieves J, Diamond SP. EEG coherence as a predictor of spike propagation. *Electroencephalogr Clin Neurophysiol.* 1992 Jan;82(1):10-6. PubMed PMID: 1370138.

941: Moulonguet A. [Multifocal neuropathy with persistent conduction block]. *Rev Prat.* 1992 Jan 1;42(1):34-7. Review. French. PubMed PMID: 1314411.

942: Solís H, Bravo J, Galindo-Morales JA. Rapidly recurring cortical seizures induce changes in neuronal responsiveness to acetylcholine. *Bol Estud Med Biol.* 1992 Jan-Dec;40(1-4):49-56. PubMed PMID: 1296672.

943: Allison T, McCarthy G, Wood CC, Jones SJ. Potentials evoked in human and monkey cerebral cortex by stimulation of the median nerve. A review of scalp and intracranial recordings. *Brain.* 1991 Dec;114 (Pt 6):2465-503. Review. PubMed PMID: 1782527.

944: Ovelmen-Levitt J, Young JN, Rossitch E Jr, Nashold BS Jr. The expression of a deafferentation syndrome in the Sprague-Dawley rat: effects of frontoparietal cortical lesions. *Pain.* 1991 Nov;47(2):203-9. PubMed PMID: 1762816.

945: Shih YH, Hsieh JC, Lee LS. Intraoperative localization of sensorimotor cortex by cortical somatosensory evoked potentials. *J Formos Med Assoc.* 1991 Nov;90(11):1049-54. PubMed PMID: 1687049.

946: Lavoie B, Parent A, Bédard PJ. Effects of dopamine denervation on striatal peptide expression in parkinsonian monkeys. *Can J Neurol Sci.* 1991 Aug;18(3 Suppl):373-5. PubMed PMID: 1933683.

- 947: Allison T, Wood CC, McCarthy G, Spencer DD. Cortical somatosensory evoked potentials. II. Effects of excision of somatosensory or motor cortex in humans and monkeys. *J Neurophysiol.* 1991 Jul;66(1):64-82. PubMed PMID: 1919677.
- 948: Segal R, Pollack I, Segal E, Hanley E, Scalbassi R, Hirsch W. Herniated L4-L5 disc after placement of Harrington instrumentation for a fracture of the thoracolumbar spine. *Neurosurgery.* 1991 Jul;29(1):135-6. PubMed PMID: 1870676.
- 949: Abbes S, Louvel J, Lamarche M, Pumain R. Laminar analysis of the origin of the various components of evoked potentials in slices of rat sensorimotor cortex. *Electroencephalogr Clin Neurophysiol.* 1991 Jul-Aug;80(4):310-20. PubMed PMID: 1713842.
- 950: Tanaka T, Fujita T, Tanaka S, Araki T, Yonemasu Y. Secondary generalization in kainic acid-induced focal seizures in unanesthetized cats. *Jpn J Psychiatry Neurol.* 1991 Jun;45(2):243-8. PubMed PMID: 1662297.
- 951: Ryder J, Zappulla R, Nieves J. Motor evoked potentials elicited from pyramidal stimulation and recorded from the spinal cord in the rat. *Neurosurgery.* 1991 Apr;28(4):550-8. PubMed PMID: 2034350.
- 952: Balzamo E, Gayan-Ramirez G, Jammes Y. Quantitative EEG changes under various conditions of hyperventilation in the sensorimotor cortex of the anaesthetized cat. *Electroencephalogr Clin Neurophysiol.* 1991 Feb;78(2):159-65. PubMed PMID: 1704839.
- 953: Jones BE. Paradoxical sleep and its chemical/structural substrates in the brain. *Neuroscience.* 1991;40(3):637-56. Review. PubMed PMID: 2062436.
- 954: Sandor R, Gonzalez MF, Moseley M, Sharp FR. Motor deficits are produced by removing some cortical transplants grafted into injured sensorimotor cortex of neonatal rats. *J Neural Transplant Plast.* 1991;2(3-4):221-33. PubMed PMID: 1782254; PubMed Central PMCID: PMC2565100.
- 955: Senatorov VV, Obuhova GP, Fülöp Z. Electrophysiological and morphological properties of embryonic neocortical grafts developing in different regions of the host rat brain. *J Neural Transplant Plast.* 1991;2(2):125-40. PubMed PMID: 1747392; PubMed Central PMCID: PMC2565090.
- 956: Yamashiro K, Iwayama K, Kurihara M, Mori K, Niwa M, Tasker RR, Albe-Fessard D. Neurones with epileptiform discharge in the central nervous system and chronic pain. Experimental and clinical investigations. *Acta Neurochir Suppl (Wien).* 1991;52:130-2. PubMed PMID: 1724343.
- 957: Fenelon G, Francois C, Percheron G, Yelnik J. Topographic distribution of the neurons of the central complex (centre médian-parafascicular complex) and of other thalamic neurons projecting to the striatum in macaques. *Neuroscience.* 1991;45(2):495-510. PubMed PMID: 1722293.
- 958: Ma TP, Graybiel AM, Wurtz RH. Location of saccade-related neurons in the macaque superior colliculus. *Exp Brain Res.* 1991;85(1):21-35. PubMed PMID: 1715825.
- 959: Kuang RZ, Kalil K. Specificity of corticospinal axon arbors sprouting into denervated contralateral spinal cord. *J Comp Neurol.* 1990 Dec 15;302(3):461-72. PubMed PMID: 1702111.
- 960: Obukhova GP, Gogeliia KhK, Senatorov VV, Fiulöp Z. [Afferent and efferent connections of cortical transplants implanted into the damaged sensorimotor area of the cerebral cortex of mature rats]. *Arkh Anat Gistol Embriol.* 1990 Dec;99(12):20-6. Russian. PubMed PMID: 2090054.

- 961: Sperke N, Spring A, Weis G, Artmann H. [Tethered cord syndrome in adults as a cause of disorders of bladder function]. *Urologe A*. 1990 Nov;29(6):345-7. German. PubMed PMID: 2291261.
- 962: Teitelbaum JS, Zatorre RJ, Carpenter S, Gendron D, Evans AC, Gjedde A, Cashman NR. Neurologic sequelae of domoic acid intoxication due to the ingestion of contaminated mussels. *N Engl J Med*. 1990 Jun 21;322(25):1781-7. PubMed PMID: 1971710.
- 963: Balzamo E, Gayan-Ramirez G, Jammes Y. Pulmonary vagal sensory afferents and spontaneous EEG rhythms in the cat sensorimotor cortex. *J Auton Nerv Syst*. 1990 Jun;30(2):149-57. PubMed PMID: 2196310.
- 964: Iizuka H, Sakatani K, Young W. Neural damage in the rat thalamus after cortical infarcts. *Stroke*. 1990 May;21(5):790-4. PubMed PMID: 1692645.
- 965: Takenobu A, Watanabe T, Hori T. [Use of cortical somatosensory evoked potentials in surgical treatment of AVMs in and around the central sulcus]. *No To Shinkei*. 1990 Mar;42(3):253-60. Japanese. PubMed PMID: 2369529.
- 966: Sørensen JC, Wanner-Olsen H, Tønder N, Danielsen E, Castro AJ, Zimmer J. Axotomized, adult basal forebrain neurons can innervate fetal frontal cortex grafts: a double fluorescent tracer study in the rat. *Exp Brain Res*. 1990;81(3):545-51. PubMed PMID: 2226687.
- 967: Gonzalez MF, Sharp FR. Fetal cortical transplants surviving in injured sensorimotor cortex of rats: cellular composition and function. *Prog Brain Res*. 1990;82:309-12. PubMed PMID: 2127110.
- 968: Yamashiro K, Tasker RR. Microstimulation for stereotactic neurosurgery. *Stereotact Funct Neurosurg*. 1990;54-55:168-71. PubMed PMID: 2080333.
- 969: Maiuri F, Gambardella A, Trinchillo G. Congenital lumbosacral lesions with late onset in adult life. *Neurol Res*. 1989 Dec;11(4):238-44. PubMed PMID: 2576108.
- 970: Riegler FX, VadeBoncouer TR, Pelligrino DA. Interpleural anesthetics in the dog: differential somatic neural blockade. *Anesthesiology*. 1989 Nov;71(5):744-50. PubMed PMID: 2817469.
- 971: Berger MS, Kincaid J, Ojemann GA, Lettich E. Brain mapping techniques to maximize resection, safety, and seizure control in children with brain tumors. *Neurosurgery*. 1989 Nov;25(5):786-92. PubMed PMID: 2586730.
- 972: Kauppila T, Stenberg D. alpha-Difluoromethylornithine (DFMO) disturbed the sensorimotor functional recovery from a sciatic lesion. *Neurosci Lett*. 1989 Sep 25;104(1-2):121-4. PubMed PMID: 2554217.
- 973: Allison T, McCarthy G, Wood CC, Williamson PD, Spencer DD. Human cortical potentials evoked by stimulation of the median nerve. II. Cytoarchitectonic areas generating long-latency activity. *J Neurophysiol*. 1989 Sep;62(3):711-22. PubMed PMID: 2769355.
- 974: Allison T, McCarthy G, Wood CC, Darcey TM, Spencer DD, Williamson PD. Human cortical potentials evoked by stimulation of the median nerve. I. Cytoarchitectonic areas generating short-latency activity. *J Neurophysiol*. 1989 Sep;62(3):694-710. PubMed PMID: 2769354.
- 975: McBride RL, Feringa ER, Garver MK, Williams JK Jr. Prelabeled red nucleus and sensorimotor cortex neurons of the rat survive 10 and 20 weeks after spinal cord transection. *J Neuropathol Exp Neurol*. 1989 Sep;48(5):568-76. PubMed PMID: 2769309.

976: Barinagarrementeria F, Del Brutto OH. Lacunar syndrome due to neurocysticercosis. *Arch Neurol*. 1989 Apr;46(4):415-7. PubMed PMID: 2705902.

977: Burchiel KJ, Clarke H, Ojemann GA, Dacey RG, Winn HR. Use of stimulation mapping and corticography in the excision of arteriovenous malformations in sensorimotor and language-related neocortex. *Neurosurgery*. 1989 Mar;24(3):322-7. PubMed PMID: 2467226.

978: Herrera-Marschitz M, Goiny M, Utsumi H, Ungerstedt U. Mesencephalic dopamine innervation of the frontoparietal (sensorimotor) cortex of the rat: a microdialysis study. *Neurosci Lett*. 1989 Feb 27;97(3):266-70. PubMed PMID: 2654764.

979: Ebeling U, Schmid UD, Reulen HJ. Tumour-surgery within the central motor strip: surgical results with the aid of electrical motor cortex stimulation. *Acta Neurochir (Wien)*. 1989;101(3-4):100-7. PubMed PMID: 2618812.

980: Crist CF, Yamasaki DS, Komatsu H, Wurtz RH. A grid system and a microsyringe for single cell recording. *J Neurosci Methods*. 1988 Dec;26(2):117-22. PubMed PMID: 3146006.

981: Auer LM, Pfurtscheller G, Abobaker S, Ott E, Marguc KJ, Lechner H. Penumbra around chronic cerebral infarction? *Neurol Res*. 1988 Dec;10(4):246-51. PubMed PMID: 2907114.

982: Sako K, Yura S, Yonemasu Y. [Somatosensory evoked potential and local cerebral glucose utilization in the transient MCA-occluded rat]. *No To Shinkei*. 1988 Nov;40(11):1051-8. Japanese. PubMed PMID: 3219240.

983: Makino K, Tanaka T, Yonemasu Y. Regional cerebral blood flow and kainic acid-induced focal limbic seizures in cats. *Epilepsy Res*. 1988 Jul-Aug;2(4):260-8. PubMed PMID: 3197695.

984: de la Torre JC, Morassutti D, Merali Z, Fortin T, Richard M. Associated norepinephrine loss following calcium-induced spinal paralysis. *Brain Res*. 1988 Mar 1;442(2):297-304. PubMed PMID: 3370449.

985: Janković BD, Jovanova-Nesić K, Marković BM. Neuroimmunomodulation: potentiation of delayed hypersensitivity and antibody production by chronic electrical stimulation of the rat brain. *Int J Neurosci*. 1988 Mar;39(1-2):153-64. PubMed PMID: 3290136.

986: Santori EM, Collins RC. Effects of chronic cortical seizures on GABA and benzodiazepine receptors within seizure pathways. *Brain Res*. 1988 Mar 1;442(2):261-9. PubMed PMID: 2836019.

987: Pallini R, Fernandez E, Sbriccoli A. Retrograde degeneration of corticospinal axons following transection of the spinal cord in rats. A quantitative study with anterogradely transported horseradish peroxidase. *J Neurosurg*. 1988 Jan;68(1):124-8. PubMed PMID: 3335897.

988: Wood CC, Spencer DD, Allison T, McCarthy G, Williamson PD, Goff WR. Localization of human sensorimotor cortex during surgery by cortical surface recording of somatosensory evoked potentials. *J Neurosurg*. 1988 Jan;68(1):99-111. PubMed PMID: 3275756.

989: Namba S, Nishimoto A. Stimulation of internal capsule, thalamic sensory nucleus (VPM) and cerebral cortex inhibited deafferentation hyperactivity provoked after gasserian ganglionectomy in cat. *Acta Neurochir Suppl (Wien)*. 1988;42:243-7. PubMed PMID: 3263751.

990: Slavin MD, Held JM, Basso DM, Lesensky S, Curran E, Gentile AM, Stein DG. Fetal brain tissue transplants and recovery of locomotion following damage to sensorimotor cortex in rats. *Prog Brain*

Res. 1988;78:33-8. PubMed PMID: 3247434.

991: Fehlings MG, Tator CH, Linden RD, Piper IR. Motor and somatosensory evoked potentials recorded from the rat. *Electroencephalogr Clin Neurophysiol.* 1988 Jan;69(1):65-78. PubMed PMID: 2448123.

992: van der Zee CE, Schuurman T, Traber J, Gispen WH. Oral administration of nimodipine accelerates functional recovery following peripheral nerve damage in the rat. *Neurosci Lett.* 1987 Dec 16;83(1-2):143-8. PubMed PMID: 3441293.

993: Staunton H, Dervan P, Kale R, Linke RP, Kelly P. Hereditary amyloid polyneuropathy in north west Ireland. *Brain.* 1987 Oct;110 (Pt 5):1231-45. PubMed PMID: 3676699.

994: Iwamoto K, Iwayama K, Mori K, Yamashiro K, Sakai S. Origin of short latency somatosensory evoked potential in cats: especially potentials derived from thalamus and cortex. *Neurol Res.* 1987 Sep;9(3):177-82. PubMed PMID: 2891065.

995: Allison T. Localization of sensorimotor cortex in neurosurgery by recording of somatosensory evoked potentials. *Yale J Biol Med.* 1987 Mar-Apr;60(2):143-50. PubMed PMID: 3577212; PubMed Central PMCID: PMC2590330.

996: Fehlings MG, Tator CH, Linden RD, Piper IR. Motor evoked potentials recorded from normal and spinal cord-injured rats. *Neurosurgery.* 1987 Jan;20(1):125-30. PubMed PMID: 3808252.

997: Tasker RR, Gorecki J, Lenz FA, Hirayama T, Dostrovsky JO. Thalamic microelectrode recording and microstimulation in central and deafferentation pain. *Appl Neurophysiol.* 1987;50(1-6):414-7. PubMed PMID: 3329877.

998: Steiner H, Huston JP, Morgan S. Apomorphine reverses direction of asymmetry in facial scanning after 10 days of unilateral vibrissae removal in rat: vibrissotomy-induced denervation supersensitivity? *Behav Brain Res.* 1986 Dec;22(3):283-7. PubMed PMID: 3790248.

999: Velasco F, Velasco M, Ogarrio C, Olvera A. Neglect induced by thalamotomy in humans: a quantitative appraisal of the sensory and motor deficits. *Neurosurgery.* 1986 Nov;19(5):744-51. PubMed PMID: 3537834.

1000: Sievert CF, Neafsey EJ. A chronic unit study of the sensory properties of neurons in the forelimb areas of rat sensorimotor cortex. *Brain Res.* 1986 Aug 27;381(1):15-23. PubMed PMID: 3530375.

1001: Schall U, Delius JD. Sensory inputs to the nucleus basalis prosencephali, a feeding-pecking centre in the pigeon. *J Comp Physiol A.* 1986 Jul;159(1):33-41. PubMed PMID: 3528468.

1002: Bilibin DP, Shevelev OA. [Cortical representation of the heart sinus node zone]. *Biull Eksp Biol Med.* 1985 Nov;100(11):517-9. Russian. PubMed PMID: 4063490.

1003: Whishaw IQ, Dunnett SB. Dopamine depletion, stimulation or blockade in the rat disrupts spatial navigation and locomotion dependent upon beacon or distal cues. *Behav Brain Res.* 1985 Oct-Nov;18(1):11-29. PubMed PMID: 3911980.

1004: Whishaw IQ, O'Connor WT, Dunnett SB. Disruption of central cholinergic systems in the rat by basal forebrain lesions or atropine: effects on feeding, sensorimotor behaviour, locomotor activity and spatial navigation. *Behav Brain Res.* 1985 Sep-Oct;17(2):103-15. PubMed PMID: 4074488.

- 1005: Lees GJ, Kydd RR, Wright JJ. Relationship between sensorimotor neglect and the specificity, degree and locus of mesotelencephalic dopaminergic cell loss following 6-hydroxydopamine. *Psychopharmacology (Berl)*. 1985;85(1):115-22. PubMed PMID: 3920693.
- 1006: Whishaw IQ, Kolb B. Decortication abolishes place but not cue learning in rats. *Behav Brain Res*. 1984 Feb;11(2):123-34. PubMed PMID: 6704233.
- 1007: Bijlsma WA, Schotman P, Jennekens FG, Gispen WH, De Wied D. The enhanced recovery of sensorimotor function in rats is related to the melanotropic moiety of ACTH/MSH neuropeptides. *Eur J Pharmacol*. 1983 Sep 2;92(3-4):231-6. PubMed PMID: 6313395.
- 1008: Infante C, Motles E, Saavedra H, Palestini M. Effects of cortical ablations on the turning response evoked by stimulation of the pulvinar-lateralis posterior nucleus complex in the cat. *Arch Ital Biol*. 1983 Apr;121(2):103-15. PubMed PMID: 6615116.
- 1009: Fujito Y, Maeda J, Murakami F, Tsukahara N. Synaptic inputs of feline rubrospinal neurons from the parietal association cortex, pretectum and medial lemniscus, and their lesion-induced sprouting. *Jpn J Physiol*. 1983;33(2):197-214. PubMed PMID: 6876501.
- 1010: Pfurtscheller G, Auer L, Oberbauer R. The influence of skull defects and reperfusion after extra-intracranial arterial bypass surgery on the sensorimotor EEG rhythm. *J Neurol Neurosurg Psychiatry*. 1982 Dec;45(12):1106-12. PubMed PMID: 7161606; PubMed Central PMCID: PMC491692.
- 1011: Grundy BL, Nelson PB, Lina A, Heros RC. Monitoring of cortical somatosensory evoked potentials to determine the safety of sacrificing the anterior cerebral artery. *Neurosurgery*. 1982 Jul;11(1 Pt 1):64-7. PubMed PMID: 7110571.
- 1012: Belenkov NI, Lassi NI. [Structural-functional reorganization of the brain after sequential removal of the regions of the motor cortex in cats and dogs]. *Zh Vyssh Nerv Deiat Im I P Pavlova*. 1982;32(5):845-51. Russian. PubMed PMID: 7158024.
- 1013: Whishaw IQ, Schallert T, Kolb B. An analysis of feeding and sensorimotor abilities of rats after decortication. *J Comp Physiol Psychol*. 1981 Feb;95(1):85-103. PubMed PMID: 7217415.
- 1014: Levitt M, Heybach JP. The deafferentation syndrome in genetically blind rats: a model of the painful phantom limb. *Pain*. 1981 Feb;10(1):67-73. PubMed PMID: 7194999.
- 1015: Hayes NL, Rustioni A. Descending projections from brainstem and sensorimotor cortex to spinal enlargements in the cat. Single and double retrograde tracer studies. *Exp Brain Res*. 1981;41(2):89-107. PubMed PMID: 6162664.
- 1016: Björklund A, Dunnett SB, Stenevi U, Lewis ME, Iversen SD. Reinnervation of the denervated striatum by substantia nigra transplants: functional consequences as revealed by pharmacological and sensorimotor testing. *Brain Res*. 1980 Oct 20;199(2):307-33. PubMed PMID: 7417786.
- 1017: Stanzani S, Russo A. [Afferent connections in the ventromedial hypothalamus of rats demonstrated by retrograde transport of horseradish peroxidase]. *Boll Soc Ital Biol Sper*. 1980 Sep 15;56(17):1721-5. Italian. PubMed PMID: 6161623.
- 1018: Six E, Alexander E Jr, Kelly DL Jr, Davis CH Jr, McWhorter JM. Gunshot wounds to the spinal cord. *South Med J*. 1979 Jun;72(6):699-702. PubMed PMID: 451656.
- 1019: Spehlmann R, Norcross K, Grimmer EJ. Selective blockade by scopolamine of synaptic

responses in cat's caudate nucleus and its modification by lesions of the substantia nigra. *Brain*. 1978 Dec;101(4):649-59. PubMed PMID: 216458.

1020: Doetsch GS, Haggard RJ, Sweatman LK. Three-dimensional plotting of neuronal population response patterns. *Brain Res Bull*. 1978 Jul-Aug;3(4):299-303. PubMed PMID: 318198.

1021: Batuev AS, Kulikov GA, Kamenskaya VG, Footer LI. Characteristics of evoked potentials and single neuron responses in the cat sensorimotor cortex to sound stimuli with different frequencies. *Acta Biol Med Ger*. 1978;37(7):1015-24. PubMed PMID: 371314.

1022: Crossman AR, Sambrook MA, Gergies SW, Slater P. The neurological basis of motor asymmetry following unilateral 6-hydroxydopamine brain lesions in the rat: the effect of motor decortication. *J Neurol Sci*. 1977 Dec;34(3):407-14. PubMed PMID: 591996.

1023: Siegfried J, Bernoulli C. Stereo-electroencephalographic exploration and epilepsia partialis continua. *Acta Neurochir (Wien)*. 1976;(23 Suppl):183-91. PubMed PMID: 793309.

1024: Schaefer KP. Sensorimotor transformation in rabbits and cats. *Neurosci Res Program Bull*. 1975 May;13(2):235-8. PubMed PMID: 1161152.

1025: Bantli H, Bloedel JR. The action of the dentate nucleus on the excitability of spinal motoneurons via pathways which do not involve the primary sensorimotor cortex. *Brain Res*. 1975 Apr 25;88(1):86-90. PubMed PMID: 1122407.

1026: Newton RA, Price DD. Modulation of cortical and pyramidal tract induced motor responses by electrical stimulation of the basal ganglia. *Brain Res*. 1975 Mar 7;85(3):403-22. PubMed PMID: 163122.

1027: Manfredi M, Sacco G, Sideri G. The tonic ambulatory foot response. A clinical and electromyographic study. *Brain*. 1975 Mar;98(1):167-80. PubMed PMID: 1122373.

1028: Spehlmann R, Downes K. The effects of acetylcholine and of synaptic stimulation on the sensorimotor cortex of cats. I. Neuronal responses to stimulation of the reticular formation. *Brain Res*. 1974 Jul 12;74(2):229-42. PubMed PMID: 4366189.

1029: Spehlmann R, Smathers CC Jr. The effects of acetylcholine and of synaptic stimulation on the sensorimotor cortex of cats. II. Comparison of the neuronal responses to reticular and other stimuli. *Brain Res*. 1974 Jul 12;74(2):243-53. PubMed PMID: 4365451.

1030: Zeigler HP. Trigeminal deafferentation and feeding in the pigeon: sensorimotor and motivational effects. *Science*. 1973 Dec 14;182(4117):1155-8. PubMed PMID: 4750612.

1031: Levine MS, Schwartzbaum JS. Sensorimotor functions of the striatopallidal system and lateral hypothalamus and consummatory behavior in rats. *J Comp Physiol Psychol*. 1973 Dec;85(3):615-35. PubMed PMID: 4586878.

1032: Pichichero M, Beer B, Clody DE. Effects of dibutyryl cyclic AMP on restoration of function of damaged sciatic nerve in rats. *Science*. 1973 Nov 16;182(4113):724-5. PubMed PMID: 4356519.

1033: Turner BH. Sensorimotor syndrome produced by lesions of the amygdala and lateral hypothalamus. *J Comp Physiol Psychol*. 1973 Jan;82(1):37-47. PubMed PMID: 4567891.

1034: De Lancy Horne DJ. Performance on delayed response tasks by patients with parkinsonism. *J*

Neurol Neurosurg Psychiatry. 1971 Apr;34(2):192-4. PubMed PMID: 5571603; PubMed Central PMCID: PMC493733.

From:

<https://neurosurgerywiki.com/wiki/> - **Neurosurgery Wiki**

Permanent link:

https://neurosurgerywiki.com/wiki/doku.php?id=sensorimotor_function

Last update: **2025/04/26 00:17**

