

- 1: Akça D, Güneş A, Karaçetin G. Use of Sublingual Atropine Drops in Clozapine- Associated Sialorrhea in an Adolescent Patient: A Case Report. *J Clin Psychopharmacol.* 2022 Oct 17. doi: 10.1097/JCP.0000000000001616. Epub ahead of print. PMID: 36251377.
- 2: Bove F, Genovese D, Petracca M, Tufo T, Pisani D, Lo Monaco MR, Bentivoglio AR, Calabresi P, Piano C. STN-DBS does not increase the risk of sialorrhea in patients with advanced Parkinson's disease. *NPJ Parkinsons Dis.* 2022 Jun 29;8(1):85. doi: 10.1038/s41531-022-00348-1. PMID: 35768423; PMCID: PMC9243012.
- 3: James E, Ellis C, Brassington R, Sathasivam S, Young CA. Treatment for sialorrhea (excessive saliva) in people with motor neuron disease/amyotrophic lateral sclerosis. *Cochrane Database Syst Rev.* 2022 May 20;5(5):CD006981. doi: 10.1002/14651858.CD006981.pub3. PMID: 35593746; PMCID: PMC9121913.
- 4: Yamaki T, Takahashi K, Azuhata O, Itou D, Yakufujiang M, Oka N, Odaki M, Kobayashi S. Longitudinal CT evaluation of transdermal scopolamine for aspiration pneumonia with sialorrhea in severe chronic brain injury: A case series. *SAGE Open Med Case Rep.* 2022 May 6;10:2050313x221096227. doi: 10.1177/2050313x221096227. PMID: 35548103; PMCID: PMC9082737.
- 5: Cridge H, Little A, José-López R, Pancotto T, Michaels JR, Menchetti M, Suñol A, Lipsitz D, Beasley MJ. The clinical utility of neostigmine administration in the diagnosis of acquired myasthenia gravis. *J Vet Emerg Crit Care (San Antonio).* 2021 Sep;31(5):647-655. doi: 10.1111/vec.13097. Epub 2021 Jul 29. PMID: 34324776.
- 6: Wang B, Su M, Liu Y, Han Z, Qin L. Primary sialorrhea and its surgical treatment with denervation of the submandibular glands in combination with sublingual gland excision. *J Craniomaxillofac Surg.* 2021 Jan;49(1):47-51. doi: 10.1016/j.jcms.2020.11.006. Epub 2020 Nov 21. PMID: 33261985.
- 7: Taschner CA, Sankowski R, Scheiwe C, Urbach H, Storz C, Prinz M. Freiburg Neuropathology Case Conference : Hypersalivatory Seizures in a 6-year-old Child. *Clin Neuroradiol.* 2019 Sep;29(3):581-586. doi: 10.1007/s00062-019-00820-1. PMID: 31388687.
- 8: Mirchi A, Pelletier F, Tran LT, Keller S, Braverman N, Tonduti D, Vanderver A, Pizzino A, Dilenge ME, Poulin C, Shevell M, Majnemer A, Sébire G, Srour M, Osterman B, Boucher RM, Vanasse M, Rossignol E, Mitchell J, Venkateswaran S, Pohl D, Kauffman M, Schiffmann R, Goizet C, Moutton S, Roncarolo F, Bernard G. Health-Related Quality of Life for Patients With Genetically Determined Leukoencephalopathy. *Pediatr Neurol.* 2018 Jul;84:21-26. doi: 10.1016/j.pediatrneurol.2018.03.015. Epub 2018 Apr 9. PMID: 29859719.
- 9: Tiigimäe-Saar J, Tamme T, Rosenthal M, Kadastik-Eerme L, Taba P. Saliva changes in Parkinson's disease patients after injection of Botulinum neurotoxin type A. *Neurol Sci.* 2018 May;39(5):871-877. doi: 10.1007/s10072-018-3279-4. Epub 2018 Feb 19. PMID: 29460161.
- 10: Kay-Rivest E, Khendek L, Bernard G, Daniel SJ. Pediatric leukodystrophies: The role of the otolaryngologist. *Int J Pediatr Otorhinolaryngol.* 2017 Oct;101:141-144. doi: 10.1016/j.ijporl.2017.07.039. Epub 2017 Jul 27. PMID: 28964285.
- 11: Ozturk K, Erdur O, Gul O, Olmez A. Feasibility of endoscopic submandibular ganglion neurectomy for drooling. *Laryngoscope.* 2017 Jul;127(7):1604-1607. doi: 10.1002/lary.26557. Epub 2017 Mar 17. PMID: 28304087.
- 12: McGeachan AJ, Hobson EV, Al-Chalabi A, Stephenson J, Chandran S, Crawley F, Dick D, Donaghy C,

Ellis CM, Gorrie G, Hanemann CO, Harrower T, Jung A, Malaspina A, Morrison KE, Orrell RW, Talbot K, Turner MR, Williams TL, Young CA, Shaw PJ, McDermott CJ. A multicentre evaluation of oropharyngeal secretion management practices in amyotrophic lateral sclerosis. *Amyotroph Lateral Scler Frontotemporal Degener.* 2017 Feb;18(1-2):1-9. doi: 10.1080/21678421.2016.1221433. Epub 2016 Aug 31. Erratum in: *Amyotroph Lateral Scler Frontotemporal Degener.* 2017 Feb;18(1-2):152. PMID: 27579520.

13: Tiigimäe-Saar J, Taba P, Tamme T. Does Botulinum neurotoxin type A treatment for sialorrhea change oral health? *Clin Oral Investig.* 2017 Apr;21(3):795-800. doi: 10.1007/s00784-016-1826-z. Epub 2016 Apr 26. PMID: 27114092.

14: Duan Y, Gao X, Luo X, Sun C. Evaluation of the efficacy of cervical perivascular sympathectomy on drooling in children with athetoid cerebral palsy. *Eur J Paediatr Neurol.* 2015 May;19(3):280-5. doi: 10.1016/j.ejpn.2015.01.007. Epub 2015 Jan 26. PMID: 25662757.

15: Spock T, Hoffman HT, Joshi AS. Transoral submandibular ganglion neurectomy: an anatomical feasibility study. *Ann Otol Rhinol Laryngol.* 2015 May;124(5):341-4. doi: 10.1177/0003489414557019. Epub 2014 Nov 25. PMID: 25429100.

16: Gabel BC, Yoon J, Crawford JR. Clinical isolated syndrome mimicking focal brainstem glioma in a child. *BMJ Case Rep.* 2014 Mar 10;2014:bcr2013203501. doi: 10.1136/bcr-2013-203501. PMID: 24614782; PMCID: PMC3962948.

17: Godoy T, Riva A, Ekström J. Atypical antipsychotics-effects of amisulpride on salivary secretion and on clozapine-induced sialorrhea. *Oral Dis.* 2012 Oct;18(7):680-91. doi: 10.1111/j.1601-0825.2012.01926.x. Epub 2012 Mar 28. PMID: 22458406.

18: Chen SY, Tsai ST, Lin SH, Chen TY, Hung HY, Lee CW, Wang WH, Chen SP, Lin SZ. Subthalamic deep brain stimulation in Parkinson's disease under different anesthetic modalities: a comparative cohort study. *Stereotact Funct Neurosurg.* 2011;89(6):372-80. doi: 10.1159/000332058. Epub 2011 Nov 19. PMID: 22104439.

19: Godoy T, Riva A, Ekström J. Clozapine-induced salivation: interaction with N-desmethylclozapine and amisulpride in an experimental rat model. *Eur J Oral Sci.* 2011 Aug;119(4):275-81. doi: 10.1111/j.1600-0722.2011.00832.x. PMID: 21726287.

20: Young CA, Ellis C, Johnson J, Sathasivam S, Pih N. Treatment for sialorrhea (excessive saliva) in people with motor neuron disease/amyotrophic lateral sclerosis. *Cochrane Database Syst Rev.* 2011 May 11;(5):CD006981. doi: 10.1002/14651858.CD006981.pub2. Update in: *Cochrane Database Syst Rev.* 2022 May 20;5:CD006981. PMID: 21563158.

21: Ekström J, Godoy T, Riva A. N-Desmethylclozapine exerts dual and opposite effects on salivary secretion in the rat. *Eur J Oral Sci.* 2010 Feb;118(1):1-8. doi: 10.1111/j.1600-0722.2009.00696.x. PMID: 20156258.

22: Ekström J, Godoy T, Riva A. Clozapine: agonistic and antagonistic salivary secretory actions. *J Dent Res.* 2010 Mar;89(3):276-80. doi: 10.1177/0022034509356055. Epub 2010 Jan 21. PMID: 20093673.

23: Katona G, Csákányi Z, Lorincz A, Gerlinger I. Bilateral submandibular duct relocation by high-frequency radiosurgery. *Eur Arch Otorhinolaryngol.* 2008 Sep;265(9):1103-8. doi: 10.1007/s00405-008-0604-1. Epub 2008 Feb 5. PMID: 18247037.


24: Defossez W. Approche actuelle de l'hypersialorrhée [The current approach to hyper-sialorrhea].

- Rev Belge Med Dent (1984). 2006;61(3):173-9. French. PMID: 17408138.
- 25: Shah J, Zhai H, Fuerst D, Watson C. Hypersalivation in temporal lobe epilepsy. Epilepsia. 2006 Mar;47(3):644-51. doi: 10.1111/j.1528-1167.2006.00480.x. PMID: 16529634.
- 26: Ondzotto G, Galiba J. L'hypersialorrhee chez le retarde mental: interet d'une denervation salivaire [Hypersialorrhea in mental retardation: interest of salivary denervation]. Odontostomatol Trop. 2004 Jun;27(106):27-8. French. PMID: 15536718.
- 27: Satow T, Ikeda A, Hayashi N, Yamamoto J, Takayama M, Matsuhashi M, Mikuni N, Takahashi J, Shibasaki H, Miyamoto S, Hashimoto N. Surgical treatment of seizures from the peri-Sylvian area by perinatal insult: a case report of ictal hypersalivation. Acta Neurochir (Wien). 2004 Sep;146(9):1021-5; discussion 1026. doi: 10.1007/s00701-004-0311-7. Epub 2004 Jun 30. PMID: 15340814.
- 28: Cordivari C, Misra VP, Catania S, Lees AJ. New therapeutic indications for botulinum toxins. Mov Disord. 2004 Mar;19 Suppl 8:S157-61. doi: 10.1002/mds.20071. PMID: 15027069.
- 29: Koga T, Kobashi M, Mizutani M, Tsukamoto G, Matsuo R. Area postrema mediates gastric motor response induced by apomorphine in rats. Brain Res. 2003 Jan 17;960(1-2):122-31. doi: 10.1016/s0006-8993(02)03801-5. PMID: 12505664.
- 30: Thobois S, Mertens P, Guenot M, Hermier M, Mollion H, Bouvard M, Chazot G, Broussolle E, Sindou M. Subthalamic nucleus stimulation in Parkinson's disease: clinical evaluation of 18 patients. J Neurol. 2002 May;249(5):529-34. doi: 10.1007/s004150200059. PMID: 12021940.
- 31: College C, Feigal R, Wandera A, Strange M. Bilateral versus unilateral mandibular block anesthesia in a pediatric population. Pediatr Dent. 2000 Nov- Dec;22(6):453-7. PMID: 11132502.
- 32: Ghika J, Ghika-Schmid F, Fankhauser H, Assal G, Vingerhoets F, Albanese A, Bogousslavsky J, Favre J. Bilateral contemporaneous posteroverentral pallidotomy for the treatment of Parkinson's disease: neuropsychological and neurological side effects. Report of four cases and review of the literature. J Neurosurg. 1999 Aug;91(2):313-21. doi: 10.3171/jns.1999.91.2.0313. PMID: 10433321.
- 33: Wolford LM, Cottrell DA, LaBanc JP. Infraorbital nerve sharing to restore sensibility to the lower lip: case report. J Oral Maxillofac Surg. 1995 May;53(5):594-9. doi: 10.1016/0278-2391(95)90075-6. PMID: 7722731.
- 34: Filippi S, Monaco P, Godano U, Calbucci F. Sialorrhea from fourth ventricle hydrocephalus. Case report. J Neurosurg. 1994 Aug;81(2):297-8. doi: 10.3171/jns.1994.81.2.0297. PMID: 8027816.
- 35: Myer CM 3rd. Sialorrhea. Pediatr Clin North Am. 1989 Dec;36(6):1495-500. doi: 10.1016/s0031-3955(16)36802-x. PMID: 2685726.
- 36: Grewal DS, Hiranandani NL, Rangwalla ZA, Sheode JH. Transtympanic neurectomies for control of drooling. Auris Nasus Larynx. 1984;11(2):109-14. doi: 10.1016/s0385-8146(84)80007-3. PMID: 6487175.
- 37: Chilla R, Witzemann V, Opaitz M, Arglebe C. Possible involvement of parotid beta-adrenergic receptors in the etiology of sialadenosis. Arch Otorhinolaryngol. 1981;230(2):113-20. doi: 10.1007/BF00456140. PMID: 6271110.
- 38: Mullins WM, Gross CW, Moore JM. Long-term follow-up of tympanic neurectomy for sialorrhea. Laryngoscope. 1979 Aug;89(8):1219-23. doi: 10.1002/lary.1979.89.8.1219. PMID: 459654.

- 39: Wilkie TF. On the bad effects of nerve sections for the control of drooling. *Plast Reconstr Surg.* 1977 Sep;60(3):439-40. doi: 10.1097/00006534-197709000-00022. PMID: 897002.
- 40: Townsend GL, Morimoto AM, Kralemann H. Management of sialorrhea in mentally retarded patients by transtympanic neurectomy. *Mayo Clin Proc.* 1973 Nov;48(11):776-9. PMID: 4758148.
- 41: Smith RA, Goode RL. Current concepts: sialorrhea. *N Engl J Med.* 1970 Oct 22;283(17):917-8. doi: 10.1056/NEJM197010222831707. PMID: 4394043.
- 42: Goode RL, Smith RA. The surgical management of sialorrhea. *Laryngoscope.* 1970 Jul;80(7):1078-89. doi: 10.1288/00005537-197007000-00006. PMID: 5450300.
- 43: EMMELIN N, HOLMBERG J. NEUROGLANDULAR EFFECTS OF BRETYLIUM AND GUANETHIDINE STUDIED ON SALIVARY GLANDS OF CATS. *J Oral Ther Pharmacol.* 1965 Jul;2:24-31. PMID: 14321476.
- 44: RUCKEBUSCH Y, BELLANGEON M. BRADYCARDIE R'EFLEXE CONDITIONNELLE CHEZ LE LAPIN [CONDITIONED REFLEX BRADYCARDIA IN THE RABBIT]. *C R Seances Soc Biol Fil.* 1963 Aug 31;157:838-40. French. PMID: 14081744.
- 45: YOEL J, MARKMAN I. The surgical treatment of sialorrhea. *J Int Coll Surg.* 1963 Mar;39:261-8. PMID: 14002604.

From:

<https://neurosurgerywiki.com/wiki/> - **Neurosurgery Wiki**



Permanent link:

<https://neurosurgerywiki.com/wiki/doku.php?id=sialorrhea>

Last update: **2024/06/07 02:50**